

Scaled data based on original data using  
LM-79-2019 Approved Method: Electrical and Photometric Measurements of Solid-State  
Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions

Brand: CORELITE

Report Number: P1216839

Luminaire Tested: 14-ID2-30-CFR2-L840-U

Issue Date: 12/5/2025

**Test Information**

Test Method: LM-79-2019  
Report Number: P1216839  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-2508-507-14)  
Test Lab: INNOVATION CENTER  
Issue Date: 12/5/2025  
Manufacturer: COOPER LIGHTING SOLUTIONS  
Product Line: CORELITE  
Catalog Number: 14-ID2-30-CFR2-L840-U  
Description: 1X4 IN DEPTH TROFFER WITH 2INCH CUBE REGRESS LENS  
Light Source: 4000K CCT, 80 CRI LEDS  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**


Lumens per Lamp: N/A  
Luminaire Lumens: 3352.4 lumens  
Efficiency: N/A  
Efficacy: 127.5 lumens/watt  
Spacing Criteria (0/90/45): 1.22 / 1.16 / 1.28  
Luminous Opening: Rectangular (W 1' x L: 4' x H: 0')  
CIE Type: Direct

Input Watts (W): 26.3  
Input Voltage (V): 120  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 24 FT



TEST NUMBER: P1216839  
CATALOG NUMBER: 14-ID2-30-CFR2-L840-U

### Luminous Intensity Polar Plot



TEST NUMBER: P1216839

CATALOG NUMBER: 14-ID2-30-CFR2-L840-U

**COEFFICIENT OF UTILIZATION - ZONAL CAVITY METHOD:**

|     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| RF  | 20  |     |     |     | 20  |     |     |     |     | 20  |     |     |     |     | 20  |     |     |     |     | 20  |
| RC  | 80  |     |     |     | 70  |     |     |     |     | 50  |     |     |     |     | 30  |     |     |     |     | 0   |
| RW  | 70  | 50  | 30  | 10  | 70  | 50  | 30  | 10  | 50  | 30  | 10  | 50  | 30  | 10  | 50  | 30  | 10  | 50  | 30  | 0   |
| RCR |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| 0   | 119 | 119 | 119 | 119 | 116 | 116 | 116 | 116 | 111 | 111 | 111 | 106 | 106 | 106 | 102 | 102 | 102 | 102 | 102 | 100 |
| 1   | 110 | 105 | 101 | 98  | 107 | 103 | 99  | 96  | 99  | 96  | 93  | 95  | 93  | 90  | 91  | 89  | 88  | 88  | 88  | 86  |
| 2   | 100 | 93  | 86  | 81  | 98  | 91  | 85  | 80  | 87  | 82  | 78  | 84  | 80  | 76  | 81  | 78  | 75  | 75  | 75  | 72  |
| 3   | 92  | 82  | 74  | 68  | 89  | 80  | 73  | 67  | 77  | 71  | 66  | 75  | 70  | 65  | 72  | 68  | 64  | 64  | 64  | 62  |
| 4   | 84  | 73  | 65  | 58  | 82  | 72  | 64  | 58  | 69  | 62  | 57  | 67  | 61  | 56  | 65  | 60  | 56  | 56  | 56  | 53  |
| 5   | 78  | 66  | 57  | 51  | 76  | 64  | 56  | 50  | 62  | 55  | 50  | 60  | 54  | 49  | 59  | 53  | 49  | 49  | 49  | 47  |
| 6   | 72  | 59  | 51  | 44  | 70  | 58  | 50  | 44  | 57  | 49  | 44  | 55  | 48  | 44  | 53  | 48  | 43  | 43  | 43  | 41  |
| 7   | 67  | 54  | 45  | 40  | 65  | 53  | 45  | 39  | 52  | 44  | 39  | 50  | 44  | 39  | 49  | 43  | 39  | 39  | 39  | 37  |
| 8   | 62  | 49  | 41  | 35  | 61  | 49  | 41  | 35  | 47  | 40  | 35  | 46  | 40  | 35  | 45  | 39  | 35  | 35  | 35  | 33  |
| 9   | 58  | 45  | 37  | 32  | 57  | 45  | 37  | 32  | 44  | 37  | 32  | 43  | 36  | 32  | 42  | 36  | 31  | 31  | 31  | 30  |
| 10  | 55  | 42  | 34  | 29  | 54  | 41  | 34  | 29  | 40  | 34  | 29  | 40  | 33  | 29  | 39  | 33  | 29  | 29  | 29  | 27  |

**AVERAGE LUMINANCE (cd/sqm):**

|     | 0°   | 45°  | 90°  |
|-----|------|------|------|
| 0°  | 3718 | 3718 | 3718 |
| 5°  | 3727 | 3713 | 3729 |
| 10° | 3715 | 3712 | 3728 |
| 15° | 3689 | 3684 | 3669 |
| 20° | 3647 | 3619 | 3576 |
| 25° | 3592 | 3524 | 3462 |
| 30° | 3520 | 3417 | 3336 |
| 35° | 3426 | 3288 | 3199 |
| 40° | 3323 | 3147 | 3040 |
| 45° | 3204 | 2991 | 2866 |
| 50° | 3067 | 2814 | 2675 |
| 55° | 2908 | 2624 | 2471 |
| 60° | 2744 | 2415 | 2248 |
| 65° | 2559 | 2185 | 1997 |
| 70° | 2327 | 1932 | 1718 |
| 75° | 2039 | 1642 | 1354 |
| 80° | 1646 | 1215 | 945  |
| 85° | 1108 | 892  | 790  |

**MAXIMUM LUMINANCE 45°-90°:**

Horizontal Angle: 0°

Vertical Angle: 45°

Luminance: 3204 cd/sqm

TEST NUMBER: P1216839  
 CATALOG NUMBER: 14-ID2-30-CFR2-L840-U

**ZONAL LUMENS:**

| Zone      | Lumens | % Fixture |
|-----------|--------|-----------|
| 0°-10°    | 130.9  | 3.9       |
| 10°-20°   | 372.1  | 11.1      |
| 20°-30°   | 547.2  | 16.3      |
| 30°-40°   | 629.2  | 18.8      |
| 40°-50°   | 611.6  | 18.2      |
| 50°-60°   | 507.3  | 15.1      |
| 60°-70°   | 347.7  | 10.4      |
| 70°-80°   | 170.3  | 5.1       |
| 80°-90°   | 36.0   | 1.1       |
| 90°-100°  | 0.0    | 0.0       |
| 100°-110° | 0.0    | 0.0       |
| 110°-120° | 0.0    | 0.0       |
| 120°-130° | 0.0    | 0.0       |
| 130°-140° | 0.0    | 0.0       |
| 140°-150° | 0.0    | 0.0       |
| 150°-160° | 0.0    | 0.0       |
| 160°-170° | 0.0    | 0.0       |
| 170°-180° | 0.0    | 0.0       |
| 0°-30°    | 1050.2 | 31.3      |
| 0°-40°    | 1679.4 | 50.1      |
| 0°-60°    | 2798.4 | 83.5      |
| 0°-90°    | 3352.4 | 100.0     |
| 90°-120°  | 0.0    | 0.0       |
| 90°-150°  | 0.0    | 0.0       |
| 90°-180°  | 0.0    | 0.0       |
| 0°-180°   | 3352.4 | 100.0     |

**CANDELA DISTRIBUTION:**

|     | 0°   | 22.5° | 45°  | 67.5° | 90°  | Flux |
|-----|------|-------|------|-------|------|------|
| 0°  | 1382 | 1382  | 1382 | 1382  | 1382 |      |
| 5°  | 1380 | 1378  | 1375 | 1377  | 1381 | 131  |
| 15° | 1324 | 1325  | 1322 | 1317  | 1317 | 373  |
| 25° | 1210 | 1211  | 1187 | 1171  | 1166 | 557  |
| 35° | 1043 | 1038  | 1001 | 981   | 974  | 652  |
| 45° | 842  | 828   | 786  | 762   | 753  | 649  |
| 55° | 620  | 600   | 559  | 536   | 527  | 555  |
| 65° | 402  | 377   | 343  | 324   | 314  | 398  |
| 75° | 196  | 180   | 158  | 138   | 130  | 209  |
| 85° | 36   | 32    | 29   | 27    | 26   | 46   |
| 90° | 0    | 0     | 0    | 0     | 0    |      |

TEST NUMBER: P1216839

CATALOG NUMBER: 14-ID2-30-CFR2-L840-U

**CANDELA DISTRIBUTION (FULL):**

|       | 0°     | 22.5°  | 45°    | 67.5°  | 90°    |
|-------|--------|--------|--------|--------|--------|
| 0°    | 1381.7 | 1381.7 | 1381.7 | 1381.7 | 1381.7 |
| 2.5°  | 1383.9 | 1381.7 | 1378.5 | 1379.6 | 1381.7 |
| 5°    | 1379.6 | 1377.9 | 1374.7 | 1376.8 | 1380.6 |
| 7.5°  | 1371.4 | 1370.3 | 1368.1 | 1371.4 | 1376.3 |
| 10°   | 1359.4 | 1358.9 | 1358.3 | 1360.5 | 1364.3 |
| 12.5° | 1343.6 | 1343.6 | 1343.6 | 1342.0 | 1343.6 |
| 15°   | 1324.0 | 1325.1 | 1322.4 | 1316.9 | 1316.9 |
| 17.5° | 1300.6 | 1302.8 | 1295.7 | 1287.0 | 1284.8 |
| 20°   | 1273.4 | 1276.1 | 1263.6 | 1251.0 | 1248.8 |
| 22.5° | 1242.9 | 1245.6 | 1226.5 | 1211.8 | 1209.1 |
| 25°   | 1209.6 | 1211.3 | 1186.8 | 1171.0 | 1166.1 |
| 27.5° | 1172.1 | 1172.1 | 1144.8 | 1126.8 | 1120.3 |
| 30°   | 1132.8 | 1130.7 | 1099.6 | 1080.6 | 1073.5 |
| 32.5° | 1088.2 | 1085.5 | 1051.1 | 1031.5 | 1024.5 |
| 35°   | 1043.0 | 1037.5 | 1001.0 | 980.9  | 973.8  |
| 37.5° | 995.6  | 988.0  | 949.3  | 928.1  | 919.9  |
| 40°   | 946.0  | 935.7  | 895.9  | 873.6  | 865.4  |
| 42.5° | 894.8  | 882.9  | 841.5  | 819.7  | 809.3  |
| 45°   | 842.0  | 827.8  | 785.9  | 761.9  | 753.2  |
| 47.5° | 787.5  | 771.7  | 729.3  | 706.4  | 696.0  |
| 50°   | 732.5  | 714.6  | 672.1  | 649.2  | 638.9  |
| 52.5° | 676.4  | 655.7  | 615.4  | 592.6  | 582.8  |
| 55°   | 619.8  | 599.6  | 559.3  | 536.5  | 526.7  |
| 57.5° | 565.9  | 542.5  | 503.2  | 482.0  | 471.1  |
| 60°   | 509.8  | 486.4  | 448.8  | 427.5  | 417.7  |
| 62.5° | 456.9  | 430.8  | 395.4  | 374.7  | 364.9  |
| 65°   | 401.9  | 376.9  | 343.1  | 323.5  | 313.7  |
| 67.5° | 348.0  | 324.6  | 293.6  | 273.4  | 265.2  |
| 70°   | 295.7  | 273.4  | 245.6  | 226.6  | 218.4  |
| 72.5° | 245.1  | 226.0  | 201.5  | 180.8  | 173.7  |
| 75°   | 196.1  | 179.7  | 157.9  | 137.8  | 130.2  |
| 77.5° | 149.8  | 136.7  | 116.0  | 96.4   | 88.8   |
| 80°   | 106.2  | 96.4   | 78.4   | 62.1   | 61.0   |
| 82.5° | 68.6   | 61.5   | 46.8   | 44.7   | 43.6   |
| 85°   | 35.9   | 31.6   | 28.9   | 26.7   | 25.6   |
| 87.5° | 11.4   | 11.4   | 11.4   | 9.3    | 8.7    |
| 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

TEST NUMBER: P1216839

CATALOG NUMBER: 14-ID2-30-CFR2-L840-U

**CIE UGR TABLE:**

| Reflectances:   |      |                  |       |       |       |       |                |       |       |       |       |
|-----------------|------|------------------|-------|-------|-------|-------|----------------|-------|-------|-------|-------|
| Ceiling         |      | 0.7              | 0.7   | 0.5   | 0.5   | 0.3   | 0.7            | 0.7   | 0.5   | 0.5   | 0.3   |
| Wall            |      | 0.5              | 0.3   | 0.5   | 0.3   | 0.3   | 0.5            | 0.3   | 0.5   | 0.3   | 0.3   |
| Reference plane |      | 0.2              | 0.2   | 0.2   | 0.2   | 0.2   | 0.2            | 0.2   | 0.2   | 0.2   | 0.2   |
| Room dimensions |      | Viewed crosswise |       |       |       |       | Viewed endwise |       |       |       |       |
| X=2H            | Y=2H | 15.71            | 17.27 | 16.07 | 17.59 | 17.90 | 14.80          | 16.36 | 15.16 | 16.68 | 16.99 |
|                 | 3H   | 17.30            | 18.71 | 17.68 | 19.04 | 19.40 | 16.14          | 17.55 | 16.51 | 17.87 | 18.23 |
|                 | 4H   | 17.86            | 19.18 | 18.26 | 19.53 | 19.91 | 16.53          | 17.85 | 16.93 | 18.20 | 18.58 |
|                 | 6H   | 18.22            | 19.44 | 18.63 | 19.81 | 20.20 | 16.70          | 17.93 | 17.11 | 18.29 | 18.68 |
|                 | 8H   | 18.31            | 19.48 | 18.74 | 19.87 | 20.27 | 16.74          | 17.91 | 17.17 | 18.30 | 18.70 |
|                 | 12H  | 18.35            | 19.47 | 18.78 | 19.85 | 20.28 | 16.77          | 17.88 | 17.20 | 18.27 | 18.69 |
| 4H              | 2H   | 16.13            | 17.45 | 16.53 | 17.80 | 18.18 | 15.38          | 16.71 | 15.78 | 17.05 | 17.43 |
|                 | 3H   | 17.93            | 19.03 | 18.34 | 19.42 | 19.83 | 16.92          | 18.02 | 17.33 | 18.42 | 18.82 |
|                 | 4H   | 18.60            | 19.59 | 19.03 | 20.00 | 20.44 | 17.40          | 18.39 | 17.83 | 18.80 | 19.24 |
|                 | 6H   | 19.07            | 19.93 | 19.52 | 20.37 | 20.83 | 17.64          | 18.51 | 18.10 | 18.95 | 19.41 |
|                 | 8H   | 19.19            | 20.00 | 19.65 | 20.44 | 20.91 | 17.71          | 18.51 | 18.17 | 18.96 | 19.42 |
|                 | 12H  | 19.26            | 19.98 | 19.74 | 20.46 | 20.93 | 17.75          | 18.47 | 18.23 | 18.95 | 19.42 |
| 8H              | 4H   | 18.74            | 19.55 | 19.21 | 19.99 | 20.46 | 17.65          | 18.46 | 18.11 | 18.90 | 19.37 |
|                 | 6H   | 19.29            | 19.96 | 19.79 | 20.45 | 20.92 | 17.96          | 18.62 | 18.45 | 19.11 | 19.59 |
|                 | 8H   | 19.46            | 20.06 | 19.97 | 20.57 | 21.05 | 18.06          | 18.65 | 18.57 | 19.16 | 19.65 |
|                 | 12H  | 19.58            | 20.10 | 20.08 | 20.59 | 21.16 | 18.14          | 18.67 | 18.65 | 19.16 | 19.72 |
| 12H             | 4H   | 18.74            | 19.46 | 19.22 | 19.93 | 20.40 | 17.67          | 18.39 | 18.15 | 18.87 | 19.34 |
|                 | 6H   | 19.28            | 19.88 | 19.79 | 20.39 | 20.87 | 17.98          | 18.58 | 18.50 | 19.09 | 19.58 |
|                 | 8H   | 19.49            | 20.02 | 20.00 | 20.51 | 21.07 | 18.12          | 18.65 | 18.63 | 19.14 | 19.70 |

LM-79-2019: Approved Method: Electrical and Photometric Measurements of Solid-State Lighting Products

Report Prepared for

Cooper Lighting Solutions

Corelite

Report Number: SP1-2506-458-5

Test Date: 08/26/2025

Luminaire Tested: 22ID2-55-CFR1-L840-U

Data in this report applies to families of products including 22ID2-55-CFR1-L840-U

### Test Information

Test Method: LM-79-2019  
 Report Number: SP1-2506-458-5  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1 - 76IN SPHERE  
 Measurement Geometry:  $4\pi$   
 Issue Date: 08/27/2025  
 Manufacturer: COOPER LIGHTING SOLUTIONS  
 Product Line: Corelite  
 Catalog Number: **22ID2-55-CFR1-L840-U**  
 Description: 2X2 CGTX WITH INDEPTH FRAME AND CFR1 LENS - 5500 LUMEN 4000K 80CRI

### Spectral Parameters

CCT (K): 3915  
 CIE  $u'$ : 0.2259  
 CIE  $v'$ : 0.5051  
 Duv: 0.0015  
 CIE x: 0.3854  
 CIE y: 0.3830  
 CIE z: 0.2316  
 Peak Wavelength (nm): 453  
 Dominant Wavelength (nm): 578  
 Purity: 30.6207  
 R<sub>f</sub>: 83.2  
 R<sub>g</sub>: 94.6

CRI (Ra): 82.3  
 R1: 80.6  
 R2: 88.9  
 R3: 94.6  
 R4: 80.5  
 R5: 80.0  
 R6: 84.0  
 R7: 86.1  
 R8: 64.0  
 R9: 7.6  
 R10: 72.9  
 R11: 78.7  
 R12: 57.3  
 R13: 82.7  
 R14: 97.1  
 R15: 74.3



### Test Conditions

Stabilization Time: 34M  
 Operation Time: 1H 34M  
 Sphere Temperature (°C): 25.2

REPORT NUMBER: SP1-2506-458-5

| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | 76INCH SPHERE IN0058  | 6/16/2025        | 12/16/2025           |
| Power Meter                    | XITRON INXT2011004    | 1/21/2025        | 1/21/2026            |
| AC Power Source                | CHROMA 61603 IN0063   | 10/22/2024       | 10/22/2025           |
| DC Power Source                | AGILENT E3634A IN0208 | 10/22/2024       | 10/22/2025           |
| Sphere Thermometer             | ONSET IN0085          | 10/22/2024       | 10/22/2025           |
| Room Thermometer               | ONSET IN0046          | 10/22/2024       | 10/22/2025           |

REPORT NUMBER: SP1-2506-458-5

**CIE 1931 Chromaticity Diagram**



**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



Point lies inside the ANSI 4000K 4-step quadrangle

REPORT NUMBER: SP1-2506-458-5

### Photopic Flux vs. Wavelength



### Photopic Lumens: NR

| $\lambda$<br>(nm) | Power<br>$\text{W}/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) |
|-------------------|-------------------------------|--------------------------------|-------------------|-------------------------------|--------------------------------|-------------------|-------------------------------|--------------------------------|-------------------|-------------------------------|--------------------------------|-------------------|-------------------------------|--------------------------------|
| 360               | 0                             | NR                             | 490               | 266                           | NR                             | 620               | 755                           | NR                             | 750               | 24                            | NR                             | 880               | 1                             | NR                             |
| 365               | 0                             | NR                             | 495               | 307                           | NR                             | 625               | 710                           | NR                             | 755               | 21                            | NR                             | 885               | 0                             | NR                             |
| 370               | 0                             | NR                             | 500               | 366                           | NR                             | 630               | 663                           | NR                             | 760               | 18                            | NR                             | 890               | 0                             | NR                             |
| 375               | 0                             | NR                             | 505               | 430                           | NR                             | 635               | 612                           | NR                             | 765               | 15                            | NR                             | 895               | 0                             | NR                             |
| 380               | 0                             | NR                             | 510               | 486                           | NR                             | 640               | 561                           | NR                             | 770               | 13                            | NR                             | 900               | 0                             | NR                             |
| 385               | 0                             | NR                             | 515               | 536                           | NR                             | 645               | 509                           | NR                             | 775               | 11                            | NR                             | 905               | 0                             | NR                             |
| 390               | 1                             | NR                             | 520               | 571                           | NR                             | 650               | 458                           | NR                             | 780               | 10                            | NR                             | 910               | 0                             | NR                             |
| 395               | 3                             | NR                             | 525               | 600                           | NR                             | 655               | 410                           | NR                             | 785               | 8                             | NR                             | 915               | 0                             | NR                             |
| 400               | 5                             | NR                             | 530               | 624                           | NR                             | 660               | 363                           | NR                             | 790               | 7                             | NR                             | 920               | 0                             | NR                             |
| 405               | 7                             | NR                             | 535               | 645                           | NR                             | 665               | 321                           | NR                             | 795               | 6                             | NR                             | 925               | 0                             | NR                             |
| 410               | 10                            | NR                             | 540               | 661                           | NR                             | 670               | 280                           | NR                             | 800               | 5                             | NR                             | 930               | 0                             | NR                             |
| 415               | 16                            | NR                             | 545               | 681                           | NR                             | 675               | 244                           | NR                             | 805               | 5                             | NR                             | 935               | 0                             | NR                             |
| 420               | 30                            | NR                             | 550               | 701                           | NR                             | 680               | 213                           | NR                             | 810               | 4                             | NR                             | 940               | 0                             | NR                             |
| 425               | 53                            | NR                             | 555               | 724                           | NR                             | 685               | 183                           | NR                             | 815               | 3                             | NR                             | 945               | 0                             | NR                             |
| 430               | 95                            | NR                             | 560               | 747                           | NR                             | 690               | 159                           | NR                             | 820               | 3                             | NR                             | 950               | 0                             | NR                             |
| 435               | 170                           | NR                             | 565               | 772                           | NR                             | 695               | 136                           | NR                             | 825               | 3                             | NR                             | 955               | 0                             | NR                             |
| 440               | 289                           | NR                             | 570               | 795                           | NR                             | 700               | 117                           | NR                             | 830               | 2                             | NR                             | 960               | 0                             | NR                             |
| 445               | 522                           | NR                             | 575               | 817                           | NR                             | 705               | 100                           | NR                             | 835               | 2                             | NR                             | 965               | 0                             | NR                             |
| 450               | 895                           | NR                             | 580               | 841                           | NR                             | 710               | 85                            | NR                             | 840               | 2                             | NR                             | 970               | 0                             | NR                             |
| 455               | 957                           | NR                             | 585               | 857                           | NR                             | 715               | 72                            | NR                             | 845               | 1                             | NR                             | 975               | 0                             | NR                             |
| 460               | 642                           | NR                             | 590               | 871                           | NR                             | 720               | 62                            | NR                             | 850               | 1                             | NR                             | 980               | 0                             | NR                             |
| 465               | 487                           | NR                             | 595               | 875                           | NR                             | 725               | 53                            | NR                             | 855               | 1                             | NR                             | 985               | 0                             | NR                             |
| 470               | 397                           | NR                             | 600               | 866                           | NR                             | 730               | 45                            | NR                             | 860               | 1                             | NR                             | 990               | 0                             | NR                             |
| 475               | 289                           | NR                             | 605               | 852                           | NR                             | 735               | 39                            | NR                             | 865               | 1                             | NR                             | 995               | 0                             | NR                             |
| 480               | 241                           | NR                             | 610               | 827                           | NR                             | 740               | 33                            | NR                             | 870               | 1                             | NR                             | 1000              | 0                             | NR                             |
| 485               | 245                           | NR                             | 615               | 796                           | NR                             | 745               | 28                            | NR                             | 875               | 1                             | NR                             |                   |                               |                                |

REPORT NUMBER: SP1-2506-458-5

### Scotopic Flux vs. Wavelength



Scotopic Lumens: NR

S/P: 1.65

| $\lambda$<br>(nm) | Power<br>$\text{W}^\wedge/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^\wedge/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^\wedge/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^\wedge/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^\wedge/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) |
|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|
| 360               | 0                                    | NR                             | 490               | 266                                  | NR                             | 620               | 755                                  | NR                             | 750               | 24                                   | NR                             | 880               | 1                                    | NR                             |
| 365               | 0                                    | NR                             | 495               | 307                                  | NR                             | 625               | 710                                  | NR                             | 755               | 21                                   | NR                             | 885               | 0                                    | NR                             |
| 370               | 0                                    | NR                             | 500               | 366                                  | NR                             | 630               | 663                                  | NR                             | 760               | 18                                   | NR                             | 890               | 0                                    | NR                             |
| 375               | 0                                    | NR                             | 505               | 430                                  | NR                             | 635               | 612                                  | NR                             | 765               | 15                                   | NR                             | 895               | 0                                    | NR                             |
| 380               | 0                                    | NR                             | 510               | 486                                  | NR                             | 640               | 561                                  | NR                             | 770               | 13                                   | NR                             | 900               | 0                                    | NR                             |
| 385               | 0                                    | NR                             | 515               | 536                                  | NR                             | 645               | 509                                  | NR                             | 775               | 11                                   | NR                             | 905               | 0                                    | NR                             |
| 390               | 1                                    | NR                             | 520               | 571                                  | NR                             | 650               | 458                                  | NR                             | 780               | 10                                   | NR                             | 910               | 0                                    | NR                             |
| 395               | 3                                    | NR                             | 525               | 600                                  | NR                             | 655               | 410                                  | NR                             | 785               | 8                                    | NR                             | 915               | 0                                    | NR                             |
| 400               | 5                                    | NR                             | 530               | 624                                  | NR                             | 660               | 363                                  | NR                             | 790               | 7                                    | NR                             | 920               | 0                                    | NR                             |
| 405               | 7                                    | NR                             | 535               | 645                                  | NR                             | 665               | 321                                  | NR                             | 795               | 6                                    | NR                             | 925               | 0                                    | NR                             |
| 410               | 10                                   | NR                             | 540               | 661                                  | NR                             | 670               | 280                                  | NR                             | 800               | 5                                    | NR                             | 930               | 0                                    | NR                             |
| 415               | 16                                   | NR                             | 545               | 681                                  | NR                             | 675               | 244                                  | NR                             | 805               | 5                                    | NR                             | 935               | 0                                    | NR                             |
| 420               | 30                                   | NR                             | 550               | 701                                  | NR                             | 680               | 213                                  | NR                             | 810               | 4                                    | NR                             | 940               | 0                                    | NR                             |
| 425               | 53                                   | NR                             | 555               | 724                                  | NR                             | 685               | 183                                  | NR                             | 815               | 3                                    | NR                             | 945               | 0                                    | NR                             |
| 430               | 95                                   | NR                             | 560               | 747                                  | NR                             | 690               | 159                                  | NR                             | 820               | 3                                    | NR                             | 950               | 0                                    | NR                             |
| 435               | 170                                  | NR                             | 565               | 772                                  | NR                             | 695               | 136                                  | NR                             | 825               | 3                                    | NR                             | 955               | 0                                    | NR                             |
| 440               | 289                                  | NR                             | 570               | 795                                  | NR                             | 700               | 117                                  | NR                             | 830               | 2                                    | NR                             | 960               | 0                                    | NR                             |
| 445               | 522                                  | NR                             | 575               | 817                                  | NR                             | 705               | 100                                  | NR                             | 835               | 2                                    | NR                             | 965               | 0                                    | NR                             |
| 450               | 895                                  | NR                             | 580               | 841                                  | NR                             | 710               | 85                                   | NR                             | 840               | 2                                    | NR                             | 970               | 0                                    | NR                             |
| 455               | 957                                  | NR                             | 585               | 857                                  | NR                             | 715               | 72                                   | NR                             | 845               | 1                                    | NR                             | 975               | 0                                    | NR                             |
| 460               | 642                                  | NR                             | 590               | 871                                  | NR                             | 720               | 62                                   | NR                             | 850               | 1                                    | NR                             | 980               | 0                                    | NR                             |
| 465               | 487                                  | NR                             | 595               | 875                                  | NR                             | 725               | 53                                   | NR                             | 855               | 1                                    | NR                             | 985               | 0                                    | NR                             |
| 470               | 397                                  | NR                             | 600               | 866                                  | NR                             | 730               | 45                                   | NR                             | 860               | 1                                    | NR                             | 990               | 0                                    | NR                             |
| 475               | 289                                  | NR                             | 605               | 852                                  | NR                             | 735               | 39                                   | NR                             | 865               | 1                                    | NR                             | 995               | 0                                    | NR                             |
| 480               | 241                                  | NR                             | 610               | 827                                  | NR                             | 740               | 33                                   | NR                             | 870               | 1                                    | NR                             | 1000              | 0                                    | NR                             |
| 485               | 245                                  | NR                             | 615               | 796                                  | NR                             | 745               | 28                                   | NR                             | 875               | 1                                    | NR                             |                   |                                      |                                |

REPORT NUMBER: SP1-2506-458-5

### Melanopic Flux vs. Wavelength



Melanopic Lumens: NR

M/P: 3.36

| λ<br>(nm) | Power<br>W <sup>λ</sup> /nm | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>W <sup>λ</sup> /nm | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>W <sup>λ</sup> /nm | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>W <sup>λ</sup> /nm | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>W <sup>λ</sup> /nm | Lumens<br>(φ/nm) |
|-----------|-----------------------------|------------------|-----------|-----------------------------|------------------|-----------|-----------------------------|------------------|-----------|-----------------------------|------------------|-----------|-----------------------------|------------------|
| 360       | 0                           | NR               | 490       | 266                         | NR               | 620       | 755                         | NR               | 750       | 24                          | NR               | 880       | 1                           | NR               |
| 365       | 0                           | NR               | 495       | 307                         | NR               | 625       | 710                         | NR               | 755       | 21                          | NR               | 885       | 0                           | NR               |
| 370       | 0                           | NR               | 500       | 366                         | NR               | 630       | 663                         | NR               | 760       | 18                          | NR               | 890       | 0                           | NR               |
| 375       | 0                           | NR               | 505       | 430                         | NR               | 635       | 612                         | NR               | 765       | 15                          | NR               | 895       | 0                           | NR               |
| 380       | 0                           | NR               | 510       | 486                         | NR               | 640       | 561                         | NR               | 770       | 13                          | NR               | 900       | 0                           | NR               |
| 385       | 0                           | NR               | 515       | 536                         | NR               | 645       | 509                         | NR               | 775       | 11                          | NR               | 905       | 0                           | NR               |
| 390       | 1                           | NR               | 520       | 571                         | NR               | 650       | 458                         | NR               | 780       | 10                          | NR               | 910       | 0                           | NR               |
| 395       | 3                           | NR               | 525       | 600                         | NR               | 655       | 410                         | NR               | 785       | 8                           | NR               | 915       | 0                           | NR               |
| 400       | 5                           | NR               | 530       | 624                         | NR               | 660       | 363                         | NR               | 790       | 7                           | NR               | 920       | 0                           | NR               |
| 405       | 7                           | NR               | 535       | 645                         | NR               | 665       | 321                         | NR               | 795       | 6                           | NR               | 925       | 0                           | NR               |
| 410       | 10                          | NR               | 540       | 661                         | NR               | 670       | 280                         | NR               | 800       | 5                           | NR               | 930       | 0                           | NR               |
| 415       | 16                          | NR               | 545       | 681                         | NR               | 675       | 244                         | NR               | 805       | 5                           | NR               | 935       | 0                           | NR               |
| 420       | 30                          | NR               | 550       | 701                         | NR               | 680       | 213                         | NR               | 810       | 4                           | NR               | 940       | 0                           | NR               |
| 425       | 53                          | NR               | 555       | 724                         | NR               | 685       | 183                         | NR               | 815       | 3                           | NR               | 945       | 0                           | NR               |
| 430       | 95                          | NR               | 560       | 747                         | NR               | 690       | 159                         | NR               | 820       | 3                           | NR               | 950       | 0                           | NR               |
| 435       | 170                         | NR               | 565       | 772                         | NR               | 695       | 136                         | NR               | 825       | 3                           | NR               | 955       | 0                           | NR               |
| 440       | 289                         | NR               | 570       | 795                         | NR               | 700       | 117                         | NR               | 830       | 2                           | NR               | 960       | 0                           | NR               |
| 445       | 522                         | NR               | 575       | 817                         | NR               | 705       | 100                         | NR               | 835       | 2                           | NR               | 965       | 0                           | NR               |
| 450       | 895                         | NR               | 580       | 841                         | NR               | 710       | 85                          | NR               | 840       | 2                           | NR               | 970       | 0                           | NR               |
| 455       | 957                         | NR               | 585       | 857                         | NR               | 715       | 72                          | NR               | 845       | 1                           | NR               | 975       | 0                           | NR               |
| 460       | 642                         | NR               | 590       | 871                         | NR               | 720       | 62                          | NR               | 850       | 1                           | NR               | 980       | 0                           | NR               |
| 465       | 487                         | NR               | 595       | 875                         | NR               | 725       | 53                          | NR               | 855       | 1                           | NR               | 985       | 0                           | NR               |
| 470       | 397                         | NR               | 600       | 866                         | NR               | 730       | 45                          | NR               | 860       | 1                           | NR               | 990       | 0                           | NR               |
| 475       | 289                         | NR               | 605       | 852                         | NR               | 735       | 39                          | NR               | 865       | 1                           | NR               | 995       | 0                           | NR               |
| 480       | 241                         | NR               | 610       | 827                         | NR               | 740       | 33                          | NR               | 870       | 1                           | NR               | 1000      | 0                           | NR               |
| 485       | 245                         | NR               | 615       | 796                         | NR               | 745       | 28                          | NR               | 875       | 1                           | NR               |           |                             |                  |

REPORT NUMBER: SP1-2506-458-5

TM-30-18

### Summary

$R_f = 83.2$   
 $R_g = 94.6$   
 $CIE R_a = 82.3$   
 $R_9 = 7.6$



### Color Vector Graphics



**Individual Sample Fidelity Index ( $R_{f,i}$ )**

|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 86 | CES26 = 83 | CES51 = 92 | CES76 = 75 |
| CES02 = 61 | CES27 = 91 | CES52 = 93 | CES77 = 82 |
| CES03 = 31 | CES28 = 91 | CES53 = 88 | CES78 = 74 |
| CES04 = 70 | CES29 = 90 | CES54 = 88 | CES79 = 92 |
| CES05 = 48 | CES30 = 90 | CES55 = 85 | CES80 = 89 |
| CES06 = 50 | CES31 = 91 | CES56 = 83 | CES81 = 81 |
| CES07 = 41 | CES32 = 83 | CES57 = 82 | CES82 = 95 |
| CES08 = 40 | CES33 = 97 | CES58 = 82 | CES83 = 96 |
| CES09 = 29 | CES34 = 87 | CES59 = 90 | CES84 = 90 |
| CES10 = 74 | CES35 = 92 | CES60 = 88 | CES85 = 77 |
| CES11 = 57 | CES36 = 78 | CES61 = 85 | CES86 = 75 |
| CES12 = 63 | CES37 = 91 | CES62 = 79 | CES87 = 84 |
| CES13 = 42 | CES38 = 84 | CES63 = 82 | CES88 = 89 |
| CES14 = 74 | CES39 = 98 | CES64 = 75 | CES89 = 77 |
| CES15 = 71 | CES40 = 96 | CES65 = 74 | CES90 = 90 |
| CES16 = 47 | CES41 = 95 | CES66 = 70 | CES91 = 67 |
| CES17 = 49 | CES42 = 93 | CES67 = 69 | CES92 = 64 |
| CES18 = 56 | CES43 = 91 | CES68 = 76 | CES93 = 78 |
| CES19 = 71 | CES44 = 99 | CES69 = 80 | CES94 = 63 |
| CES20 = 65 | CES45 = 94 | CES70 = 72 | CES95 = 72 |
| CES21 = 86 | CES46 = 91 | CES71 = 64 | CES96 = 84 |
| CES22 = 78 | CES47 = 95 | CES72 = 88 | CES97 = 91 |
| CES23 = 91 | CES48 = 83 | CES73 = 66 | CES98 = 86 |
| CES24 = 90 | CES49 = 90 | CES74 = 90 | CES99 = 77 |
| CES25 = 71 | CES50 = 93 | CES75 = 68 |            |



Color Rendition by Hue-Angle Bin



**Measure Comparisons**


(END OF REPORT)