

Signify Classified - Internal  
Cooper Lighting Solutions Photometric Lab  
1121 Highway 74 South  
Peachtree City, GA 30269



Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: INVUE

Report Number: P822914

Luminaire Tested: **MSA-SA1B-735-U-5NQ**

Issue Date: 04/10/2024



**Test Information**

Test Method: LM-79-08  
Report Number: P822914  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1910-543-5)  
Test Lab: INNOVATION CENTER  
Issue Date: 04/10/2024  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: INVUE  
Catalog Number: MSA-SA1B-735-U-5NQ  
Description: MESA POST TOP DECORATIVE LUMINAIRE. (1) LIGHTSQUARES WITH 16 LEDS  
EACH AND TYPE V NARROW OPTICS.  
Light Source: -  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**

Lumens per Lamp: N/A  
Luminaire Lumens: 4827.5 lumens  
Efficiency: N/A  
Efficacy: 109.7 lumens/watt  
Luminous Opening: Rectangular (W 0.5' x L: 0.5' x H: 0')  
IES Classification: Type V - Short  
BUG Rating: B2 - U0 - G1


Input Watts (W): 44  
Input Voltage (V): NR  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 25 FT

REPORT NUMBER: P822914

CATALOG NUMBER: MSA-SA1B-735-U-5NQ

## Iso-Footcandle Lines of Horizontal Illumination

× Max cd  
 - - - 1/2 Max cd




Based on 15 foot mounting height. Maximum calculated value = 2.3 fc  
 Type V - Short - N/A

REPORT NUMBER: P822914

CATALOG NUMBER: MSA-SA1B-735-U-5NQ

## Luminous Intensity Polar Plot



REPORT NUMBER: P822914

CATALOG NUMBER: MSA-SA1B-735-U-5NQ


**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total  |
|--------------------|-----------|----------|--------|--------|
| <b>House Side</b>  | Lumens    | 2413.8   | 0.0    | 2413.8 |
|                    | % Fixture | 50.0     | 0.0    | 50.0   |
| <b>Street Side</b> | Lumens    | 2413.8   | 0.0    | 2413.8 |
|                    | % Fixture | 50.0     | 0.0    | 50.0   |
| <b>Total</b>       | Lumens    | 4827.5   | 0.0    | 4827.5 |
|                    | % Fixture | 100.0    | 0.0    | 100.0  |

**ZONAL LUMENS:**

| Zone      | Lumens | % Fixture |
|-----------|--------|-----------|
| 0°-10°    | 29.8   | 0.6       |
| 10°-20°   | 131.2  | 2.7       |
| 20°-30°   | 274.9  | 5.7       |
| 30°-40°   | 518.0  | 10.7      |
| 40°-50°   | 940.1  | 19.5      |
| 50°-60°   | 1588.5 | 32.9      |
| 60°-70°   | 1187.5 | 24.6      |
| 70°-80°   | 132.9  | 2.8       |
| 80°-90°   | 24.7   | 0.5       |
| 90°-100°  | 0.0    | 0.0       |
| 100°-110° | 0.0    | 0.0       |
| 110°-120° | 0.0    | 0.0       |
| 120°-130° | 0.0    | 0.0       |
| 130°-140° | 0.0    | 0.0       |
| 140°-150° | 0.0    | 0.0       |
| 150°-160° | 0.0    | 0.0       |
| 160°-170° | 0.0    | 0.0       |
| 170°-180° | 0.0    | 0.0       |
| 0°-90°    | 4827.5 | 100.0     |
| 0°-180°   | 4827.5 | 100.0     |

**Coefficient of Utilization**



REPORT NUMBER: P822914


CATALOG NUMBER: MSA-SA1B-735-U-5NQ

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens | % Fixture | Zone Rating/Lumen Limit |      |         |
|------|-------------|--------|-----------|-------------------------|------|---------|
|      |             |        |           | B                       | U    | G       |
| FL   | (0°-30°)    | 217.9  | 4.5       |                         |      |         |
| FM   | (30°-60°)   | 1523.3 | 31.6      |                         |      |         |
| FH   | (60°-80°)   | 660.2  | 13.7      |                         |      | G1/1800 |
| FVH  | (80°-90°)   | 12.4   | 0.3       |                         |      | G1/100  |
| BL   | (0°-30°)    | 217.9  | 4.5       | B1/500                  |      |         |
| BM   | (30°-60°)   | 1523.3 | 31.6      | B2/2500                 |      |         |
| BH   | (60°-80°)   | 660.2  | 13.7      | B2/1000                 |      | G1/1800 |
| BVH  | (80°-90°)   | 12.4   | 0.3       |                         |      | G1/100  |
| UL   | (90°-100°)  | 0.0    | 0.0       |                         | U0/0 |         |
| UH   | (100°-180°) | 0.0    | 0.0       |                         | U0/0 |         |

**BUG Rating: B2-U0-G1**

Type V Short



REPORT NUMBER: P822914

CATALOG NUMBER: MSA-SA1B-735-U-5NQ

**CANDELA DISTRIBUTION (FULL):**

|       | 0°     | 5°     | 15°    | 25°    | 35°    | 45°    | 55°    | 65°    | 75°    | 85°    | 90°    |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0°    | 197.4  | 197.4  | 197.4  | 197.4  | 197.4  | 197.4  | 197.4  | 197.4  | 197.4  | 197.4  | 197.4  |
| 2.5°  | 240.0  | 235.7  | 220.6  | 225.8  | 231.4  | 230.6  | 229.2  | 225.1  | 221.3  | 236.9  | 240.0  |
| 5°    | 306.0  | 296.2  | 290.8  | 286.6  | 285.5  | 275.0  | 289.5  | 288.0  | 292.8  | 301.1  | 309.1  |
| 7.5°  | 358.7  | 349.4  | 335.5  | 332.5  | 316.6  | 304.8  | 317.4  | 332.9  | 337.8  | 353.0  | 361.9  |
| 10°   | 377.9  | 369.8  | 372.4  | 359.2  | 358.5  | 361.7  | 359.0  | 362.6  | 375.5  | 373.8  | 380.5  |
| 12.5° | 421.1  | 422.5  | 414.2  | 410.8  | 417.5  | 432.1  | 419.7  | 415.4  | 412.2  | 425.6  | 429.7  |
| 15°   | 461.5  | 469.6  | 456.0  | 453.9  | 451.2  | 464.7  | 451.4  | 457.8  | 463.5  | 466.3  | 464.7  |
| 17.5° | 518.9  | 519.3  | 504.2  | 480.1  | 489.1  | 493.4  | 487.5  | 476.2  | 503.2  | 516.8  | 517.5  |
| 20°   | 556.6  | 558.0  | 528.1  | 490.4  | 515.9  | 519.9  | 516.9  | 493.6  | 529.3  | 551.9  | 550.9  |
| 22.5° | 597.2  | 592.6  | 552.1  | 524.6  | 533.6  | 535.9  | 529.7  | 526.7  | 551.9  | 593.0  | 586.8  |
| 25°   | 624.5  | 633.2  | 593.0  | 575.3  | 567.6  | 562.1  | 570.1  | 571.7  | 597.4  | 634.8  | 614.1  |
| 27.5° | 689.8  | 674.9  | 611.8  | 618.5  | 602.2  | 565.0  | 600.4  | 619.9  | 614.4  | 678.0  | 693.5  |
| 30°   | 747.7  | 748.1  | 659.8  | 672.5  | 642.2  | 612.2  | 650.4  | 678.6  | 671.7  | 753.2  | 738.5  |
| 32.5° | 821.8  | 824.5  | 742.4  | 708.2  | 687.8  | 682.1  | 677.4  | 708.4  | 751.2  | 817.2  | 818.6  |
| 35°   | 901.7  | 925.3  | 813.7  | 777.8  | 743.0  | 717.9  | 745.0  | 787.9  | 815.9  | 921.4  | 902.6  |
| 37.5° | 1057.5 | 1017.8 | 926.5  | 858.8  | 836.7  | 826.7  | 841.0  | 865.9  | 926.2  | 1017.2 | 1049.2 |
| 40°   | 1149.6 | 1138.5 | 1014.2 | 957.7  | 872.1  | 898.7  | 890.9  | 959.3  | 1009.1 | 1144.8 | 1147.8 |
| 42.5° | 1290.4 | 1235.0 | 1123.2 | 1051.3 | 974.4  | 928.0  | 977.1  | 1068.8 | 1129.1 | 1243.8 | 1298.0 |
| 45°   | 1401.8 | 1330.6 | 1244.4 | 1189.8 | 1092.6 | 1058.2 | 1075.9 | 1193.4 | 1268.9 | 1347.7 | 1419.0 |
| 47.5° | 1524.8 | 1447.9 | 1361.6 | 1264.6 | 1169.8 | 1225.8 | 1194.5 | 1297.8 | 1371.7 | 1484.6 | 1551.4 |
| 50°   | 1679.7 | 1594.4 | 1484.0 | 1403.9 | 1341.0 | 1360.7 | 1355.8 | 1429.4 | 1520.6 | 1623.5 | 1699.2 |
| 52.5° | 1850.2 | 1753.6 | 1647.3 | 1572.8 | 1546.3 | 1497.5 | 1561.2 | 1591.5 | 1658.6 | 1752.9 | 1841.9 |
| 55°   | 1969.3 | 1872.9 | 1808.5 | 1832.5 | 1825.4 | 1747.2 | 1803.0 | 1806.1 | 1773.8 | 1807.7 | 1897.3 |
| 57.5° | 1950.9 | 1858.7 | 1850.0 | 1940.4 | 2075.8 | 2151.4 | 2065.2 | 1879.8 | 1758.4 | 1742.5 | 1837.4 |
| 60°   | 1705.8 | 1627.0 | 1707.9 | 1912.2 | 2306.4 | 2536.6 | 2204.6 | 1824.2 | 1624.2 | 1541.6 | 1633.1 |
| 62.5° | 1175.5 | 1122.2 | 1290.0 | 1609.3 | 2334.0 | 2833.7 | 2199.5 | 1585.2 | 1259.7 | 1109.7 | 1180.8 |
| 65°   | 557.2  | 537.9  | 679.6  | 1020.3 | 1944.2 | 2754.4 | 1921.6 | 1072.6 | 725.2  | 579.2  | 595.3  |
| 67.5° | 209.5  | 199.9  | 249.4  | 450.7  | 1224.6 | 2184.6 | 1291.8 | 529.1  | 280.5  | 218.0  | 225.4  |
| 70°   | 119.1  | 112.2  | 118.6  | 164.4  | 493.0  | 1237.4 | 557.2  | 181.5  | 119.2  | 108.6  | 115.7  |
| 72.5° | 93.7   | 88.4   | 89.3   | 99.4   | 170.1  | 485.7  | 180.3  | 103.5  | 86.6   | 82.3   | 88.6   |
| 75°   | 77.4   | 72.7   | 72.5   | 78.0   | 99.2   | 157.7  | 101.9  | 79.2   | 70.1   | 67.0   | 72.1   |
| 77.5° | 61.5   | 58.7   | 59.5   | 63.8   | 71.1   | 88.2   | 73.9   | 64.0   | 57.6   | 53.8   | 57.4   |
| 80°   | 45.0   | 44.6   | 47.7   | 51.6   | 53.0   | 59.3   | 55.4   | 51.6   | 45.9   | 40.6   | 42.0   |
| 82.5° | 29.4   | 29.6   | 35.6   | 38.7   | 38.1   | 37.9   | 39.7   | 39.5   | 34.4   | 26.9   | 26.9   |
| 85°   | 16.9   | 17.3   | 21.8   | 24.3   | 23.9   | 19.0   | 25.2   | 25.3   | 22.0   | 16.3   | 15.7   |
| 87.5° | 5.5    | 6.9    | 9.4    | 10.1   | 9.6    | 5.3    | 9.6    | 10.6   | 9.6    | 6.9    | 6.1    |
| 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

Report Prepared for

Cooper Lighting Solutions

(formerly Eaton)

STREETWORKS

Report Number: SP1-2101-121-7

Luminaire Tested: IFLD-S-SA2A-735-U-T2

Test Date: 03/04/2021

### Test Information

Test Method: LM-79-08  
 Report Number: SP1-2101-121-7  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1  
 Measurement Geometry:  $4\pi$   
 Issue Date: 03/04/2021  
 Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
 Product Line: STREETWORKS  
 Catalog Number: **IFLD-S-SA2A-735-U-T2**  
 Description: STREETWORKS INF FLOOD

PROGRAMMED @ 615mA.

### Spectral Parameters

|                           |        |           |      |      |       |
|---------------------------|--------|-----------|------|------|-------|
| CCT (K):                  | 3388   | CRI (Ra): | 73.1 |      |       |
| CIE u':                   | 0.2371 | R1:       | 68.9 | R9:  | -34.6 |
| CIE v':                   | 0.5177 | R2:       | 81.1 | R10: | 57.8  |
| Duv:                      | 0.0032 | R3:       | 93.1 | R11: | 68.6  |
| CIE x:                    | 0.4153 | R4:       | 71.6 | R12: | 53.9  |
| CIE y:                    | 0.4030 | R5:       | 69.4 | R13: | 70.9  |
| CIE z:                    | 0.1817 | R6:       | 75.0 | R14: | 96.2  |
| Peak Wavelength (nm):     | 590    | R7:       | 79.5 |      |       |
| Dominant Wavelength (nm): | 580    | R8:       | 46.4 |      |       |
| Purity:                   | 45.7   |           |      |      |       |
| Rf:                       | 76.9   |           |      |      |       |
| Rg:                       | 94.4   |           |      |      |       |



### Test Conditions

Stabilization Time: 81M  
 Operation Time: 12H  
 Room Temperature (°C) / RH%: 25.0/30%  
 Sphere Temperature (°C): 24.1

REPORT NUMBER: SP1-2101-121-7

| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 1/31/2021        | 7/31/2021            |
| Power Meter                    | IN0071                | 12/1/2020        | 12/1/2021            |
| AC Power Source                | IN0063                | 12/1/2020        | 12/1/2021            |
| DC Power Source                | IN0208                | 12/1/2020        | 12/1/2021            |
| Sphere Thermometer             | IN0085                | 12/1/2020        | 12/1/2021            |
| Room Thermometer               | IN0046                | 12/1/2020        | 12/1/2021            |

REPORT NUMBER: SP1-2101-121-7

**CIE 1931 Chromaticity Diagram**



**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



Point lies inside the ANSI 3500K 4-step quadrangle

REPORT NUMBER: SP1-2101-121-7

### Photopic Flux vs. Wavelength




#####

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 2672             | 0.0              | 490       | 34553            | 4.9              | 620       | 136720           | 35.6             | 750       | 5870             | 0.0              | 880       | 4216             | 0.0              |
| 365       | 2252             | 0.0              | 495       | 44336            | 8.0              | 625       | 126308           | 27.9             | 755       | 5421             | 0.0              | 885       | 4132             | 0.0              |
| 370       | 2217             | 0.0              | 500       | 54643            | 12.1             | 630       | 114625           | 20.7             | 760       | 5097             | 0.0              | 890       | 3992             | 0.0              |
| 375       | 2697             | 0.0              | 505       | 64676            | 18.1             | 635       | 103216           | 15.5             | 765       | 4626             | 0.0              | 895       | 3214             | 0.0              |
| 380       | 3039             | 0.0              | 510       | 73825            | 25.4             | 640       | 92605            | 11.1             | 770       | 3782             | 0.0              | 900       | 2580             | 0.0              |
| 385       | 2655             | 0.0              | 515       | 81872            | 33.9             | 645       | 83234            | 8.0              | 775       | 3506             | 0.0              | 905       | 1776             | 0.0              |
| 390       | 2357             | 0.0              | 520       | 88574            | 43.0             | 650       | 73263            | 5.4              | 780       | 3507             | 0.0              | 910       | 3995             | 0.0              |
| 395       | 2186             | 0.0              | 525       | 93289            | 50.1             | 655       | 64627            | 3.7              | 785       | 3267             | 0.0              | 915       | 4288             | 0.0              |
| 400       | 2015             | 0.0              | 530       | 98393            | 57.9             | 660       | 56614            | 2.4              | 790       | 2849             | 0.0              | 920       | 2446             | 0.0              |
| 405       | 2234             | 0.0              | 535       | 103269           | 64.0             | 665       | 49537            | 1.6              | 795       | 3037             | 0.0              | 925       | 3009             | 0.0              |
| 410       | 3412             | 0.0              | 540       | 107316           | 69.9             | 670       | 42866            | 0.9              | 800       | 2716             | 0.0              | 930       | 3026             | 0.0              |
| 415       | 6135             | 0.0              | 545       | 113101           | 75.3             | 675       | 36708            | 0.6              | 805       | 2648             | 0.0              | 935       | 4734             | 0.0              |
| 420       | 12146            | 0.0              | 550       | 120690           | 82.0             | 680       | 31814            | 0.4              | 810       | 3187             | 0.0              | 940       | 3719             | 0.0              |
| 425       | 23983            | 0.1              | 555       | 128583           | 87.8             | 685       | 27485            | 0.2              | 815       | 2931             | 0.0              | 945       | 1480             | 0.0              |
| 430       | 42142            | 0.3              | 560       | 137796           | 93.6             | 690       | 23698            | 0.1              | 820       | 2717             | 0.0              | 950       | 3450             | 0.0              |
| 435       | 68228            | 0.8              | 565       | 146577           | 97.5             | 695       | 20309            | 0.1              | 825       | 2236             | 0.0              | 955       | 5051             | 0.0              |
| 440       | 99323            | 1.6              | 570       | 154581           | 100.5            | 700       | 17890            | 0.1              | 830       | 2628             | 0.0              | 960       | 3176             | 0.0              |
| 445       | 115584           | 2.4              | 575       | 162633           | 101.2            | 705       | 15500            | 0.0              | 835       | 3140             | 0.0              | 965       | 5178             | 0.0              |
| 450       | 94997            | 2.5              | 580       | 168101           | 99.9             | 710       | 13699            | 0.0              | 840       | 3675             | 0.0              | 970       | 6385             | 0.0              |
| 455       | 61433            | 2.1              | 585       | 173145           | 96.2             | 715       | 12398            | 0.0              | 845       | 3283             | 0.0              | 975       | 3810             | 0.0              |
| 460       | 43373            | 1.8              | 590       | 174675           | 90.3             | 720       | 11147            | 0.0              | 850       | 3055             | 0.0              | 980       | 4322             | 0.0              |
| 465       | 32472            | 1.7              | 595       | 173724           | 82.3             | 725       | 9761             | 0.0              | 855       | 2932             | 0.0              | 985       | 4200             | 0.0              |
| 470       | 24257            | 1.5              | 600       | 171241           | 73.8             | 730       | 8651             | 0.0              | 860       | 3382             | 0.0              | 990       | 4661             | 0.0              |
| 475       | 21690            | 1.7              | 605       | 165134           | 64.0             | 735       | 7730             | 0.0              | 865       | 2605             | 0.0              | 995       | 6746             | 0.0              |
| 480       | 23173            | 2.2              | 610       | 156652           | 53.8             | 740       | 6847             | 0.0              | 870       | 3325             | 0.0              | 1000      | 4150             | 0.0              |
| 485       | 27564            | 3.3              | 615       | 147879           | 44.6             | 745       | 6124             | 0.0              | 875       | 3325             | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2101-121-7

### Scotopic Flux vs. Wavelength


**Scotopic Lumens: 12126**
**S/P: 1.36**

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 2672             | 0.0              | 490       | 34553            | 53.2             | 620       | 136720           | 1.7              | 750       | 5870             | 0.0              | 880       | 4216             | 0.0              |
| 365       | 2252             | 0.0              | 495       | 44336            | 71.7             | 625       | 126308           | 1.1              | 755       | 5421             | 0.0              | 885       | 4132             | 0.0              |
| 370       | 2217             | 0.0              | 500       | 54643            | 91.4             | 630       | 114625           | 0.6              | 760       | 5097             | 0.0              | 890       | 3992             | 0.0              |
| 375       | 2697             | 0.0              | 505       | 64676            | 110.0            | 635       | 103216           | 0.4              | 765       | 4626             | 0.0              | 895       | 3214             | 0.0              |
| 380       | 3039             | 0.0              | 510       | 73825            | 125.1            | 640       | 92605            | 0.2              | 770       | 3782             | 0.0              | 900       | 2580             | 0.0              |
| 385       | 2655             | 0.0              | 515       | 81872            | 135.7            | 645       | 83234            | 0.1              | 775       | 3506             | 0.0              | 905       | 1776             | 0.0              |
| 390       | 2357             | 0.0              | 520       | 88574            | 140.8            | 650       | 73263            | 0.1              | 780       | 3507             | 0.0              | 910       | 3995             | 0.0              |
| 395       | 2186             | 0.0              | 525       | 93289            | 139.6            | 655       | 64627            | 0.1              | 785       | 3267             | 0.0              | 915       | 4288             | 0.0              |
| 400       | 2015             | 0.0              | 530       | 98393            | 135.7            | 660       | 56614            | 0.0              | 790       | 2849             | 0.0              | 920       | 2446             | 0.0              |
| 405       | 2234             | 0.1              | 535       | 103269           | 128.7            | 665       | 49537            | 0.0              | 795       | 3037             | 0.0              | 925       | 3009             | 0.0              |
| 410       | 3412             | 0.2              | 540       | 107316           | 118.6            | 670       | 42866            | 0.0              | 800       | 2716             | 0.0              | 930       | 3026             | 0.0              |
| 415       | 6135             | 0.6              | 545       | 113101           | 108.4            | 675       | 36708            | 0.0              | 805       | 2648             | 0.0              | 935       | 4734             | 0.0              |
| 420       | 12146            | 2.0              | 550       | 120690           | 98.7             | 680       | 31814            | 0.0              | 810       | 3187             | 0.0              | 940       | 3719             | 0.0              |
| 425       | 23983            | 5.9              | 555       | 128583           | 87.9             | 685       | 27485            | 0.0              | 815       | 2931             | 0.0              | 945       | 1480             | 0.0              |
| 430       | 42142            | 14.3             | 560       | 137796           | 77.0             | 690       | 23698            | 0.0              | 820       | 2717             | 0.0              | 950       | 3450             | 0.0              |
| 435       | 68228            | 30.5             | 565       | 146577           | 65.8             | 695       | 20309            | 0.0              | 825       | 2236             | 0.0              | 955       | 5051             | 0.0              |
| 440       | 99323            | 55.5             | 570       | 154581           | 54.6             | 700       | 17890            | 0.0              | 830       | 2628             | 0.0              | 960       | 3176             | 0.0              |
| 445       | 115584           | 77.4             | 575       | 162633           | 44.3             | 705       | 15500            | 0.0              | 835       | 3140             | 0.0              | 965       | 5178             | 0.0              |
| 450       | 94997            | 73.6             | 580       | 168101           | 34.6             | 710       | 13699            | 0.0              | 840       | 3675             | 0.0              | 970       | 6385             | 0.0              |
| 455       | 61433            | 53.7             | 585       | 173145           | 26.5             | 715       | 12398            | 0.0              | 845       | 3283             | 0.0              | 975       | 3810             | 0.0              |
| 460       | 43373            | 41.9             | 590       | 174675           | 19.5             | 720       | 11147            | 0.0              | 850       | 3055             | 0.0              | 980       | 4322             | 0.0              |
| 465       | 32472            | 34.3             | 595       | 173724           | 13.9             | 725       | 9761             | 0.0              | 855       | 2932             | 0.0              | 985       | 4200             | 0.0              |
| 470       | 24257            | 27.9             | 600       | 171241           | 9.7              | 730       | 8651             | 0.0              | 860       | 3382             | 0.0              | 990       | 4661             | 0.0              |
| 475       | 21690            | 27.1             | 605       | 165134           | 6.5              | 735       | 7730             | 0.0              | 865       | 2605             | 0.0              | 995       | 6746             | 0.0              |
| 480       | 23173            | 31.3             | 610       | 156652           | 4.2              | 740       | 6847             | 0.0              | 870       | 3325             | 0.0              | 1000      | 4150             | 0.0              |
| 485       | 27564            | 40.0             | 615       | 147879           | 2.7              | 745       | 6124             | 0.0              | 875       | 3325             | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2101-121-7

### Melanopic Flux vs. Wavelength



Melanopic Lumens: 4490.7

M/P: 0.5

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 2672             | 0.0              | 490       | 34553            | 28.8             | 620       | 136720           | 0.1              | 750       | 5870             | 0.0              | 880       | 4216             | 0.0              |
| 365       | 2252             | 0.0              | 495       | 44336            | 36.6             | 625       | 126308           | 0.1              | 755       | 5421             | 0.0              | 885       | 4132             | 0.0              |
| 370       | 2217             | 0.0              | 500       | 54643            | 43.9             | 630       | 114625           | 0.0              | 760       | 5097             | 0.0              | 890       | 3992             | 0.0              |
| 375       | 2697             | 0.0              | 505       | 64676            | 49.6             | 635       | 103216           | 0.0              | 765       | 4626             | 0.0              | 895       | 3214             | 0.0              |
| 380       | 3039             | 0.0              | 510       | 73825            | 53.0             | 640       | 92605            | 0.0              | 770       | 3782             | 0.0              | 900       | 2580             | 0.0              |
| 385       | 2655             | 0.0              | 515       | 81872            | 53.5             | 645       | 83234            | 0.0              | 775       | 3506             | 0.0              | 905       | 1776             | 0.0              |
| 390       | 2357             | 0.0              | 520       | 88574            | 51.6             | 650       | 73263            | 0.0              | 780       | 3507             | 0.0              | 910       | 3995             | 0.0              |
| 395       | 2186             | 0.0              | 525       | 93289            | 47.3             | 655       | 64627            | 0.0              | 785       | 3267             | 0.0              | 915       | 4288             | 0.0              |
| 400       | 2015             | 0.0              | 530       | 98393            | 42.5             | 660       | 56614            | 0.0              | 790       | 2849             | 0.0              | 920       | 2446             | 0.0              |
| 405       | 2234             | 0.0              | 535       | 103269           | 37.2             | 665       | 49537            | 0.0              | 795       | 3037             | 0.0              | 925       | 3009             | 0.0              |
| 410       | 3412             | 0.1              | 540       | 107316           | 31.4             | 670       | 42866            | 0.0              | 800       | 2716             | 0.0              | 930       | 3026             | 0.0              |
| 415       | 6135             | 0.4              | 545       | 113101           | 26.3             | 675       | 36708            | 0.0              | 805       | 2648             | 0.0              | 935       | 4734             | 0.0              |
| 420       | 12146            | 1.4              | 550       | 120690           | 21.7             | 680       | 31814            | 0.0              | 810       | 3187             | 0.0              | 940       | 3719             | 0.0              |
| 425       | 23983            | 3.7              | 555       | 128583           | 17.3             | 685       | 27485            | 0.0              | 815       | 2931             | 0.0              | 945       | 1480             | 0.0              |
| 430       | 42142            | 8.9              | 560       | 137796           | 13.6             | 690       | 23698            | 0.0              | 820       | 2717             | 0.0              | 950       | 3450             | 0.0              |
| 435       | 68228            | 18.2             | 565       | 146577           | 10.3             | 695       | 20309            | 0.0              | 825       | 2236             | 0.0              | 955       | 5051             | 0.0              |
| 440       | 99323            | 33.2             | 570       | 154581           | 7.6              | 700       | 17890            | 0.0              | 830       | 2628             | 0.0              | 960       | 3176             | 0.0              |
| 445       | 115584           | 45.6             | 575       | 162633           | 5.4              | 705       | 15500            | 0.0              | 835       | 3140             | 0.0              | 965       | 5178             | 0.0              |
| 450       | 94997            | 43.8             | 580       | 168101           | 3.8              | 710       | 13699            | 0.0              | 840       | 3675             | 0.0              | 970       | 6385             | 0.0              |
| 455       | 61433            | 32.2             | 585       | 173145           | 2.6              | 715       | 12398            | 0.0              | 845       | 3283             | 0.0              | 975       | 3810             | 0.0              |
| 460       | 43373            | 25.6             | 590       | 174675           | 1.7              | 720       | 11147            | 0.0              | 850       | 3055             | 0.0              | 980       | 4322             | 0.0              |
| 465       | 32472            | 21.2             | 595       | 173724           | 1.1              | 725       | 9761             | 0.0              | 855       | 2932             | 0.0              | 985       | 4200             | 0.0              |
| 470       | 24257            | 17.4             | 600       | 171241           | 0.7              | 730       | 8651             | 0.0              | 860       | 3382             | 0.0              | 990       | 4661             | 0.0              |
| 475       | 21690            | 16.6             | 605       | 165134           | 0.5              | 735       | 7730             | 0.0              | 865       | 2605             | 0.0              | 995       | 6746             | 0.0              |
| 480       | 23173            | 18.6             | 610       | 156652           | 0.3              | 740       | 6847             | 0.0              | 870       | 3325             | 0.0              | 1000      | 4150             | 0.0              |
| 485       | 27564            | 22.7             | 615       | 147879           | 0.2              | 745       | 6124             | 0.0              | 875       | 3325             | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2101-121-7

TM-30-18

### Summary

$R_f = 76.9$   
 $R_g = 94.4$   
 CIE  $R_a = 73.1$   
 $R_g = -34.6$

### Spectral Power Distribution Comparison



### Color Vector Graphics



**Individual Sample Fidelity Index ( $R_{f,i}$ )**

|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 86 | CES26 = 68 | CES51 = 90 | CES76 = 63 |
| CES02 = 62 | CES27 = 88 | CES52 = 89 | CES77 = 80 |
| CES03 = 31 | CES28 = 87 | CES53 = 80 | CES78 = 65 |
| CES04 = 70 | CES29 = 67 | CES54 = 84 | CES79 = 87 |
| CES05 = 48 | CES30 = 74 | CES55 = 84 | CES80 = 86 |
| CES06 = 51 | CES31 = 71 | CES56 = 75 | CES81 = 75 |
| CES07 = 40 | CES32 = 67 | CES57 = 74 | CES82 = 94 |
| CES08 = 39 | CES33 = 74 | CES58 = 76 | CES83 = 91 |
| CES09 = 29 | CES34 = 78 | CES59 = 87 | CES84 = 89 |
| CES10 = 75 | CES35 = 89 | CES60 = 93 | CES85 = 80 |
| CES11 = 58 | CES36 = 98 | CES61 = 86 | CES86 = 66 |
| CES12 = 64 | CES37 = 86 | CES62 = 89 | CES87 = 79 |
| CES13 = 43 | CES38 = 82 | CES63 = 77 | CES88 = 79 |
| CES14 = 74 | CES39 = 95 | CES64 = 74 | CES89 = 70 |
| CES15 = 71 | CES40 = 91 | CES65 = 68 | CES90 = 77 |
| CES16 = 47 | CES41 = 89 | CES66 = 71 | CES91 = 88 |
| CES17 = 50 | CES42 = 88 | CES67 = 69 | CES92 = 60 |
| CES18 = 56 | CES43 = 82 | CES68 = 74 | CES93 = 77 |
| CES19 = 72 | CES44 = 99 | CES69 = 82 | CES94 = 52 |
| CES20 = 65 | CES45 = 87 | CES70 = 67 | CES95 = 69 |
| CES21 = 86 | CES46 = 82 | CES71 = 66 | CES96 = 78 |
| CES22 = 79 | CES47 = 82 | CES72 = 88 | CES97 = 85 |
| CES23 = 92 | CES48 = 72 | CES73 = 59 | CES98 = 76 |
| CES24 = 91 | CES49 = 82 | CES74 = 97 | CES99 = 63 |
| CES25 = 72 | CES50 = 88 | CES75 = 66 |            |



Color Rendition by Hue-Angle Bin



**Measure Comparisons**



(END OF REPORT)