

Signify Classified - Internal  
Cooper Lighting Solutions Photometric Lab  
1121 Highway 74 South  
Peachtree City, GA 30269



Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: INVUE

Report Number: P822821

Luminaire Tested: **MSA-SA2B-840-U-5MQ**

Issue Date: 04/10/2024

**Test Information**

Test Method: LM-79-08  
Report Number: P822821  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1910-543-6)  
Test Lab: INNOVATION CENTER  
Issue Date: 04/10/2024  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: INVUE  
Catalog Number: MSA-SA2B-840-U-5MQ  
Description: MESA POST TOP DECORATIVE LUMINAIRE. (2) LIGHTSQUARES WITH 16 LEDS EACH AND TYPE V MEDIUM OPTICS.  
Light Source: -  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**


Lumens per Lamp: N/A  
Luminaire Lumens: 9022 lumens  
Efficiency: N/A  
Efficacy: 106.1 lumens/watt  
Luminous Opening: Rectangular (W 0.5' x L: 1' x H: 0')  
IES Classification: Type V - Short  
BUG Rating: B3 - U0 - G2

Input Watts (W): 85  
Input Voltage (V): NR  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 25 FT

REPORT NUMBER: P822821  
 CATALOG NUMBER: MSA-SA2B-840-U-5MQ

## Iso-Footcandle Lines of Horizontal Illumination


× Max cd  
 --- 1/2 Max cd



Based on 15 foot mounting height. Maximum calculated value = 2.9 fc  
 Type V - Short - N/A

REPORT NUMBER: P822821  
CATALOG NUMBER: MSA-SA2B-840-U-5MQ

## Luminous Intensity Polar Plot



REPORT NUMBER: P822821

CATALOG NUMBER: MSA-SA2B-840-U-5MQ


**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total  |
|--------------------|-----------|----------|--------|--------|
| <b>House Side</b>  | Lumens    | 4511.0   | 0.0    | 4511.0 |
|                    | % Fixture | 50.0     | 0.0    | 50.0   |
| <b>Street Side</b> | Lumens    | 4511.0   | 0.0    | 4511.0 |
|                    | % Fixture | 50.0     | 0.0    | 50.0   |
| <b>Total</b>       | Lumens    | 9022.0   | 0.0    | 9022.0 |
|                    | % Fixture | 100.0    | 0.0    | 100.0  |

**Coefficient of Utilization**

**ZONAL LUMENS:**

| Zone      | Lumens | % Fixture |
|-----------|--------|-----------|
| 0°-10°    | 46.1   | 0.5       |
| 10°-20°   | 182.3  | 2.0       |
| 20°-30°   | 347.8  | 3.9       |
| 30°-40°   | 635.9  | 7.0       |
| 40°-50°   | 1233.0 | 13.7      |
| 50°-60°   | 2354.5 | 26.1      |
| 60°-70°   | 3181.2 | 35.3      |
| 70°-80°   | 988.0  | 11.0      |
| 80°-90°   | 53.2   | 0.6       |
| 90°-100°  | 0.0    | 0.0       |
| 100°-110° | 0.0    | 0.0       |
| 110°-120° | 0.0    | 0.0       |
| 120°-130° | 0.0    | 0.0       |
| 130°-140° | 0.0    | 0.0       |
| 140°-150° | 0.0    | 0.0       |
| 150°-160° | 0.0    | 0.0       |
| 160°-170° | 0.0    | 0.0       |
| 170°-180° | 0.0    | 0.0       |
| 0°-90°    | 9022.0 | 100.0     |
| 0°-180°   | 9022.0 | 100.0     |



REPORT NUMBER: P822821


CATALOG NUMBER: MSA-SA2B-840-U-5MQ

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens | % Fixture | Zone Rating/Lumen Limit |      |         |
|------|-------------|--------|-----------|-------------------------|------|---------|
|      |             |        |           | B                       | U    | G       |
| FL   | (0°-30°)    | 288.1  | 3.2       |                         |      |         |
| FM   | (30°-60°)   | 2111.7 | 23.4      |                         |      |         |
| FH   | (60°-80°)   | 2084.6 | 23.1      |                         |      | G2/5000 |
| FVH  | (80°-90°)   | 26.6   | 0.3       |                         |      | G1/100  |
| BL   | (0°-30°)    | 288.1  | 3.2       | B1/500                  |      |         |
| BM   | (30°-60°)   | 2111.7 | 23.4      | B2/2500                 |      |         |
| BH   | (60°-80°)   | 2084.6 | 23.1      | B3/2500                 |      | G2/5000 |
| BVH  | (80°-90°)   | 26.6   | 0.3       |                         |      | G1/100  |
| UL   | (90°-100°)  | 0.0    | 0.0       |                         | U0/0 |         |
| UH   | (100°-180°) | 0.0    | 0.0       |                         | U0/0 |         |

**BUG Rating: B3-U0-G2**

Type V Short



REPORT NUMBER: P822821

CATALOG NUMBER: MSA-SA2B-840-U-5MQ

**CANDELA DISTRIBUTION (FULL):**

|       | 0°     | 22.5°  | 45°    | 67.5°  | 90°    |
|-------|--------|--------|--------|--------|--------|
| 0°    | 309.2  | 309.2  | 309.2  | 309.2  | 309.2  |
| 2.5°  | 380.6  | 356.2  | 367.4  | 356.2  | 380.6  |
| 5°    | 483.8  | 458.4  | 436.0  | 452.1  | 485.2  |
| 7.5°  | 555.9  | 517.9  | 470.9  | 513.8  | 552.8  |
| 10°   | 568.1  | 546.8  | 544.8  | 544.4  | 566.8  |
| 12.5° | 613.8  | 599.5  | 628.1  | 600.9  | 615.2  |
| 15°   | 649.3  | 641.4  | 654.2  | 651.4  | 650.8  |
| 17.5° | 704.4  | 650.0  | 679.3  | 646.9  | 702.7  |
| 20°   | 728.8  | 651.8  | 700.9  | 647.9  | 728.5  |
| 22.5° | 758.8  | 692.9  | 707.5  | 694.7  | 756.0  |
| 25°   | 775.9  | 719.4  | 724.6  | 720.1  | 776.2  |
| 27.5° | 845.9  | 778.0  | 722.2  | 787.3  | 858.8  |
| 30°   | 899.3  | 815.9  | 779.3  | 817.0  | 905.9  |
| 32.5° | 976.3  | 872.8  | 858.5  | 886.7  | 988.5  |
| 35°   | 1071.8 | 968.3  | 888.1  | 968.6  | 1092.0 |
| 37.5° | 1259.0 | 1055.1 | 1026.8 | 1085.7 | 1272.9 |
| 40°   | 1391.0 | 1192.1 | 1131.8 | 1214.0 | 1413.7 |
| 42.5° | 1593.9 | 1345.8 | 1192.7 | 1356.9 | 1628.7 |
| 45°   | 1782.8 | 1532.2 | 1387.2 | 1545.2 | 1808.3 |
| 47.5° | 1982.5 | 1703.3 | 1649.0 | 1719.4 | 2001.3 |
| 50°   | 2218.5 | 1935.2 | 1897.2 | 1953.2 | 2226.5 |
| 52.5° | 2497.0 | 2245.4 | 2133.1 | 2255.8 | 2499.8 |
| 55°   | 2827.8 | 2505.7 | 2480.7 | 2534.3 | 2832.0 |
| 57.5° | 3151.2 | 2843.1 | 3004.1 | 2846.3 | 3095.1 |
| 60°   | 3381.9 | 3154.0 | 3434.6 | 3073.8 | 3257.6 |
| 62.5° | 3396.6 | 3384.4 | 3970.6 | 3248.5 | 3222.7 |
| 65°   | 3080.1 | 3291.4 | 4419.6 | 3185.0 | 2925.3 |
| 67.5° | 2424.5 | 2765.0 | 4487.5 | 2711.4 | 2350.2 |
| 70°   | 1523.5 | 1914.6 | 3967.2 | 1988.1 | 1566.8 |
| 72.5° | 702.7  | 1031.7 | 2987.4 | 1161.4 | 742.8  |
| 75°   | 251.7  | 394.9  | 1843.1 | 424.1  | 263.1  |
| 77.5° | 142.9  | 160.0  | 814.6  | 160.7  | 147.7  |
| 80°   | 92.0   | 99.6   | 235.3  | 105.3  | 89.6   |
| 82.5° | 52.3   | 69.7   | 103.2  | 73.9   | 48.1   |
| 85°   | 28.3   | 44.2   | 45.7   | 45.3   | 28.3   |
| 87.5° | 10.1   | 17.4   | 10.1   | 19.8   | 9.4    |
| 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

Signify Classified - Internal  
Cooper Lighting Solutions Photometric Lab  
1121 Highway 74 South  
Peachtree City, GA 30269



LM-79-2019: Approved Method: Electrical and Photometric Measurements of Solid-State Lighting Products

Report Prepared for

Cooper Lighting Solutions

McGRAW-EDISON

Report Number: SP1-2309-178-2

Test Date: 09/22/2023

Luminaire Tested: GALN-SA2A-840-U-T4W

Data in this report applies to families of products including GALN-SA2A-840-U-T4W.

### Test Information

Test Method: LM-79-2019  
 Report Number: SP1-2309-178-2  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1 - 76IN SPHERE  
 Measurement Geometry:  $4\pi$   
 Issue Date: 09/22/2023  
 Manufacturer: COOPER LIGHTING SOLUTIONS  
 Product Line: MCGRAW-EDISON  
 Catalog Number: **GALN-SA2A-840-U-T4W**  
 Description: GALLEON 2 AREA AND ROADWAY LUMINAIRE. (2) 80 CRI, 4000K, 615MA LIGHTSQUARES WITH 16 LEDS EACH AND TYPE IV WIDE OPTICS

LIGHTSQUARES WITH 16 LEDS EACH AND TYPE IV WIDE OPTICS

### Spectral Parameters

|                           |        |           |      |      |      |
|---------------------------|--------|-----------|------|------|------|
| CCT (K):                  | 3867   | CRI (Ra): | 79.8 |      |      |
| CIE u':                   | 0.2254 | R1:       | 76.6 | R9:  | -8.6 |
| CIE v':                   | 0.5090 | R2:       | 84.7 | R10: | 66.3 |
| Duv:                      | 0.0039 | R3:       | 93.7 | R11: | 80.5 |
| CIE x:                    | 0.3895 | R4:       | 80.6 | R12: | 67.3 |
| CIE y:                    | 0.3908 | R5:       | 77.9 | R13: | 77.9 |
| CIE z:                    | 0.2197 | R6:       | 81.2 | R14: | 96.6 |
| Peak Wavelength (nm):     | 593    | R7:       | 84.2 |      |      |
| Dominant Wavelength (nm): | 577    | R8:       | 59.0 |      |      |
| Purity:                   | 34.3   |           |      |      |      |
| Rf:                       | 82.7   |           |      |      |      |
| Rg:                       | 96.5   |           |      |      |      |



### Test Conditions


Stabilization Time: 25M  
 Operation Time: 12H  
 Room Temperature (°C) / RH%: 24.8/46%  
 Sphere Temperature (°C): 24.7

REPORT NUMBER: SP1-2309-178-2


| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | 76INCH SPHERE IN0058  | 8/9/2023         | 2/9/2024             |
| Power Meter                    | XITRON 2801 IN0071    | 11/29/2022       | 11/29/2023           |
| AC Power Source                | CHROMA 61603 IN0063   | 11/28/2022       | 11/28/2023           |
| DC Power Source                | AGILENT E3634A IN0208 | 11/28/2022       | 11/28/2023           |
| Sphere Thermometer             | ONSET IN0085          | 11/28/2022       | 11/28/2023           |
| Room Thermometer               | ONSET IN0046          | 11/28/2022       | 11/28/2023           |

REPORT NUMBER: SP1-2309-178-2

**CIE 1931 Chromaticity Diagram**



**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



Point lies inside the ANSI 4000K 4-step quadrangle

REPORT NUMBER: SP1-2309-178-2

**Photopic Flux vs. Wavelength**



#####

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 3123             | NR               | 490       | 57459            | NR               | 620       | 129941           | NR               | 750       | 5858             | NR               | 880       | 4622             | NR               |
| 365       | 3041             | NR               | 495       | 69038            | NR               | 625       | 121678           | NR               | 755       | 5395             | NR               | 885       | 3949             | NR               |
| 370       | 2965             | NR               | 500       | 79493            | NR               | 630       | 112252           | NR               | 760       | 5011             | NR               | 890       | 4035             | NR               |
| 375       | 3195             | NR               | 505       | 87950            | NR               | 635       | 102369           | NR               | 765       | 4514             | NR               | 895       | 3391             | NR               |
| 380       | 3028             | NR               | 510       | 94704            | NR               | 640       | 93616            | NR               | 770       | 4375             | NR               | 900       | 3268             | NR               |
| 385       | 2738             | NR               | 515       | 100214           | NR               | 645       | 84211            | NR               | 775       | 3450             | NR               | 905       | 2767             | NR               |
| 390       | 2690             | NR               | 520       | 103961           | NR               | 650       | 75380            | NR               | 780       | 3547             | NR               | 910       | 3391             | NR               |
| 395       | 2604             | NR               | 525       | 106854           | NR               | 655       | 66946            | NR               | 785       | 3648             | NR               | 915       | 3784             | NR               |
| 400       | 2384             | NR               | 530       | 109533           | NR               | 660       | 59483            | NR               | 790       | 3081             | NR               | 920       | 3790             | NR               |
| 405       | 3031             | NR               | 535       | 112417           | NR               | 665       | 51858            | NR               | 795       | 3104             | NR               | 925       | 3175             | NR               |
| 410       | 5239             | NR               | 540       | 115725           | NR               | 670       | 44882            | NR               | 800       | 3444             | NR               | 930       | 3642             | NR               |
| 415       | 10499            | NR               | 545       | 119091           | NR               | 675       | 38742            | NR               | 805       | 3315             | NR               | 935       | 3040             | NR               |
| 420       | 20790            | NR               | 550       | 122884           | NR               | 680       | 33597            | NR               | 810       | 3022             | NR               | 940       | 4039             | NR               |
| 425       | 39276            | NR               | 555       | 128300           | NR               | 685       | 29101            | NR               | 815       | 2832             | NR               | 945       | 4797             | NR               |
| 430       | 66418            | NR               | 560       | 133274           | NR               | 690       | 24855            | NR               | 820       | 3142             | NR               | 950       | 4945             | NR               |
| 435       | 101961           | NR               | 565       | 139112           | NR               | 695       | 21367            | NR               | 825       | 3115             | NR               | 955       | 3757             | NR               |
| 440       | 134023           | NR               | 570       | 144467           | NR               | 700       | 18479            | NR               | 830       | 2520             | NR               | 960       | 4539             | NR               |
| 445       | 129385           | NR               | 575       | 149331           | NR               | 705       | 16131            | NR               | 835       | 2783             | NR               | 965       | 4857             | NR               |
| 450       | 90434            | NR               | 580       | 154784           | NR               | 710       | 14388            | NR               | 840       | 3364             | NR               | 970       | 4463             | NR               |
| 455       | 63521            | NR               | 585       | 156899           | NR               | 715       | 12865            | NR               | 845       | 3807             | NR               | 975       | 3718             | NR               |
| 460       | 48429            | NR               | 590       | 157796           | NR               | 720       | 11277            | NR               | 850       | 2907             | NR               | 980       | 3955             | NR               |
| 465       | 36445            | NR               | 595       | 157849           | NR               | 725       | 10063            | NR               | 855       | 3470             | NR               | 985       | 4314             | NR               |
| 470       | 31953            | NR               | 600       | 155418           | NR               | 730       | 8942             | NR               | 860       | 3820             | NR               | 990       | 4478             | NR               |
| 475       | 32768            | NR               | 605       | 151601           | NR               | 735       | 7722             | NR               | 865       | 3922             | NR               | 995       | 2959             | NR               |
| 480       | 37631            | NR               | 610       | 146416           | NR               | 740       | 6964             | NR               | 870       | 4061             | NR               | 1000      | 4570             | NR               |
| 485       | 46354            | NR               | 615       | 139241           | NR               | 745       | 6117             | NR               | 875       | 3975             | NR               |           |                  |                  |

REPORT NUMBER: SP1-2309-178-2

Scotopic Flux vs. Wavelength



Scotopic Lumens: 14236

S/P: 1.59

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 3123             | NR               | 490       | 57459            | NR               | 620       | 129941           | NR               | 750       | 5858             | NR               | 880       | 4622             | NR               |
| 365       | 3041             | NR               | 495       | 69038            | NR               | 625       | 121678           | NR               | 755       | 5395             | NR               | 885       | 3949             | NR               |
| 370       | 2965             | NR               | 500       | 79493            | NR               | 630       | 112252           | NR               | 760       | 5011             | NR               | 890       | 4035             | NR               |
| 375       | 3195             | NR               | 505       | 87950            | NR               | 635       | 102369           | NR               | 765       | 4514             | NR               | 895       | 3391             | NR               |
| 380       | 3028             | NR               | 510       | 94704            | NR               | 640       | 93616            | NR               | 770       | 4375             | NR               | 900       | 3268             | NR               |
| 385       | 2738             | NR               | 515       | 100214           | NR               | 645       | 84211            | NR               | 775       | 3450             | NR               | 905       | 2767             | NR               |
| 390       | 2690             | NR               | 520       | 103961           | NR               | 650       | 75380            | NR               | 780       | 3547             | NR               | 910       | 3391             | NR               |
| 395       | 2604             | NR               | 525       | 106854           | NR               | 655       | 66946            | NR               | 785       | 3648             | NR               | 915       | 3784             | NR               |
| 400       | 2384             | NR               | 530       | 109533           | NR               | 660       | 59483            | NR               | 790       | 3081             | NR               | 920       | 3790             | NR               |
| 405       | 3031             | NR               | 535       | 112417           | NR               | 665       | 51858            | NR               | 795       | 3104             | NR               | 925       | 3175             | NR               |
| 410       | 5239             | NR               | 540       | 115725           | NR               | 670       | 44882            | NR               | 800       | 3444             | NR               | 930       | 3642             | NR               |
| 415       | 10499            | NR               | 545       | 119091           | NR               | 675       | 38742            | NR               | 805       | 3315             | NR               | 935       | 3040             | NR               |
| 420       | 20790            | NR               | 550       | 122884           | NR               | 680       | 33597            | NR               | 810       | 3022             | NR               | 940       | 4039             | NR               |
| 425       | 39276            | NR               | 555       | 128300           | NR               | 685       | 29101            | NR               | 815       | 2832             | NR               | 945       | 4797             | NR               |
| 430       | 66418            | NR               | 560       | 133274           | NR               | 690       | 24855            | NR               | 820       | 3142             | NR               | 950       | 4945             | NR               |
| 435       | 101961           | NR               | 565       | 139112           | NR               | 695       | 21367            | NR               | 825       | 3115             | NR               | 955       | 3757             | NR               |
| 440       | 134023           | NR               | 570       | 144467           | NR               | 700       | 18479            | NR               | 830       | 2520             | NR               | 960       | 4539             | NR               |
| 445       | 129385           | NR               | 575       | 149331           | NR               | 705       | 16131            | NR               | 835       | 2783             | NR               | 965       | 4857             | NR               |
| 450       | 90434            | NR               | 580       | 154784           | NR               | 710       | 14388            | NR               | 840       | 3364             | NR               | 970       | 4463             | NR               |
| 455       | 63521            | NR               | 585       | 156899           | NR               | 715       | 12865            | NR               | 845       | 3807             | NR               | 975       | 3718             | NR               |
| 460       | 48429            | NR               | 590       | 157796           | NR               | 720       | 11277            | NR               | 850       | 2907             | NR               | 980       | 3955             | NR               |
| 465       | 36445            | NR               | 595       | 157849           | NR               | 725       | 10063            | NR               | 855       | 3470             | NR               | 985       | 4314             | NR               |
| 470       | 31953            | NR               | 600       | 155418           | NR               | 730       | 8942             | NR               | 860       | 3820             | NR               | 990       | 4478             | NR               |
| 475       | 32768            | NR               | 605       | 151601           | NR               | 735       | 7722             | NR               | 865       | 3922             | NR               | 995       | 2959             | NR               |
| 480       | 37631            | NR               | 610       | 146416           | NR               | 740       | 6964             | NR               | 870       | 4061             | NR               | 1000      | 4570             | NR               |
| 485       | 46354            | NR               | 615       | 139241           | NR               | 745       | 6117             | NR               | 875       | 3975             | NR               |           |                  |                  |

REPORT NUMBER: SP1-2309-178-2

**Melanopic Flux vs. Wavelength**



**Melanopic Lumens: 5542.6 M/P: 0.62**


| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 3123             | NR               | 490       | 57459            | NR               | 620       | 129941           | NR               | 750       | 5858             | NR               | 880       | 4622             | NR               |
| 365       | 3041             | NR               | 495       | 69038            | NR               | 625       | 121678           | NR               | 755       | 5395             | NR               | 885       | 3949             | NR               |
| 370       | 2965             | NR               | 500       | 79493            | NR               | 630       | 112252           | NR               | 760       | 5011             | NR               | 890       | 4035             | NR               |
| 375       | 3195             | NR               | 505       | 87950            | NR               | 635       | 102369           | NR               | 765       | 4514             | NR               | 895       | 3391             | NR               |
| 380       | 3028             | NR               | 510       | 94704            | NR               | 640       | 93616            | NR               | 770       | 4375             | NR               | 900       | 3268             | NR               |
| 385       | 2738             | NR               | 515       | 100214           | NR               | 645       | 84211            | NR               | 775       | 3450             | NR               | 905       | 2767             | NR               |
| 390       | 2690             | NR               | 520       | 103961           | NR               | 650       | 75380            | NR               | 780       | 3547             | NR               | 910       | 3391             | NR               |
| 395       | 2604             | NR               | 525       | 106854           | NR               | 655       | 66946            | NR               | 785       | 3648             | NR               | 915       | 3784             | NR               |
| 400       | 2384             | NR               | 530       | 109533           | NR               | 660       | 59483            | NR               | 790       | 3081             | NR               | 920       | 3790             | NR               |
| 405       | 3031             | NR               | 535       | 112417           | NR               | 665       | 51858            | NR               | 795       | 3104             | NR               | 925       | 3175             | NR               |
| 410       | 5239             | NR               | 540       | 115725           | NR               | 670       | 44882            | NR               | 800       | 3444             | NR               | 930       | 3642             | NR               |
| 415       | 10499            | NR               | 545       | 119091           | NR               | 675       | 38742            | NR               | 805       | 3315             | NR               | 935       | 3040             | NR               |
| 420       | 20790            | NR               | 550       | 122884           | NR               | 680       | 33597            | NR               | 810       | 3022             | NR               | 940       | 4039             | NR               |
| 425       | 39276            | NR               | 555       | 128300           | NR               | 685       | 29101            | NR               | 815       | 2832             | NR               | 945       | 4797             | NR               |
| 430       | 66418            | NR               | 560       | 133274           | NR               | 690       | 24855            | NR               | 820       | 3142             | NR               | 950       | 4945             | NR               |
| 435       | 101961           | NR               | 565       | 139112           | NR               | 695       | 21367            | NR               | 825       | 3115             | NR               | 955       | 3757             | NR               |
| 440       | 134023           | NR               | 570       | 144467           | NR               | 700       | 18479            | NR               | 830       | 2520             | NR               | 960       | 4539             | NR               |
| 445       | 129385           | NR               | 575       | 149331           | NR               | 705       | 16131            | NR               | 835       | 2783             | NR               | 965       | 4857             | NR               |
| 450       | 90434            | NR               | 580       | 154784           | NR               | 710       | 14388            | NR               | 840       | 3364             | NR               | 970       | 4463             | NR               |
| 455       | 63521            | NR               | 585       | 156899           | NR               | 715       | 12865            | NR               | 845       | 3807             | NR               | 975       | 3718             | NR               |
| 460       | 48429            | NR               | 590       | 157796           | NR               | 720       | 11277            | NR               | 850       | 2907             | NR               | 980       | 3955             | NR               |
| 465       | 36445            | NR               | 595       | 157849           | NR               | 725       | 10063            | NR               | 855       | 3470             | NR               | 985       | 4314             | NR               |
| 470       | 31953            | NR               | 600       | 155418           | NR               | 730       | 8942             | NR               | 860       | 3820             | NR               | 990       | 4478             | NR               |
| 475       | 32768            | NR               | 605       | 151601           | NR               | 735       | 7722             | NR               | 865       | 3922             | NR               | 995       | 2959             | NR               |
| 480       | 37631            | NR               | 610       | 146416           | NR               | 740       | 6964             | NR               | 870       | 4061             | NR               | 1000      | 4570             | NR               |
| 485       | 46354            | NR               | 615       | 139241           | NR               | 745       | 6117             | NR               | 875       | 3975             | NR               |           |                  |                  |

REPORT NUMBER: SP1-2309-178-2



**TM-30-18**

**Summary**

$R_f = 82.7$   
 $R_g = 96.5$   
 $CIE R_a = 79.8$   
 $R_g = -8.6$



**Color Vector Graphics**



REPORT NUMBER: SP1-2309-178-2

**TM-30-18**

**Individual Sample Fidelity Index ( $R_{f,i}$ )**




|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 85 | CES26 = 76 | CES51 = 94 | CES76 = 73 |
| CES02 = 61 | CES27 = 91 | CES52 = 94 | CES77 = 85 |
| CES03 = 31 | CES28 = 90 | CES53 = 86 | CES78 = 73 |
| CES04 = 69 | CES29 = 73 | CES54 = 88 | CES79 = 91 |
| CES05 = 48 | CES30 = 76 | CES55 = 88 | CES80 = 89 |
| CES06 = 50 | CES31 = 77 | CES56 = 81 | CES81 = 80 |
| CES07 = 40 | CES32 = 74 | CES57 = 80 | CES82 = 95 |
| CES08 = 39 | CES33 = 78 | CES58 = 82 | CES83 = 92 |
| CES09 = 29 | CES34 = 84 | CES59 = 91 | CES84 = 92 |
| CES10 = 74 | CES35 = 92 | CES60 = 96 | CES85 = 85 |
| CES11 = 57 | CES36 = 97 | CES61 = 92 | CES86 = 73 |
| CES12 = 63 | CES37 = 89 | CES62 = 90 | CES87 = 85 |
| CES13 = 42 | CES38 = 83 | CES63 = 83 | CES88 = 83 |
| CES14 = 74 | CES39 = 95 | CES64 = 83 | CES89 = 77 |
| CES15 = 71 | CES40 = 91 | CES65 = 77 | CES90 = 82 |
| CES16 = 47 | CES41 = 90 | CES66 = 82 | CES91 = 91 |
| CES17 = 49 | CES42 = 90 | CES67 = 80 | CES92 = 68 |
| CES18 = 56 | CES43 = 86 | CES68 = 83 | CES93 = 82 |
| CES19 = 71 | CES44 = 99 | CES69 = 90 | CES94 = 61 |
| CES20 = 65 | CES45 = 91 | CES70 = 77 | CES95 = 76 |
| CES21 = 86 | CES46 = 87 | CES71 = 77 | CES96 = 82 |
| CES22 = 78 | CES47 = 85 | CES72 = 92 | CES97 = 89 |
| CES23 = 91 | CES48 = 77 | CES73 = 71 | CES98 = 81 |
| CES24 = 90 | CES49 = 87 | CES74 = 97 | CES99 = 70 |
| CES25 = 71 | CES50 = 93 | CES75 = 76 |            |



REPORT NUMBER: SP1-2309-178-2

**TM-30-18**



Color Rendition by Hue-Angle Bin



REPORT NUMBER: SP1-2309-178-2

**TM-30-18**

**Measure Comparisons**



(END OF REPORT)