

Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-State  
Lighting Products

Test Report Prepared for

Cooper Lighting Solutions

(formerly Eaton)

Brand: METALUX

Report Number: P860071

Luminaire Tested: **SPHB-30SE-M-L740-CD**

Issue Date: 7/11/2024



**Test Information**

Test Method: LM-79-08  
Report Number: P860071  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G3-2404-343-1)  
Test Lab: INNOVATION CENTER  
Issue Date: 7/11/2024  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: METALUX  
Catalog Number: SPHB-30SE-M-L740-CD  
Description: 30000 Lumen Standard Efficacy Select Pro High Bay with Medium Lens  
and, 4000K 70CRI LEDs  
Light Source: -  
Ballast/Driver: -

Luminaire Equipment: Sample No.   Condition   Description

**Summary**


Lumens per Lamp: N/A  
Luminaire Lumens: 31981.0 lumens  
Efficiency: N/A  
Efficacy: 164.0 lumens/watt  
Spacing Criteria (0/90/45): 1.25 / 1.16 / 1.22  
Luminous Opening: Rectangular (W 1' x L: 2.04' x H: 0')  
CIE Type: Direct

Input Watts (W): 195  
Input Voltage (V): NR  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 25 FT

TEST NUMBER: P860071

CATALOG NUMBER: SPHB-30SE-M-L740-CD

### Luminous Intensity Polar Plot





TEST NUMBER: P860071

CATALOG NUMBER: SPHB-30SE-M-L740-CD

**COEFFICIENT OF UTILIZATION - ZONAL CAVITY METHOD:**

|     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |    |    |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|
| RF  | 20  |     |     |     | 20  |     |     |     |     | 20  |     |     |     |     | 20  |     |     |     |    | 20 |
| RC  | 80  |     |     |     | 70  |     |     |     |     | 50  |     |     |     |     | 30  |     |     |     |    | 10 |
| RW  | 70  | 50  | 30  | 10  | 70  | 50  | 30  | 10  | 50  | 30  | 10  | 50  | 30  | 10  | 50  | 30  | 10  | 50  | 30 | 10 |
| RCR |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |    |    |
| 0   | 119 | 119 | 119 | 119 | 116 | 116 | 116 | 116 | 111 | 111 | 111 | 106 | 106 | 106 | 102 | 102 | 102 | 100 |    |    |
| 1   | 110 | 106 | 103 | 99  | 108 | 104 | 101 | 98  | 100 | 97  | 95  | 96  | 94  | 92  | 92  | 91  | 89  | 87  |    |    |
| 2   | 102 | 95  | 89  | 84  | 99  | 93  | 87  | 83  | 89  | 85  | 81  | 86  | 82  | 79  | 83  | 80  | 77  | 75  |    |    |
| 3   | 94  | 85  | 78  | 72  | 92  | 83  | 77  | 71  | 80  | 75  | 70  | 78  | 73  | 69  | 75  | 71  | 68  | 66  |    |    |
| 4   | 87  | 76  | 69  | 63  | 85  | 75  | 68  | 62  | 73  | 66  | 61  | 70  | 65  | 61  | 68  | 64  | 60  | 58  |    |    |
| 5   | 81  | 69  | 61  | 55  | 79  | 68  | 61  | 55  | 66  | 59  | 54  | 64  | 58  | 54  | 62  | 57  | 53  | 51  |    |    |
| 6   | 75  | 63  | 55  | 49  | 73  | 62  | 54  | 49  | 60  | 54  | 48  | 59  | 53  | 48  | 57  | 52  | 48  | 46  |    |    |
| 7   | 70  | 58  | 50  | 44  | 68  | 57  | 49  | 44  | 55  | 49  | 44  | 54  | 48  | 43  | 53  | 47  | 43  | 41  |    |    |
| 8   | 66  | 53  | 45  | 40  | 64  | 52  | 45  | 40  | 51  | 44  | 39  | 50  | 44  | 39  | 49  | 43  | 39  | 37  |    |    |
| 9   | 61  | 49  | 41  | 36  | 60  | 48  | 41  | 36  | 47  | 41  | 36  | 46  | 40  | 36  | 45  | 40  | 36  | 34  |    |    |
| 10  | 58  | 45  | 38  | 33  | 57  | 45  | 38  | 33  | 44  | 37  | 33  | 43  | 37  | 33  | 42  | 37  | 33  | 31  |    |    |

**AVERAGE LUMINANCE (cd/sqm):**

|     | 0°    | 45°   | 90°   |
|-----|-------|-------|-------|
| 0°  | 81298 | 81298 | 81298 |
| 5°  | 81458 | 81437 | 81899 |
| 10° | 81529 | 81616 | 82117 |
| 15° | 81291 | 81502 | 82068 |
| 20° | 80936 | 81347 | 80696 |
| 25° | 80344 | 80120 | 78759 |
| 30° | 79328 | 77458 | 73037 |
| 35° | 77662 | 71261 | 65095 |
| 40° | 72072 | 63072 | 55135 |
| 45° | 56228 | 56380 | 45629 |
| 50° | 45923 | 46574 | 36849 |
| 55° | 41146 | 39594 | 32378 |
| 60° | 32940 | 31182 | 25905 |
| 65° | 27605 | 25270 | 22910 |
| 70° | 26209 | 24077 | 23324 |
| 75° | 23781 | 25561 | 22497 |
| 80° | 23895 | 26120 | 23710 |
| 85° | 20790 | 24361 | 19809 |



TEST NUMBER: P860071

CATALOG NUMBER: SPHB-30SE-M-L740-CD

**ZONAL LUMENS:**

| Zone      | Lumens  | % Fixture |
|-----------|---------|-----------|
| 0°-10°    | 1465.0  | 4.6       |
| 10°-20°   | 4213.4  | 13.2      |
| 20°-30°   | 6289.9  | 19.7      |
| 30°-40°   | 6863.3  | 21.5      |
| 40°-50°   | 5614.5  | 17.6      |
| 50°-60°   | 3691.5  | 11.5      |
| 60°-70°   | 2117.9  | 6.6       |
| 70°-80°   | 1283.4  | 4.0       |
| 80°-90°   | 431.0   | 1.3       |
| 90°-100°  | 11.2    | 0.0       |
| 100°-110° | 0.0     | 0.0       |
| 110°-120° | 0.0     | 0.0       |
| 120°-130° | 0.0     | 0.0       |
| 130°-140° | 0.0     | 0.0       |
| 140°-150° | 0.0     | 0.0       |
| 150°-160° | 0.0     | 0.0       |
| 160°-170° | 0.0     | 0.0       |
| 170°-180° | 0.0     | 0.0       |
| 0°-30°    | 11968.2 | 37.4      |
| 0°-40°    | 18831.5 | 58.9      |
| 0°-60°    | 28137.5 | 88.0      |
| 0°-90°    | 31969.8 | 100.0     |
| 90°-120°  | 11.2    | 0.0       |
| 90°-150°  | 11.2    | 0.0       |
| 90°-180°  | 11.0    | 0.0       |
| 0°-180°   | 31981.0 | 100.0     |

**CANDELA DISTRIBUTION:**

|      | 0°    | 22.5° | 45°   | 67.5° | 90°   | Flux |
|------|-------|-------|-------|-------|-------|------|
| 0°   | 15408 | 15408 | 15408 | 15408 | 15408 |      |
| 5°   | 15379 | 15355 | 15375 | 15438 | 15463 | ###  |
| 15°  | 14882 | 14880 | 14920 | 15016 | 15024 | 4200 |
| 25°  | 13800 | 13833 | 13762 | 13595 | 13528 | 6349 |
| 35°  | 12057 | 11784 | 11063 | 10309 | 10106 | 7473 |
| 45°  | 7535  | 8098  | 7556  | 6670  | 6115  | 5981 |
| 55°  | 4473  | 4351  | 4304  | 3698  | 3520  | 3939 |
| 65°  | 2211  | 2178  | 2024  | 1969  | 1835  | 2260 |
| 75°  | 1166  | 1262  | 1254  | 1203  | 1104  | 1262 |
| 85°  | 343   | 390   | 402   | 352   | 327   | 372  |
| 90°  | 2     | 28    | 57    | 67    | 71    | 16   |
| 95°  | 2     | 4     | 6     | 6     | 4     | 1    |
| 105° | 0     | 0     | 0     | 0     | 0     | 0    |
| 115° | 0     | 0     | 0     | 0     | 0     | 0    |
| 125° | 0     | 0     | 0     | 0     | 0     | 0    |
| 135° | 0     | 0     | 0     | 0     | 0     | 0    |
| 145° | 0     | 0     | 0     | 0     | 0     | 0    |
| 155° | 0     | 0     | 0     | 0     | 0     | 0    |
| 165° | 0     | 0     | 0     | 0     | 0     | 0    |
| 175° | 0     | 0     | 0     | 0     | 0     | 0    |
| 180° | 0     | 0     | 0     | 0     | 0     |      |



TEST NUMBER: P860071

CATALOG NUMBER: SPHB-30SE-M-L740-CD

**CANDELA DISTRIBUTION (FULL):**

|        | 0°      | 22.5°   | 45°     | 67.5°   | 90°     |
|--------|---------|---------|---------|---------|---------|
| 0°     | 15407.8 | 15407.8 | 15407.8 | 15407.8 | 15407.8 |
| 2.5°   | 15397.7 | 15375.3 | 15395.6 | 15458.6 | 15476.9 |
| 5°     | 15379.4 | 15355.0 | 15375.3 | 15438.3 | 15462.7 |
| 7.5°   | 15316.4 | 15302.2 | 15322.5 | 15385.5 | 15416.0 |
| 10°    | 15216.8 | 15200.6 | 15233.1 | 15287.9 | 15326.6 |
| 12.5°  | 15068.5 | 15062.4 | 15092.9 | 15172.1 | 15188.4 |
| 15°    | 14881.5 | 14879.5 | 14920.1 | 15015.6 | 15023.8 |
| 17.5°  | 14670.2 | 14668.1 | 14718.9 | 14781.9 | 14759.6 |
| 20°    | 14414.1 | 14428.3 | 14487.3 | 14428.3 | 14371.4 |
| 22.5°  | 14107.3 | 14152.0 | 14166.2 | 13981.3 | 13952.8 |
| 25°    | 13800.4 | 13832.9 | 13761.8 | 13595.2 | 13528.1 |
| 27.5°  | 13404.1 | 13442.7 | 13310.7 | 13072.9 | 12881.9 |
| 30°    | 13020.1 | 12983.5 | 12713.2 | 12253.9 | 11987.7 |
| 32.5°  | 12579.1 | 12449.0 | 11963.3 | 11329.3 | 11087.5 |
| 35°    | 12056.8 | 11784.5 | 11063.1 | 10309.1 | 10105.9 |
| 37.5°  | 11396.4 | 10898.5 | 10110.0 | 9323.6  | 9016.7  |
| 40°    | 10463.6 | 9888.5  | 9156.9  | 8344.1  | 8004.7  |
| 42.5°  | 9156.9  | 8943.5  | 8338.0  | 7423.5  | 7019.1  |
| 45°    | 7535.3  | 8098.2  | 7555.6  | 6669.6  | 6114.8  |
| 47.5°  | 6450.1  | 7232.5  | 6580.1  | 5940.0  | 5175.9  |
| 50°    | 5594.5  | 6133.1  | 5673.8  | 5096.7  | 4489.0  |
| 52.5°  | 4976.8  | 5139.3  | 4954.4  | 4320.4  | 3974.9  |
| 55°    | 4472.8  | 4350.9  | 4304.1  | 3698.5  | 3519.7  |
| 57.5°  | 3846.9  | 3779.8  | 3659.9  | 3225.0  | 2989.3  |
| 60°    | 3121.4  | 3263.6  | 2954.8  | 2830.8  | 2454.8  |
| 62.5°  | 2564.6  | 2704.8  | 2373.6  | 2365.4  | 2052.5  |
| 65°    | 2211.0  | 2178.5  | 2024.0  | 1969.2  | 1835.0  |
| 67.5°  | 1957.0  | 1855.4  | 1802.5  | 1731.4  | 1684.7  |
| 70°    | 1698.9  | 1656.2  | 1560.7  | 1574.9  | 1511.9  |
| 72.5°  | 1416.4  | 1471.3  | 1375.8  | 1402.2  | 1288.4  |
| 75°    | 1166.5  | 1262.0  | 1253.8  | 1203.0  | 1103.5  |
| 77.5°  | 961.2   | 1062.8  | 1081.1  | 1034.4  | 953.1   |
| 80°    | 786.4   | 855.5   | 859.6   | 831.2   | 780.3   |
| 82.5°  | 577.1   | 617.8   | 648.3   | 599.5   | 567.0   |
| 85°    | 343.4   | 390.2   | 402.4   | 351.6   | 327.2   |
| 87.5°  | 111.8   | 156.5   | 174.8   | 180.9   | 182.9   |
| 90°    | 2.0     | 28.5    | 56.9    | 67.1    | 71.1    |
| 92.5°  | 2.0     | 8.1     | 12.2    | 18.3    | 20.3    |
| 95°    | 2.0     | 4.1     | 6.1     | 6.1     | 4.1     |
| 97.5°  | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
| 100°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
| 102.5° | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
| 105°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |



TEST NUMBER: P860071

CATALOG NUMBER: SPHB-30SE-M-L740-CD

**CANDELA DISTRIBUTION (continued):**

|        | 0°  | 22.5° | 45° | 67.5° | 90° |
|--------|-----|-------|-----|-------|-----|
| 112.5° | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 115°   | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 117.5° | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 120°   | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 122.5° | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 125°   | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 127.5° | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 130°   | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 132.5° | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 135°   | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 137.5° | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 140°   | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 142.5° | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 145°   | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 147.5° | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 150°   | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 152.5° | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 155°   | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 157.5° | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 160°   | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 162.5° | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 165°   | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 167.5° | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 170°   | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 172.5° | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 175°   | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 177.5° | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |
| 180°   | 0.0 | 0.0   | 0.0 | 0.0   | 0.0 |



Report Generated By 670246072 / DESKTOP-50001EG







— 0°-180°    - - 45°-225°    - - - 90°-270°







|        |     |     |     |     |     |
|--------|-----|-----|-----|-----|-----|
| 107.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 110°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |



LM-79-2019: Approved Method: Electrical and Photometric Measurements of Solid-State Lighting Products

Report Prepared for

Cooper Lighting Solutions

METALUX

Report Number: SP1-2404-343-2

Test Date: 05/18/2024

Luminaire Tested: SPHB-24SE-M-UNV-L740-CD


Data in this report applies to families of products SPHB-24SE-M-UNV-L740-CD.

### Test Information

Test Method: LM-79-2019  
 Report Number: SP1-2404-343-2  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1 - 76IN SPHERE  
 Measurement Geometry:  $4\pi$   
 Issue Date: 05/21/2024  
 Manufacturer: COOPER LIGHTING SOLUTIONS  
 Product Line: METALUX  
 Catalog Number: **SPHB-24SE-M-UNV-L740-CD**  
 Description: 18IN SPHB WITH MEDIUM LENS, 4000K/70CRI, 24K LUMENS, SE

### Spectral Parameters

|                           |        |           |      |      |       |
|---------------------------|--------|-----------|------|------|-------|
| CCT (K):                  | 4102   | CRI (Ra): | 71.8 |      |       |
| CIE u':                   | 0.2228 | R1:       | 68.8 | R9:  | -28.8 |
| CIE v':                   | 0.5006 | R2:       | 78.2 | R10: | 48.0  |
| Duv:                      | 0.0008 | R3:       | 85.2 | R11: | 66.0  |
| CIE x:                    | 0.3764 | R4:       | 70.9 | R12: | 40.8  |
| CIE y:                    | 0.3759 | R5:       | 68.5 | R13: | 70.2  |
| CIE z:                    | 0.2476 | R6:       | 68.8 | R14: | 91.5  |
| Peak Wavelength (nm):     | 449    | R7:       | 81.1 |      |       |
| Dominant Wavelength (nm): | 578    | R8:       | 53.2 |      |       |
| Purity:                   | 25.9   |           |      |      |       |
| Rf:                       | 73.6   |           |      |      |       |
| Rg:                       | 94.1   |           |      |      |       |



### Test Conditions

Stabilization Time: 23M  
 Operation Time: 12H  
 Room Temperature (°C) / RH%: 25.0/42%  
 Sphere Temperature (°C): 25.2




REPORT NUMBER: SP1-2404-343-2


| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | 76INCH SPHERE IN0058  | 2/12/2024        | 8/12/2024            |
| Power Meter                    | XITRON 2801 IN0071    | 10/23/2023       | 10/23/2024           |
| AC Power Source                | CHROMA 61603 IN0063   | 10/24/2023       | 10/24/2024           |
| DC Power Source                | AGILENT E3634A IN0208 | 10/24/2023       | 10/24/2024           |
| Sphere Thermometer             | ONSET IN0085          | 10/24/2023       | 10/24/2024           |
| Room Thermometer               | ONSET IN0046          | 10/24/2023       | 10/24/2024           |

REPORT NUMBER: SP1-2404-343-2

**CIE 1931 Chromaticity Diagram**




**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



Point lies inside the ANSI 4000K 4-step quadrangle

REPORT NUMBER: SP1-2404-343-2

**Photopic Flux vs. Wavelength**




#####

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 12282            | NR               | 490       | 69244            | NR               | 620       | 332236           | NR               | 750       | 18473            | NR               | 880       | 14144            | NR               |
| 365       | 9993             | NR               | 495       | 89219            | NR               | 625       | 306164           | NR               | 755       | 17093            | NR               | 885       | 11383            | NR               |
| 370       | 11592            | NR               | 500       | 120957           | NR               | 630       | 280415           | NR               | 760       | 15783            | NR               | 890       | 12631            | NR               |
| 375       | 12885            | NR               | 505       | 160415           | NR               | 635       | 255776           | NR               | 765       | 14109            | NR               | 895       | 10943            | NR               |
| 380       | 13155            | NR               | 510       | 202325           | NR               | 640       | 230858           | NR               | 770       | 13714            | NR               | 900       | 12076            | NR               |
| 385       | 10524            | NR               | 515       | 242772           | NR               | 645       | 207176           | NR               | 775       | 12109            | NR               | 905       | 10813            | NR               |
| 390       | 10533            | NR               | 520       | 275166           | NR               | 650       | 185102           | NR               | 780       | 11079            | NR               | 910       | 12050            | NR               |
| 395       | 9702             | NR               | 525       | 303387           | NR               | 655       | 166605           | NR               | 785       | 11015            | NR               | 915       | 10223            | NR               |
| 400       | 8761             | NR               | 530       | 324891           | NR               | 660       | 147603           | NR               | 790       | 11633            | NR               | 920       | 13013            | NR               |
| 405       | 9408             | NR               | 535       | 343444           | NR               | 665       | 130499           | NR               | 795       | 11716            | NR               | 925       | 13830            | NR               |
| 410       | 12905            | NR               | 540       | 358519           | NR               | 670       | 114031           | NR               | 800       | 11203            | NR               | 930       | 13673            | NR               |
| 415       | 22586            | NR               | 545       | 372186           | NR               | 675       | 98947            | NR               | 805       | 11009            | NR               | 935       | 15350            | NR               |
| 420       | 42669            | NR               | 550       | 384765           | NR               | 680       | 86467            | NR               | 810       | 10663            | NR               | 940       | 11647            | NR               |
| 425       | 76871            | NR               | 555       | 400929           | NR               | 685       | 75462            | NR               | 815       | 9337             | NR               | 945       | 14902            | NR               |
| 430       | 127767           | NR               | 560       | 413604           | NR               | 690       | 66059            | NR               | 820       | 10799            | NR               | 950       | 13879            | NR               |
| 435       | 199683           | NR               | 565       | 427985           | NR               | 695       | 57993            | NR               | 825       | 11459            | NR               | 955       | 12239            | NR               |
| 440       | 309359           | NR               | 570       | 437799           | NR               | 700       | 51050            | NR               | 830       | 10962            | NR               | 960       | 11457            | NR               |
| 445       | 475498           | NR               | 575       | 445619           | NR               | 705       | 45397            | NR               | 835       | 9293             | NR               | 965       | 12396            | NR               |
| 450       | 536068           | NR               | 580       | 453529           | NR               | 710       | 40983            | NR               | 840       | 9002             | NR               | 970       | 16946            | NR               |
| 455       | 378779           | NR               | 585       | 450693           | NR               | 715       | 37088            | NR               | 845       | 11803            | NR               | 975       | 21468            | NR               |
| 460       | 240574           | NR               | 590       | 446550           | NR               | 720       | 33495            | NR               | 850       | 12750            | NR               | 980       | 14395            | NR               |
| 465       | 173120           | NR               | 595       | 435850           | NR               | 725       | 29505            | NR               | 855       | 12369            | NR               | 985       | 19422            | NR               |
| 470       | 117570           | NR               | 600       | 421525           | NR               | 730       | 26895            | NR               | 860       | 11712            | NR               | 990       | 21623            | NR               |
| 475       | 80285            | NR               | 605       | 403930           | NR               | 735       | 23678            | NR               | 865       | 14509            | NR               | 995       | 20190            | NR               |
| 480       | 66424            | NR               | 610       | 381413           | NR               | 740       | 21288            | NR               | 870       | 12667            | NR               | 1000      | 13819            | NR               |
| 485       | 63033            | NR               | 615       | 357334           | NR               | 745       | 20448            | NR               | 875       | 11947            | NR               |           |                  |                  |

REPORT NUMBER: SP1-2404-343-2

Scotopic Flux vs. Wavelength




Scotopic Lumens: 39135.7

S/P: 1.54

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 12282            | NR               | 490       | 69244            | NR               | 620       | 332236           | NR               | 750       | 18473            | NR               | 880       | 14144            | NR               |
| 365       | 9993             | NR               | 495       | 89219            | NR               | 625       | 306164           | NR               | 755       | 17093            | NR               | 885       | 11383            | NR               |
| 370       | 11592            | NR               | 500       | 120957           | NR               | 630       | 280415           | NR               | 760       | 15783            | NR               | 890       | 12631            | NR               |
| 375       | 12885            | NR               | 505       | 160415           | NR               | 635       | 255776           | NR               | 765       | 14109            | NR               | 895       | 10943            | NR               |
| 380       | 13155            | NR               | 510       | 202325           | NR               | 640       | 230858           | NR               | 770       | 13714            | NR               | 900       | 12076            | NR               |
| 385       | 10524            | NR               | 515       | 242772           | NR               | 645       | 207176           | NR               | 775       | 12109            | NR               | 905       | 10813            | NR               |
| 390       | 10533            | NR               | 520       | 275166           | NR               | 650       | 185102           | NR               | 780       | 11079            | NR               | 910       | 12050            | NR               |
| 395       | 9702             | NR               | 525       | 303387           | NR               | 655       | 166605           | NR               | 785       | 11015            | NR               | 915       | 10223            | NR               |
| 400       | 8761             | NR               | 530       | 324891           | NR               | 660       | 147603           | NR               | 790       | 11633            | NR               | 920       | 13013            | NR               |
| 405       | 9408             | NR               | 535       | 343444           | NR               | 665       | 130499           | NR               | 795       | 11716            | NR               | 925       | 13830            | NR               |
| 410       | 12905            | NR               | 540       | 358519           | NR               | 670       | 114031           | NR               | 800       | 11203            | NR               | 930       | 13673            | NR               |
| 415       | 22586            | NR               | 545       | 372186           | NR               | 675       | 98947            | NR               | 805       | 11009            | NR               | 935       | 15350            | NR               |
| 420       | 42669            | NR               | 550       | 384765           | NR               | 680       | 86467            | NR               | 810       | 10663            | NR               | 940       | 11647            | NR               |
| 425       | 76871            | NR               | 555       | 400929           | NR               | 685       | 75462            | NR               | 815       | 9337             | NR               | 945       | 14902            | NR               |
| 430       | 127767           | NR               | 560       | 413604           | NR               | 690       | 66059            | NR               | 820       | 10799            | NR               | 950       | 13879            | NR               |
| 435       | 199683           | NR               | 565       | 427985           | NR               | 695       | 57993            | NR               | 825       | 11459            | NR               | 955       | 12239            | NR               |
| 440       | 309359           | NR               | 570       | 437799           | NR               | 700       | 51050            | NR               | 830       | 10962            | NR               | 960       | 11457            | NR               |
| 445       | 475498           | NR               | 575       | 445619           | NR               | 705       | 45397            | NR               | 835       | 9293             | NR               | 965       | 12396            | NR               |
| 450       | 536068           | NR               | 580       | 453529           | NR               | 710       | 40983            | NR               | 840       | 9002             | NR               | 970       | 16946            | NR               |
| 455       | 378779           | NR               | 585       | 450693           | NR               | 715       | 37088            | NR               | 845       | 11803            | NR               | 975       | 21468            | NR               |
| 460       | 240574           | NR               | 590       | 446550           | NR               | 720       | 33495            | NR               | 850       | 12750            | NR               | 980       | 14395            | NR               |
| 465       | 173120           | NR               | 595       | 435850           | NR               | 725       | 29505            | NR               | 855       | 12369            | NR               | 985       | 19422            | NR               |
| 470       | 117570           | NR               | 600       | 421525           | NR               | 730       | 26895            | NR               | 860       | 11712            | NR               | 990       | 21623            | NR               |
| 475       | 80285            | NR               | 605       | 403930           | NR               | 735       | 23678            | NR               | 865       | 14509            | NR               | 995       | 20190            | NR               |
| 480       | 66424            | NR               | 610       | 381413           | NR               | 740       | 21288            | NR               | 870       | 12667            | NR               | 1000      | 13819            | NR               |
| 485       | 63033            | NR               | 615       | 357334           | NR               | 745       | 20448            | NR               | 875       | 11947            | NR               |           |                  |                  |

REPORT NUMBER: SP1-2404-343-2

**Melanopic Flux vs. Wavelength**



**Melanopic Lumens: 15130.5 M/P: 0.6**


| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 12282            | NR               | 490       | 69244            | NR               | 620       | 332236           | NR               | 750       | 18473            | NR               | 880       | 14144            | NR               |
| 365       | 9993             | NR               | 495       | 89219            | NR               | 625       | 306164           | NR               | 755       | 17093            | NR               | 885       | 11383            | NR               |
| 370       | 11592            | NR               | 500       | 120957           | NR               | 630       | 280415           | NR               | 760       | 15783            | NR               | 890       | 12631            | NR               |
| 375       | 12885            | NR               | 505       | 160415           | NR               | 635       | 255776           | NR               | 765       | 14109            | NR               | 895       | 10943            | NR               |
| 380       | 13155            | NR               | 510       | 202325           | NR               | 640       | 230858           | NR               | 770       | 13714            | NR               | 900       | 12076            | NR               |
| 385       | 10524            | NR               | 515       | 242772           | NR               | 645       | 207176           | NR               | 775       | 12109            | NR               | 905       | 10813            | NR               |
| 390       | 10533            | NR               | 520       | 275166           | NR               | 650       | 185102           | NR               | 780       | 11079            | NR               | 910       | 12050            | NR               |
| 395       | 9702             | NR               | 525       | 303387           | NR               | 655       | 166605           | NR               | 785       | 11015            | NR               | 915       | 10223            | NR               |
| 400       | 8761             | NR               | 530       | 324891           | NR               | 660       | 147603           | NR               | 790       | 11633            | NR               | 920       | 13013            | NR               |
| 405       | 9408             | NR               | 535       | 343444           | NR               | 665       | 130499           | NR               | 795       | 11716            | NR               | 925       | 13830            | NR               |
| 410       | 12905            | NR               | 540       | 358519           | NR               | 670       | 114031           | NR               | 800       | 11203            | NR               | 930       | 13673            | NR               |
| 415       | 22586            | NR               | 545       | 372186           | NR               | 675       | 98947            | NR               | 805       | 11009            | NR               | 935       | 15350            | NR               |
| 420       | 42669            | NR               | 550       | 384765           | NR               | 680       | 86467            | NR               | 810       | 10663            | NR               | 940       | 11647            | NR               |
| 425       | 76871            | NR               | 555       | 400929           | NR               | 685       | 75462            | NR               | 815       | 9337             | NR               | 945       | 14902            | NR               |
| 430       | 127767           | NR               | 560       | 413604           | NR               | 690       | 66059            | NR               | 820       | 10799            | NR               | 950       | 13879            | NR               |
| 435       | 199683           | NR               | 565       | 427985           | NR               | 695       | 57993            | NR               | 825       | 11459            | NR               | 955       | 12239            | NR               |
| 440       | 309359           | NR               | 570       | 437799           | NR               | 700       | 51050            | NR               | 830       | 10962            | NR               | 960       | 11457            | NR               |
| 445       | 475498           | NR               | 575       | 445619           | NR               | 705       | 45397            | NR               | 835       | 9293             | NR               | 965       | 12396            | NR               |
| 450       | 536068           | NR               | 580       | 453529           | NR               | 710       | 40983            | NR               | 840       | 9002             | NR               | 970       | 16946            | NR               |
| 455       | 378779           | NR               | 585       | 450693           | NR               | 715       | 37088            | NR               | 845       | 11803            | NR               | 975       | 21468            | NR               |
| 460       | 240574           | NR               | 590       | 446550           | NR               | 720       | 33495            | NR               | 850       | 12750            | NR               | 980       | 14395            | NR               |
| 465       | 173120           | NR               | 595       | 435850           | NR               | 725       | 29505            | NR               | 855       | 12369            | NR               | 985       | 19422            | NR               |
| 470       | 117570           | NR               | 600       | 421525           | NR               | 730       | 26895            | NR               | 860       | 11712            | NR               | 990       | 21623            | NR               |
| 475       | 80285            | NR               | 605       | 403930           | NR               | 735       | 23678            | NR               | 865       | 14509            | NR               | 995       | 20190            | NR               |
| 480       | 66424            | NR               | 610       | 381413           | NR               | 740       | 21288            | NR               | 870       | 12667            | NR               | 1000      | 13819            | NR               |
| 485       | 63033            | NR               | 615       | 357334           | NR               | 745       | 20448            | NR               | 875       | 11947            | NR               |           |                  |                  |

REPORT NUMBER: SP1-2404-343-2





**TM-30-18**

**Summary**

$R_f = 73.6$   
 $R_g = 94.1$   
 CIE  $R_a = 71.8$   
 $R_g = -28.8$



**Color Vector Graphics**




REPORT NUMBER: SP1-2404-343-2

**TM-30-18**

**Individual Sample Fidelity Index ( $R_{f,i}$ )**




|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 85 | CES26 = 61 | CES51 = 88 | CES76 = 49 |
| CES02 = 60 | CES27 = 87 | CES52 = 87 | CES77 = 67 |
| CES03 = 30 | CES28 = 80 | CES53 = 77 | CES78 = 52 |
| CES04 = 70 | CES29 = 64 | CES54 = 85 | CES79 = 80 |
| CES05 = 47 | CES30 = 81 | CES55 = 83 | CES80 = 77 |
| CES06 = 50 | CES31 = 68 | CES56 = 73 | CES81 = 78 |
| CES07 = 40 | CES32 = 60 | CES57 = 72 | CES82 = 90 |
| CES08 = 39 | CES33 = 77 | CES58 = 73 | CES83 = 89 |
| CES09 = 29 | CES34 = 68 | CES59 = 85 | CES84 = 85 |
| CES10 = 74 | CES35 = 82 | CES60 = 89 | CES85 = 78 |
| CES11 = 57 | CES36 = 92 | CES61 = 82 | CES86 = 74 |
| CES12 = 63 | CES37 = 77 | CES62 = 85 | CES87 = 77 |
| CES13 = 42 | CES38 = 91 | CES63 = 72 | CES88 = 81 |
| CES14 = 74 | CES39 = 96 | CES64 = 64 | CES89 = 72 |
| CES15 = 71 | CES40 = 91 | CES65 = 62 | CES90 = 80 |
| CES16 = 46 | CES41 = 93 | CES66 = 56 | CES91 = 76 |
| CES17 = 49 | CES42 = 79 | CES67 = 54 | CES92 = 61 |
| CES18 = 56 | CES43 = 76 | CES68 = 63 | CES93 = 76 |
| CES19 = 71 | CES44 = 99 | CES69 = 72 | CES94 = 55 |
| CES20 = 64 | CES45 = 85 | CES70 = 55 | CES95 = 67 |
| CES21 = 86 | CES46 = 83 | CES71 = 48 | CES96 = 77 |
| CES22 = 78 | CES47 = 86 | CES72 = 82 | CES97 = 85 |
| CES23 = 92 | CES48 = 78 | CES73 = 45 | CES98 = 76 |
| CES24 = 91 | CES49 = 81 | CES74 = 93 | CES99 = 64 |
| CES25 = 72 | CES50 = 88 | CES75 = 50 |            |



REPORT NUMBER: SP1-2404-343-2

**TM-30-18**

Color Rendition by Hue-Angle Bin







REPORT NUMBER: SP1-2404-343-2

**TM-30-18**

**Measure Comparisons**



(END OF REPORT)