

Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: McGRAW-EDISON

Report Number: P510482

Luminaire Tested: **CTN-CA10-310-730-U-T5**

Issue Date: 4/6/2021

**Test Information**

Test Method: LM-79-08  
Report Number: P510482  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G3-2102-151-3)  
Test Lab: COOPER LIGHTING SOLUTIONS  
Issue Date: 4/6/2021  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: McGRAW-EDISON  
Catalog Number: CTN-CA10-310-730-U-T5  
Description: CELESTEON HIGH MAST LUMINAIRE  
Light Source: (10) 3000K CCT, 70 CRI LEDS  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**

Lumens per Lamp: N/A  
Luminaire Lumens: 49079 lumens  
Efficiency: N/A  
Efficacy: 157.1 lumens/watt  
Luminous Opening: Circular (Dia: 2.08' x H: 0')  
IES Classification: Type V - Short  
BUG Rating: B5 - U0 - G5

Input Watts (W): 312.4  
Input Voltage (V): 120  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 28.75 FT




REPORT NUMBER: P510482

CATALOG NUMBER: CTN-CA10-310-730-U-T5

## Iso-Footcandle Lines of Horizontal Illumination

× Max cd

--- 1/2 Max cd




Based on 30 foot mounting height. Maximum calculated value = 3.2 fc

Type V - Short - N/A

REPORT NUMBER: P510482  
CATALOG NUMBER: CTN-CA10-310-730-U-T5

## Luminous Intensity Polar Plot



REPORT NUMBER: P510482

CATALOG NUMBER: CTN-CA10-310-730-U-T5


**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total   |
|--------------------|-----------|----------|--------|---------|
| <b>House Side</b>  | Lumens    | 24539.5  | 0.0    | 24539.5 |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Street Side</b> | Lumens    | 24539.5  | 0.0    | 24539.5 |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Total</b>       | Lumens    | 49079.0  | 0.0    | 49079.0 |
|                    | % Fixture | 100.0    | 0.0    | 100.0   |

**ZONAL LUMENS:**

| Zone      | Lumens  | % Fixture |
|-----------|---------|-----------|
| 0°-10°    | 272.7   | 0.6       |
| 10°-20°   | 888.0   | 1.8       |
| 20°-30°   | 1757.8  | 3.6       |
| 30°-40°   | 3040.9  | 6.2       |
| 40°-50°   | 5059.5  | 10.3      |
| 50°-60°   | 8824.7  | 18.0      |
| 60°-70°   | 14608.8 | 29.8      |
| 70°-80°   | 12243.3 | 24.9      |
| 80°-90°   | 2383.4  | 4.9       |
| 90°-100°  | 0.0     | 0.0       |
| 100°-110° | 0.0     | 0.0       |
| 110°-120° | 0.0     | 0.0       |
| 120°-130° | 0.0     | 0.0       |
| 130°-140° | 0.0     | 0.0       |
| 140°-150° | 0.0     | 0.0       |
| 150°-160° | 0.0     | 0.0       |
| 160°-170° | 0.0     | 0.0       |
| 170°-180° | 0.0     | 0.0       |
| 0°-90°    | 49079.0 | 100.0     |
| 0°-180°   | 49079.0 | 100.0     |

**Coefficient of Utilization**



REPORT NUMBER: P510482


CATALOG NUMBER: CTN-CA10-310-730-U-T5

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens  | % Fixture | Zone Rating/Lumen Limit |      |    |
|------|-------------|---------|-----------|-------------------------|------|----|
|      |             |         |           | B                       | U    | G  |
| FL   | (0°-30°)    | 1459.2  | 3.0       |                         |      |    |
| FM   | (30°-60°)   | 8462.5  | 17.2      |                         |      |    |
| FH   | (60°-80°)   | 13426.1 | 27.4      |                         |      | G5 |
| FVH  | (80°-90°)   | 1191.7  | 2.4       |                         |      | G5 |
| BL   | (0°-30°)    | 1459.2  | 3.0       | B3/2500                 |      |    |
| BM   | (30°-60°)   | 8462.5  | 17.2      | B4/8500                 |      |    |
| BH   | (60°-80°)   | 13426.1 | 27.4      | B5                      |      | G5 |
| BVH  | (80°-90°)   | 1191.7  | 2.4       |                         |      | G5 |
| UL   | (90°-100°)  | 0.0     | 0.0       |                         | U0/0 |    |
| UH   | (100°-180°) | 0.0     | 0.0       |                         | U0/0 |    |

**BUG Rating: B5-U0-G5**

Type V Short





REPORT NUMBER: P510482

CATALOG NUMBER: CTN-CA10-310-730-U-T5

**CANDELA DISTRIBUTION (FULL):**

|       | 0°      | 5°      | 15°     | 25°     | 35°     | 45°     | 55°     | 65°     | 75°     | 85°     | 90°     |
|-------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0°    | 2805.0  | 2805.0  | 2805.0  | 2805.0  | 2805.0  | 2805.0  | 2805.0  | 2805.0  | 2805.0  | 2805.0  | 2805.0  |
| 2.5°  | 2822.5  | 2813.8  | 2810.9  | 2807.9  | 2809.9  | 2808.9  | 2813.8  | 2815.7  | 2817.7  | 2826.4  | 2821.5  |
| 5°    | 2840.0  | 2833.2  | 2832.2  | 2828.3  | 2827.4  | 2827.4  | 2834.2  | 2835.2  | 2836.1  | 2842.0  | 2836.1  |
| 7.5°  | 2872.1  | 2865.3  | 2863.3  | 2861.4  | 2860.4  | 2856.5  | 2861.4  | 2859.4  | 2861.4  | 2864.3  | 2857.5  |
| 10°   | 2922.6  | 2914.9  | 2912.9  | 2908.0  | 2911.0  | 2905.1  | 2909.0  | 2904.2  | 2895.4  | 2897.4  | 2887.6  |
| 12.5° | 2991.6  | 2984.8  | 2987.7  | 2986.8  | 2998.4  | 2995.5  | 2987.7  | 2978.0  | 2963.4  | 2953.7  | 2943.0  |
| 15°   | 3093.7  | 3083.0  | 3090.8  | 3098.5  | 3110.2  | 3115.1  | 3109.2  | 3083.0  | 3061.6  | 3046.1  | 3037.3  |
| 17.5° | 3218.1  | 3200.6  | 3216.2  | 3231.7  | 3257.0  | 3261.8  | 3240.5  | 3208.4  | 3185.0  | 3178.2  | 3163.7  |
| 20°   | 3362.9  | 3360.0  | 3361.0  | 3386.2  | 3425.1  | 3431.9  | 3403.7  | 3365.8  | 3342.5  | 3343.5  | 3327.0  |
| 22.5° | 3537.9  | 3522.3  | 3527.2  | 3552.4  | 3607.8  | 3626.3  | 3579.7  | 3537.9  | 3523.3  | 3527.2  | 3525.2  |
| 25°   | 3738.1  | 3723.5  | 3716.7  | 3728.4  | 3800.3  | 3832.4  | 3787.7  | 3739.1  | 3732.3  | 3741.0  | 3727.4  |
| 27.5° | 3957.7  | 3944.1  | 3936.4  | 3942.2  | 3998.6  | 4058.8  | 4009.3  | 3968.4  | 3967.5  | 3980.1  | 3972.3  |
| 30°   | 4207.5  | 4187.1  | 4178.4  | 4185.2  | 4224.1  | 4282.4  | 4242.5  | 4218.2  | 4238.6  | 4247.4  | 4244.5  |
| 32.5° | 4460.2  | 4450.5  | 4447.6  | 4445.7  | 4493.3  | 4526.3  | 4506.9  | 4511.7  | 4528.3  | 4568.1  | 4555.5  |
| 35°   | 4747.9  | 4719.7  | 4727.5  | 4733.4  | 4795.6  | 4798.5  | 4800.4  | 4809.2  | 4852.9  | 4909.3  | 4876.2  |
| 37.5° | 5047.3  | 5040.5  | 5045.3  | 5028.8  | 5074.5  | 5093.0  | 5120.2  | 5149.3  | 5218.3  | 5283.5  | 5269.9  |
| 40°   | 5417.6  | 5405.0  | 5409.8  | 5390.4  | 5412.7  | 5427.3  | 5482.7  | 5545.9  | 5634.3  | 5704.3  | 5672.2  |
| 42.5° | 5908.4  | 5876.4  | 5876.4  | 5882.2  | 5928.8  | 5913.3  | 6031.9  | 6049.4  | 6159.2  | 6218.5  | 6200.0  |
| 45°   | 6485.8  | 6474.1  | 6412.9  | 6309.8  | 6251.5  | 6250.6  | 6345.8  | 6487.7  | 6669.5  | 6792.9  | 6791.9  |
| 47.5° | 7219.6  | 7183.6  | 7036.9  | 6789.0  | 6641.3  | 6605.3  | 6705.4  | 6981.4  | 7315.8  | 7508.2  | 7505.3  |
| 50°   | 8181.8  | 8136.1  | 7913.5  | 7528.7  | 7241.0  | 7152.5  | 7312.9  | 7670.6  | 8120.6  | 8377.2  | 8398.5  |
| 52.5° | 9258.7  | 9262.6  | 9010.9  | 8428.7  | 8003.0  | 7843.6  | 8013.7  | 8524.9  | 9085.7  | 9437.5  | 9479.3  |
| 55°   | 10509.6 | 10479.5 | 10241.3 | 9581.4  | 8995.3  | 8653.2  | 8910.8  | 9588.2  | 10232.6 | 10500.8 | 10574.7 |
| 57.5° | 11812.0 | 11694.4 | 11511.7 | 10894.5 | 10209.3 | 9771.9  | 10081.0 | 10743.8 | 11361.0 | 11703.1 | 11691.5 |
| 60°   | 12966.7 | 12888.9 | 12783.9 | 12292.1 | 11766.3 | 11266.7 | 11504.9 | 12065.7 | 12594.4 | 12801.4 | 12810.2 |
| 62.5° | 14228.2 | 14163.1 | 14068.8 | 13799.6 | 13510.0 | 13324.3 | 13108.6 | 13368.1 | 13781.1 | 14007.6 | 14081.5 |
| 65°   | 15466.5 | 15443.2 | 15497.6 | 15456.8 | 15579.2 | 15552.0 | 15035.0 | 14871.7 | 14878.5 | 14814.3 | 14781.3 |
| 67.5° | 15393.6 | 15384.8 | 15705.6 | 16345.1 | 17565.9 | 17911.9 | 16585.2 | 15107.8 | 14442.1 | 14272.9 | 14248.7 |
| 70°   | 14271.0 | 14365.3 | 14959.1 | 16211.0 | 18438.7 | 18837.2 | 17020.6 | 14339.0 | 13487.6 | 13063.9 | 12958.9 |
| 72.5° | 12111.4 | 12296.0 | 13206.7 | 15050.5 | 17713.6 | 17805.0 | 15926.2 | 13182.4 | 11928.6 | 11423.2 | 11348.4 |
| 75°   | 9345.2  | 9368.5  | 10300.6 | 12644.0 | 15808.6 | 15923.3 | 14206.9 | 11056.8 | 9823.4  | 9194.6  | 9175.1  |
| 77.5° | 5691.7  | 6023.1  | 7382.9  | 9480.3  | 12567.2 | 13164.0 | 11882.0 | 8806.8  | 7340.1  | 6783.2  | 6472.2  |
| 80°   | 2792.4  | 2944.0  | 3923.7  | 5994.0  | 8982.7  | 9982.8  | 8817.4  | 6091.2  | 4527.3  | 3820.7  | 3742.9  |
| 82.5° | 1271.3  | 1352.0  | 1856.4  | 3133.5  | 5420.5  | 6659.7  | 5441.9  | 3488.3  | 2417.2  | 1890.4  | 1872.9  |
| 85°   | 493.7   | 490.8   | 751.3   | 1315.0  | 2595.1  | 3687.5  | 2755.5  | 1664.0  | 1106.1  | 822.3   | 775.6   |
| 87.5° | 143.8   | 153.6   | 220.6   | 431.5   | 768.8   | 1036.1  | 849.5   | 575.4   | 340.2   | 218.7   | 201.2   |
| 90°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |

Report Prepared for

Cooper Lighting Solutions

(formerly Eaton)

STREETWORKS

Report Number: SP1-2104-215-6

Luminaire Tested: CST-CA6-230-730-U-T4

Test Date: 04/22/2021




### Test Information

Test Method: LM-79-08  
 Report Number: SP1-2104-215-6  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1  
 Measurement Geometry:  $4\pi$   
 Issue Date: 04/22/2021  
 Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
 Product Line: STREETWORKS  
 Catalog Number: **CST-CA6-230-730-U-T4**  
 Description: STREETWORKS HIGH MAST LUMINAIRE

### Spectral Parameters

|                           |         |           |      |      |       |
|---------------------------|---------|-----------|------|------|-------|
| CCT (K):                  | 2914    | CRI (Ra): | 73.2 |      |       |
| CIE u':                   | 0.2541  | R1:       | 70.1 | R9:  | -27.2 |
| CIE v':                   | 0.5212  | R2:       | 83.3 | R10: | 61.9  |
| Duv:                      | -0.0013 | R3:       | 94.2 | R11: | 65.4  |
| CIE x:                    | 0.4410  | R4:       | 69.4 | R12: | 53.3  |
| CIE y:                    | 0.4020  | R5:       | 69.3 | R13: | 72.6  |
| CIE z:                    | 0.1571  | R6:       | 77.3 | R14: | 96.9  |
| Peak Wavelength (nm):     | 599     | R7:       | 77.5 |      |       |
| Dominant Wavelength (nm): | 583     | R8:       | 44.9 |      |       |
| Purity:                   | 53.4    |           |      |      |       |
| Rf:                       | 75.3    |           |      |      |       |
| Rg:                       | 95.7    |           |      |      |       |



### Test Conditions

Stabilization Time: 72M  
 Operation Time: 12H  
 Room Temperature (°C) / RH%: 25.6/15%  
 Sphere Temperature (°C): 24.0

REPORT NUMBER: SP1-2104-215-6

| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 1/31/2021        | 7/31/2021            |
| Power Meter                    | IN0071                | 12/1/2020        | 12/1/2021            |
| AC Power Source                | IN0063                | 12/1/2020        | 12/1/2021            |
| DC Power Source                | IN0208                | 12/1/2020        | 12/1/2021            |
| Sphere Thermometer             | IN0085                | 12/1/2020        | 12/1/2021            |
| Room Thermometer               | IN0046                | 12/1/2020        | 12/1/2021            |



REPORT NUMBER: SP1-2104-215-6

**CIE 1931 Chromaticity Diagram**




**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



Point lies inside the ANSI 3000K 7-step quadrangle

REPORT NUMBER: SP1-2104-215-6

### Photopic Flux vs. Wavelength



#####

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 12827            | 0.0              | 490       | 80096            | 11.4             | 620       | 649050           | 168.9            | 750       | 30187            | 0.0              | 880       | 19756            | 0.0              |
| 365       | 11336            | 0.0              | 495       | 104447           | 18.9             | 625       | 608162           | 134.2            | 755       | 27442            | 0.0              | 885       | 21245            | 0.0              |
| 370       | 11776            | 0.0              | 500       | 142477           | 31.4             | 630       | 557990           | 101.0            | 760       | 25382            | 0.0              | 890       | 17771            | 0.0              |
| 375       | 13009            | 0.0              | 505       | 187724           | 52.5             | 635       | 506861           | 76.2             | 765       | 23778            | 0.0              | 895       | 14356            | 0.0              |
| 380       | 13906            | 0.0              | 510       | 232209           | 79.8             | 640       | 460827           | 55.1             | 770       | 21474            | 0.0              | 900       | 16683            | 0.0              |
| 385       | 12960            | 0.0              | 515       | 273388           | 113.2            | 645       | 418064           | 40.3             | 775       | 21394            | 0.0              | 905       | 16548            | 0.0              |
| 390       | 11750            | 0.0              | 520       | 308378           | 149.5            | 650       | 376246           | 27.5             | 780       | 18945            | 0.0              | 910       | 15630            | 0.0              |
| 395       | 10399            | 0.0              | 525       | 336804           | 180.8            | 655       | 332016           | 19.0             | 785       | 16318            | 0.0              | 915       | 20907            | 0.0              |
| 400       | 9192             | 0.0              | 530       | 361609           | 212.9            | 660       | 294638           | 12.3             | 790       | 17841            | 0.0              | 920       | 16083            | 0.0              |
| 405       | 8943             | 0.0              | 535       | 382440           | 237.2            | 665       | 259105           | 8.2              | 795       | 16506            | 0.0              | 925       | 20203            | 0.0              |
| 410       | 11120            | 0.0              | 540       | 401976           | 261.9            | 670       | 223041           | 4.9              | 800       | 15058            | 0.0              | 930       | 22625            | 0.0              |
| 415       | 18193            | 0.0              | 545       | 426232           | 283.7            | 675       | 193569           | 3.2              | 805       | 16851            | 0.0              | 935       | 24828            | 0.0              |
| 420       | 32317            | 0.1              | 550       | 455969           | 309.9            | 680       | 167520           | 1.9              | 810       | 16679            | 0.0              | 940       | 21275            | 0.0              |
| 425       | 59220            | 0.3              | 555       | 490448           | 335.0            | 685       | 144697           | 1.2              | 815       | 15851            | 0.0              | 945       | 23270            | 0.0              |
| 430       | 100522           | 0.8              | 560       | 530799           | 360.7            | 690       | 125032           | 0.7              | 820       | 15536            | 0.0              | 950       | 21756            | 0.0              |
| 435       | 155311           | 1.8              | 565       | 572799           | 380.9            | 695       | 107458           | 0.5              | 825       | 16381            | 0.0              | 955       | 24823            | 0.0              |
| 440       | 239817           | 3.8              | 570       | 615361           | 400.1            | 700       | 93549            | 0.3              | 830       | 16149            | 0.0              | 960       | 19499            | 0.0              |
| 445       | 368265           | 7.7              | 575       | 659689           | 410.5            | 705       | 81608            | 0.2              | 835       | 16687            | 0.0              | 965       | 27077            | 0.0              |
| 450       | 439895           | 11.4             | 580       | 700037           | 416.0            | 710       | 71559            | 0.1              | 840       | 16206            | 0.0              | 970       | 28727            | 0.0              |
| 455       | 329010           | 11.0             | 585       | 734518           | 408.1            | 715       | 65193            | 0.1              | 845       | 16062            | 0.0              | 975       | 21725            | 0.0              |
| 460       | 207545           | 8.5              | 590       | 760906           | 393.4            | 720       | 58466            | 0.0              | 850       | 18530            | 0.0              | 980       | 33536            | 0.0              |
| 465       | 154577           | 8.0              | 595       | 763605           | 362.0            | 725       | 52265            | 0.0              | 855       | 17709            | 0.0              | 985       | 30537            | 0.0              |
| 470       | 110708           | 6.9              | 600       | 766048           | 330.1            | 730       | 46287            | 0.0              | 860       | 18086            | 0.0              | 990       | 25187            | 0.0              |
| 475       | 78445            | 6.2              | 605       | 756483           | 293.0            | 735       | 40164            | 0.0              | 865       | 19763            | 0.0              | 995       | 35676            | 0.0              |
| 480       | 68887            | 6.5              | 610       | 730981           | 251.1            | 740       | 35097            | 0.0              | 870       | 19416            | 0.0              | 1000      | 32909            | 0.0              |
| 485       | 69832            | 8.3              | 615       | 694682           | 209.7            | 745       | 32334            | 0.0              | 875       | 19352            | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2104-215-6

### Scotopic Flux vs. Wavelength




Scotopic Lumens: 43125.2

S/P: 1.19

| $\lambda$<br>(nm) | Power<br>( $\mu\text{W/nm}$ ) | Lumens<br>( $\Phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>( $\mu\text{W/nm}$ ) | Lumens<br>( $\Phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>( $\mu\text{W/nm}$ ) | Lumens<br>( $\Phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>( $\mu\text{W/nm}$ ) | Lumens<br>( $\Phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>( $\mu\text{W/nm}$ ) | Lumens<br>( $\Phi/\text{nm}$ ) |
|-------------------|-------------------------------|--------------------------------|-------------------|-------------------------------|--------------------------------|-------------------|-------------------------------|--------------------------------|-------------------|-------------------------------|--------------------------------|-------------------|-------------------------------|--------------------------------|
| 360               | 12827                         | 0.0                            | 490               | 80096                         | 123.3                          | 620               | 649050                        | 8.1                            | 750               | 30187                         | 0.0                            | 880               | 19756                         | 0.0                            |
| 365               | 11336                         | 0.0                            | 495               | 104447                        | 168.8                          | 625               | 608162                        | 5.1                            | 755               | 27442                         | 0.0                            | 885               | 21245                         | 0.0                            |
| 370               | 11776                         | 0.0                            | 500               | 142477                        | 238.3                          | 630               | 557990                        | 3.2                            | 760               | 25382                         | 0.0                            | 890               | 17771                         | 0.0                            |
| 375               | 13009                         | 0.0                            | 505               | 187724                        | 319.1                          | 635               | 506861                        | 1.9                            | 765               | 23778                         | 0.0                            | 895               | 14356                         | 0.0                            |
| 380               | 13906                         | 0.0                            | 510               | 232209                        | 393.6                          | 640               | 460827                        | 1.2                            | 770               | 21474                         | 0.0                            | 900               | 16683                         | 0.0                            |
| 385               | 12960                         | 0.0                            | 515               | 273388                        | 453.1                          | 645               | 418064                        | 0.7                            | 775               | 21394                         | 0.0                            | 905               | 16548                         | 0.0                            |
| 390               | 11750                         | 0.0                            | 520               | 308378                        | 490.2                          | 650               | 376246                        | 0.4                            | 780               | 18945                         | 0.0                            | 910               | 15630                         | 0.0                            |
| 395               | 10399                         | 0.1                            | 525               | 336804                        | 503.9                          | 655               | 332016                        | 0.3                            | 785               | 16318                         | 0.0                            | 915               | 20907                         | 0.0                            |
| 400               | 9192                          | 0.1                            | 530               | 361609                        | 498.6                          | 660               | 294638                        | 0.2                            | 790               | 17841                         | 0.0                            | 920               | 16083                         | 0.0                            |
| 405               | 8943                          | 0.3                            | 535               | 382440                        | 476.6                          | 665               | 259105                        | 0.1                            | 795               | 16506                         | 0.0                            | 925               | 20203                         | 0.0                            |
| 410               | 11120                         | 0.7                            | 540               | 401976                        | 444.2                          | 670               | 223041                        | 0.1                            | 800               | 15058                         | 0.0                            | 930               | 22625                         | 0.0                            |
| 415               | 18193                         | 1.9                            | 545               | 426232                        | 408.7                          | 675               | 193569                        | 0.0                            | 805               | 16851                         | 0.0                            | 935               | 24828                         | 0.0                            |
| 420               | 32317                         | 5.3                            | 550               | 455969                        | 372.8                          | 680               | 167520                        | 0.0                            | 810               | 16679                         | 0.0                            | 940               | 21275                         | 0.0                            |
| 425               | 59220                         | 14.5                           | 555               | 490448                        | 335.2                          | 685               | 144697                        | 0.0                            | 815               | 15851                         | 0.0                            | 945               | 23270                         | 0.0                            |
| 430               | 100522                        | 34.2                           | 560               | 530799                        | 296.7                          | 690               | 125032                        | 0.0                            | 820               | 15536                         | 0.0                            | 950               | 21756                         | 0.0                            |
| 435               | 155311                        | 69.4                           | 565               | 572799                        | 257.0                          | 695               | 107458                        | 0.0                            | 825               | 16381                         | 0.0                            | 955               | 24823                         | 0.0                            |
| 440               | 239817                        | 134.0                          | 570               | 615361                        | 217.2                          | 700               | 93549                         | 0.0                            | 830               | 16149                         | 0.0                            | 960               | 19499                         | 0.0                            |
| 445               | 368265                        | 246.6                          | 575               | 659689                        | 179.7                          | 705               | 81608                         | 0.0                            | 835               | 16687                         | 0.0                            | 965               | 27077                         | 0.0                            |
| 450               | 439895                        | 340.9                          | 580               | 700037                        | 144.2                          | 710               | 71559                         | 0.0                            | 840               | 16206                         | 0.0                            | 970               | 28727                         | 0.0                            |
| 455               | 329010                        | 287.5                          | 585               | 734518                        | 112.3                          | 715               | 65193                         | 0.0                            | 845               | 16062                         | 0.0                            | 975               | 21725                         | 0.0                            |
| 460               | 207545                        | 200.5                          | 590               | 760906                        | 84.7                           | 720               | 58466                         | 0.0                            | 850               | 18530                         | 0.0                            | 980               | 33536                         | 0.0                            |
| 465               | 154577                        | 163.3                          | 595               | 763605                        | 60.9                           | 725               | 52265                         | 0.0                            | 855               | 17709                         | 0.0                            | 985               | 30537                         | 0.0                            |
| 470               | 110708                        | 127.5                          | 600               | 766048                        | 43.2                           | 730               | 46287                         | 0.0                            | 860               | 18086                         | 0.0                            | 990               | 25187                         | 0.0                            |
| 475               | 78445                         | 98.1                           | 605               | 756483                        | 29.7                           | 735               | 40164                         | 0.0                            | 865               | 19763                         | 0.0                            | 995               | 35676                         | 0.0                            |
| 480               | 68887                         | 93.1                           | 610               | 730981                        | 19.8                           | 740               | 35097                         | 0.0                            | 870               | 19416                         | 0.0                            | 1000              | 32909                         | 0.0                            |
| 485               | 69832                         | 101.2                          | 615               | 694682                        | 12.8                           | 745               | 32334                         | 0.0                            | 875               | 19352                         | 0.0                            |                   |                               |                                |

REPORT NUMBER: SP1-2104-215-6

### Melanopic Flux vs. Wavelength



**Melanopic Lumens: 15555.2**      **M/P: 0.43**


| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 12827            | 0.0              | 490       | 80096            | 66.7             | 620       | 649050           | 0.5              | 750       | 30187            | 0.0              | 880       | 19756            | 0.0              |
| 365       | 11336            | 0.0              | 495       | 104447           | 86.2             | 625       | 608162           | 0.3              | 755       | 27442            | 0.0              | 885       | 21245            | 0.0              |
| 370       | 11776            | 0.0              | 500       | 142477           | 114.5            | 630       | 557990           | 0.2              | 760       | 25382            | 0.0              | 890       | 17771            | 0.0              |
| 375       | 13009            | 0.0              | 505       | 187724           | 144.1            | 635       | 506861           | 0.1              | 765       | 23778            | 0.0              | 895       | 14356            | 0.0              |
| 380       | 13906            | 0.0              | 510       | 232209           | 166.7            | 640       | 460827           | 0.1              | 770       | 21474            | 0.0              | 900       | 16683            | 0.0              |
| 385       | 12960            | 0.0              | 515       | 273388           | 178.6            | 645       | 418064           | 0.0              | 775       | 21394            | 0.0              | 905       | 16548            | 0.0              |
| 390       | 11750            | 0.0              | 520       | 308378           | 179.5            | 650       | 376246           | 0.0              | 780       | 18945            | 0.0              | 910       | 15630            | 0.0              |
| 395       | 10399            | 0.1              | 525       | 336804           | 170.8            | 655       | 332016           | 0.0              | 785       | 16318            | 0.0              | 915       | 20907            | 0.0              |
| 400       | 9192             | 0.1              | 530       | 361609           | 156.3            | 660       | 294638           | 0.0              | 790       | 17841            | 0.0              | 920       | 16083            | 0.0              |
| 405       | 8943             | 0.2              | 535       | 382440           | 137.6            | 665       | 259105           | 0.0              | 795       | 16506            | 0.0              | 925       | 20203            | 0.0              |
| 410       | 11120            | 0.4              | 540       | 401976           | 117.6            | 670       | 223041           | 0.0              | 800       | 15058            | 0.0              | 930       | 22625            | 0.0              |
| 415       | 18193            | 1.2              | 545       | 426232           | 99.0             | 675       | 193569           | 0.0              | 805       | 16851            | 0.0              | 935       | 24828            | 0.0              |
| 420       | 32317            | 3.7              | 550       | 455969           | 81.9             | 680       | 167520           | 0.0              | 810       | 16679            | 0.0              | 940       | 21275            | 0.0              |
| 425       | 59220            | 9.2              | 555       | 490448           | 66.1             | 685       | 144697           | 0.0              | 815       | 15851            | 0.0              | 945       | 23270            | 0.0              |
| 430       | 100522           | 21.2             | 560       | 530799           | 52.4             | 690       | 125032           | 0.0              | 820       | 15536            | 0.0              | 950       | 21756            | 0.0              |
| 435       | 155311           | 41.4             | 565       | 572799           | 40.2             | 695       | 107458           | 0.0              | 825       | 16381            | 0.0              | 955       | 24823            | 0.0              |
| 440       | 239817           | 80.1             | 570       | 615361           | 30.1             | 700       | 93549            | 0.0              | 830       | 16149            | 0.0              | 960       | 19499            | 0.0              |
| 445       | 368265           | 145.3            | 575       | 659689           | 22.0             | 705       | 81608            | 0.0              | 835       | 16687            | 0.0              | 965       | 27077            | 0.0              |
| 450       | 439895           | 202.7            | 580       | 700037           | 15.7             | 710       | 71559            | 0.0              | 840       | 16206            | 0.0              | 970       | 28727            | 0.0              |
| 455       | 329010           | 172.4            | 585       | 734518           | 10.9             | 715       | 65193            | 0.0              | 845       | 16062            | 0.0              | 975       | 21725            | 0.0              |
| 460       | 207545           | 122.3            | 590       | 760906           | 7.5              | 720       | 58466            | 0.0              | 850       | 18530            | 0.0              | 980       | 33536            | 0.0              |
| 465       | 154577           | 101.0            | 595       | 763605           | 4.9              | 725       | 52265            | 0.0              | 855       | 17709            | 0.0              | 985       | 30537            | 0.0              |
| 470       | 110708           | 79.3             | 600       | 766048           | 3.2              | 730       | 46287            | 0.0              | 860       | 18086            | 0.0              | 990       | 25187            | 0.0              |
| 475       | 78445            | 59.9             | 605       | 756483           | 2.1              | 735       | 40164            | 0.0              | 865       | 19763            | 0.0              | 995       | 35676            | 0.0              |
| 480       | 68887            | 55.4             | 610       | 730981           | 1.3              | 740       | 35097            | 0.0              | 870       | 19416            | 0.0              | 1000      | 32909            | 0.0              |
| 485       | 69832            | 57.6             | 615       | 694682           | 0.8              | 745       | 32334            | 0.0              | 875       | 19352            | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2104-215-6





TM-30-18

### Summary

$R_f = 75.3$   
 $R_g = 95.7$   
 CIE  $R_a = 73.2$   
 $R_g = -27.2$



### Color Vector Graphics



**Individual Sample Fidelity Index ( $R_{f,i}$ )**

|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 86 | CES26 = 65 | CES51 = 87 | CES76 = 59 |
| CES02 = 63 | CES27 = 88 | CES52 = 86 | CES77 = 78 |
| CES03 = 31 | CES28 = 85 | CES53 = 77 | CES78 = 63 |
| CES04 = 71 | CES29 = 64 | CES54 = 86 | CES79 = 86 |
| CES05 = 49 | CES30 = 77 | CES55 = 85 | CES80 = 84 |
| CES06 = 51 | CES31 = 68 | CES56 = 75 | CES81 = 72 |
| CES07 = 42 | CES32 = 62 | CES57 = 75 | CES82 = 93 |
| CES08 = 40 | CES33 = 74 | CES58 = 76 | CES83 = 89 |
| CES09 = 29 | CES34 = 75 | CES59 = 86 | CES84 = 89 |
| CES10 = 76 | CES35 = 87 | CES60 = 92 | CES85 = 77 |
| CES11 = 59 | CES36 = 98 | CES61 = 84 | CES86 = 64 |
| CES12 = 65 | CES37 = 84 | CES62 = 92 | CES87 = 78 |
| CES13 = 43 | CES38 = 85 | CES63 = 75 | CES88 = 80 |
| CES14 = 74 | CES39 = 95 | CES64 = 70 | CES89 = 67 |
| CES15 = 71 | CES40 = 90 | CES65 = 67 | CES90 = 79 |
| CES16 = 47 | CES41 = 89 | CES66 = 65 | CES91 = 84 |
| CES17 = 50 | CES42 = 84 | CES67 = 63 | CES92 = 60 |
| CES18 = 56 | CES43 = 75 | CES68 = 69 | CES93 = 75 |
| CES19 = 73 | CES44 = 99 | CES69 = 78 | CES94 = 52 |
| CES20 = 66 | CES45 = 83 | CES70 = 63 | CES95 = 70 |
| CES21 = 87 | CES46 = 80 | CES71 = 61 | CES96 = 78 |
| CES22 = 79 | CES47 = 81 | CES72 = 86 | CES97 = 83 |
| CES23 = 92 | CES48 = 72 | CES73 = 55 | CES98 = 77 |
| CES24 = 91 | CES49 = 77 | CES74 = 96 | CES99 = 66 |
| CES25 = 73 | CES50 = 86 | CES75 = 63 |            |






Color Rendition by Hue-Angle Bin



**Measure Comparisons**



(END OF REPORT)