

Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: McGRAW-EDISON

Report Number: P510854

Luminaire Tested: **CTN-CA8-480-740-U-T5R**

Issue Date: 4/6/2021

**Test Information**

Test Method: LM-79-08  
Report Number: P510854  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G3-2102-151-14)  
Test Lab: COOPER LIGHTING SOLUTIONS  
Issue Date: 4/6/2021  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: McGRAW-EDISON  
Catalog Number: CTN-CA8-480-740-U-T5R  
Description: CELESTEON HIGH MAST LUMINAIRE  
Light Source: (8) 4000K CCT, 70 CRI LEDS  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**

Lumens per Lamp: N/A  
Luminaire Lumens: 76057 lumens  
Efficiency: N/A  
Efficacy: 158.2 lumens/watt  
Luminous Opening: Circular (Dia: 2.08' x H: 0')  
IES Classification: Type V - Short  
BUG Rating: B5 - U0 - G5

Input Watts (W): 480.8  
Input Voltage (V): 120  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 28.75 FT




REPORT NUMBER: P510854

CATALOG NUMBER: CTN-CA8-480-740-U-T5R

## Iso-Footcandle Lines of Horizontal Illumination

× Max cd

--- 1/2 Max cd




Based on 30 foot mounting height. Maximum calculated value = 6.2 fc

Type V - Short - N/A

REPORT NUMBER: P510854  
CATALOG NUMBER: CTN-CA8-480-740-U-T5R

## Luminous Intensity Polar Plot



REPORT NUMBER: P510854

CATALOG NUMBER: CTN-CA8-480-740-U-T5R

**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total   |
|--------------------|-----------|----------|--------|---------|
| <b>House Side</b>  | Lumens    | 38028.5  | 0.0    | 38028.5 |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Street Side</b> | Lumens    | 38028.5  | 0.0    | 38028.5 |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Total</b>       | Lumens    | 76057.0  | 0.0    | 76057.0 |
|                    | % Fixture | 100.0    | 0.0    | 100.0   |

**ZONAL LUMENS:**

| Zone      | Lumens  | % Fixture |
|-----------|---------|-----------|
| 0°-10°    | 532.9   | 0.7       |
| 10°-20°   | 1651.6  | 2.2       |
| 20°-30°   | 3134.2  | 4.1       |
| 30°-40°   | 5443.7  | 7.2       |
| 40°-50°   | 9475.1  | 12.5      |
| 50°-60°   | 16187.3 | 21.3      |
| 60°-70°   | 23839.0 | 31.3      |
| 70°-80°   | 15154.0 | 19.9      |
| 80°-90°   | 639.2   | 0.8       |
| 90°-100°  | 0.0     | 0.0       |
| 100°-110° | 0.0     | 0.0       |
| 110°-120° | 0.0     | 0.0       |
| 120°-130° | 0.0     | 0.0       |
| 130°-140° | 0.0     | 0.0       |
| 140°-150° | 0.0     | 0.0       |
| 150°-160° | 0.0     | 0.0       |
| 160°-170° | 0.0     | 0.0       |
| 170°-180° | 0.0     | 0.0       |
| 0°-90°    | 76057.0 | 100.0     |
| 0°-180°   | 76057.0 | 100.0     |

**Coefficient of Utilization**



REPORT NUMBER: P510854


CATALOG NUMBER: CTN-CA8-480-740-U-T5R

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens  | % Fixture | Zone Rating/Lumen Limit |      |        |
|------|-------------|---------|-----------|-------------------------|------|--------|
|      |             |         |           | B                       | U    | G      |
| FL   | (0°-30°)    | 2659.3  | 3.5       |                         |      |        |
| FM   | (30°-60°)   | 15553.0 | 20.4      |                         |      |        |
| FH   | (60°-80°)   | 19496.5 | 25.6      |                         |      | G5     |
| FVH  | (80°-90°)   | 319.6   | 0.4       |                         |      | G3/500 |
| BL   | (0°-30°)    | 2659.3  | 3.5       | B4/5000                 |      |        |
| BM   | (30°-60°)   | 15553.0 | 20.4      | B5                      |      |        |
| BH   | (60°-80°)   | 19496.5 | 25.6      | B5                      |      | G5     |
| BVH  | (80°-90°)   | 319.6   | 0.4       |                         |      | G3/500 |
| UL   | (90°-100°)  | 0.0     | 0.0       |                         | U0/0 |        |
| UH   | (100°-180°) | 0.0     | 0.0       |                         | U0/0 |        |

**BUG Rating: B5-U0-G5**

Type V Short



REPORT NUMBER: P510854  
CATALOG NUMBER: CTN-CA8-480-740-U-T5R

**CANDELA DISTRIBUTION (FULL):**

| 0°    |         |
|-------|---------|
| 0°    | 5594.4  |
| 2.5°  | 5595.9  |
| 5°    | 5584.8  |
| 7.5°  | 5575.6  |
| 10°   | 5584.9  |
| 12.5° | 5645.0  |
| 15°   | 5760.7  |
| 17.5° | 5922.6  |
| 20°   | 6142.5  |
| 22.5° | 6402.0  |
| 25°   | 6707.9  |
| 27.5° | 7039.4  |
| 30°   | 7429.2  |
| 32.5° | 7908.3  |
| 35°   | 8537.3  |
| 37.5° | 9261.4  |
| 40°   | 10066.1 |
| 42.5° | 10970.4 |
| 45°   | 12043.7 |
| 47.5° | 13281.5 |
| 50°   | 14715.1 |
| 52.5° | 16263.6 |
| 55°   | 17962.3 |
| 57.5° | 19658.9 |
| 60°   | 21345.9 |
| 62.5° | 23037.9 |
| 65°   | 25052.3 |
| 67.5° | 25480.1 |
| 70°   | 23474.7 |
| 72.5° | 19966.3 |
| 75°   | 15159.1 |
| 77.5° | 9267.7  |
| 80°   | 2941.6  |
| 82.5° | 499.3   |
| 85°   | 282.1   |
| 87.5° | 102.1   |
| 90°   | 0.0     |

LM-79-08: Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Report Prepared for

Cooper Lighting Solutions

(formerly Eaton)

STREETWORKS

Report Number: SP1-2104-215-1

Luminaire Tested: CST-CA6-230-740-U-T4

Test Date: 04/20/2021

### Test Information

Test Method: LM-79-08  
 Report Number: SP1-2104-215-1  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1  
 Measurement Geometry:  $4\pi$   
 Issue Date: 04/20/2021  
 Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
 Product Line: STREETWORKS  
 Catalog Number: **CST-CA6-230-740-U-T4**  
 Description: STREETWORKS HIGH MAST LUMINAIRE

230W

### Spectral Parameters

|                           |         |           |      |      |       |
|---------------------------|---------|-----------|------|------|-------|
| CCT (K):                  | 3783    | CRI (Ra): | 75.1 |      |       |
| CIE u':                   | 0.2297  | R1:       | 72.8 | R9:  | -19.0 |
| CIE v':                   | 0.5046  | R2:       | 81.9 | R10: | 57.0  |
| Duv:                      | -0.0008 | R3:       | 89.0 | R11: | 70.7  |
| CIE x:                    | 0.3897  | R4:       | 74.1 | R12: | 48.2  |
| CIE y:                    | 0.3804  | R5:       | 72.3 | R13: | 74.4  |
| CIE z:                    | 0.2299  | R6:       | 74.5 | R14: | 93.7  |
| Peak Wavelength (nm):     | 450     | R7:       | 81.7 |      |       |
| Dominant Wavelength (nm): | 580     | R8:       | 54.6 |      |       |
| Purity:                   | 31.3    |           |      |      |       |
| Rf:                       | 76.5    |           |      |      |       |
| Rg:                       | 95.6    |           |      |      |       |



### Test Conditions

Stabilization Time: 47M  
 Operation Time: 12H  
 Room Temperature (°C) / RH%: 25.5/39%  
 Sphere Temperature (°C): 24.0

REPORT NUMBER: SP1-2104-215-1

| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 1/31/2021        | 7/31/2021            |
| Power Meter                    | IN0071                | 12/1/2020        | 12/1/2021            |
| AC Power Source                | IN0063                | 12/1/2020        | 12/1/2021            |
| DC Power Source                | IN0208                | 12/1/2020        | 12/1/2021            |
| Sphere Thermometer             | IN0085                | 12/1/2020        | 12/1/2021            |
| Room Thermometer               | IN0046                | 12/1/2020        | 12/1/2021            |

REPORT NUMBER: SP1-2104-215-1

**CIE 1931 Chromaticity Diagram**




**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



Point lies inside the ANSI 4000K 7-step quadrangle

REPORT NUMBER: SP1-2104-215-1

### Photopic Flux vs. Wavelength




#####

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 13329            | 0.0              | 490       | 105235           | 15.0             | 620       | 524343           | 136.4            | 750       | 24224            | 0.0              | 880       | 16135            | 0.0              |
| 365       | 11697            | 0.0              | 495       | 137678           | 25.0             | 625       | 488932           | 107.9            | 755       | 22376            | 0.0              | 885       | 16876            | 0.0              |
| 370       | 10917            | 0.0              | 500       | 186689           | 41.2             | 630       | 445400           | 80.6             | 760       | 20109            | 0.0              | 890       | 13554            | 0.0              |
| 375       | 12548            | 0.0              | 505       | 244611           | 68.4             | 635       | 403534           | 60.6             | 765       | 18097            | 0.0              | 895       | 11525            | 0.0              |
| 380       | 13932            | 0.0              | 510       | 298987           | 102.7            | 640       | 366414           | 43.8             | 770       | 17366            | 0.0              | 900       | 14656            | 0.0              |
| 385       | 13265            | 0.0              | 515       | 348170           | 144.2            | 645       | 331272           | 31.9             | 775       | 16226            | 0.0              | 905       | 11999            | 0.0              |
| 390       | 11808            | 0.0              | 520       | 390427           | 189.3            | 650       | 297360           | 21.7             | 780       | 14803            | 0.0              | 910       | 12965            | 0.0              |
| 395       | 10395            | 0.0              | 525       | 421211           | 226.1            | 655       | 263291           | 15.1             | 785       | 15199            | 0.0              | 915       | 15939            | 0.0              |
| 400       | 9348             | 0.0              | 530       | 446063           | 262.6            | 660       | 232931           | 9.7              | 790       | 12989            | 0.0              | 920       | 16238            | 0.0              |
| 405       | 9479             | 0.0              | 535       | 465110           | 288.4            | 665       | 204719           | 6.5              | 795       | 12106            | 0.0              | 925       | 14419            | 0.0              |
| 410       | 12414            | 0.0              | 540       | 479189           | 312.2            | 670       | 177096           | 3.9              | 800       | 12942            | 0.0              | 930       | 14788            | 0.0              |
| 415       | 21574            | 0.0              | 545       | 495864           | 330.0            | 675       | 153254           | 2.6              | 805       | 13253            | 0.0              | 935       | 18619            | 0.0              |
| 420       | 41448            | 0.1              | 550       | 516625           | 351.1            | 680       | 132874           | 1.5              | 810       | 12808            | 0.0              | 940       | 13995            | 0.0              |
| 425       | 79385            | 0.4              | 555       | 538555           | 367.8            | 685       | 115378           | 1.0              | 815       | 12903            | 0.0              | 945       | 18047            | 0.0              |
| 430       | 141845           | 1.1              | 560       | 562412           | 382.2            | 690       | 100157           | 0.6              | 820       | 12621            | 0.0              | 950       | 21418            | 0.0              |
| 435       | 231290           | 2.7              | 565       | 585835           | 389.5            | 695       | 85561            | 0.4              | 825       | 13903            | 0.0              | 955       | 23138            | 0.0              |
| 440       | 374482           | 5.9              | 570       | 608681           | 395.8            | 700       | 75396            | 0.2              | 830       | 11870            | 0.0              | 960       | 13665            | 0.0              |
| 445       | 596715           | 12.4             | 575       | 629563           | 391.7            | 705       | 65658            | 0.1              | 835       | 11069            | 0.0              | 965       | 14793            | 0.0              |
| 450       | 719656           | 18.7             | 580       | 646820           | 384.3            | 710       | 58172            | 0.1              | 840       | 15291            | 0.0              | 970       | 14396            | 0.0              |
| 455       | 530438           | 17.8             | 585       | 659231           | 366.3            | 715       | 52563            | 0.1              | 845       | 15125            | 0.0              | 975       | 11155            | 0.0              |
| 460       | 330446           | 13.5             | 590       | 665630           | 344.2            | 720       | 47085            | 0.0              | 850       | 15336            | 0.0              | 980       | 17987            | 0.0              |
| 465       | 241999           | 12.5             | 595       | 656228           | 311.1            | 725       | 41741            | 0.0              | 855       | 15791            | 0.0              | 985       | 16185            | 0.0              |
| 470       | 167096           | 10.4             | 600       | 646946           | 278.8            | 730       | 37415            | 0.0              | 860       | 14660            | 0.0              | 990       | 22120            | 0.0              |
| 475       | 113791           | 8.9              | 605       | 628643           | 243.4            | 735       | 32125            | 0.0              | 865       | 12528            | 0.0              | 995       | 11943            | 0.0              |
| 480       | 96126            | 9.1              | 610       | 599057           | 205.8            | 740       | 29322            | 0.0              | 870       | 14089            | 0.0              | 1000      | 16020            | 0.0              |
| 485       | 94467            | 11.2             | 615       | 565669           | 170.8            | 745       | 26862            | 0.0              | 875       | 11732            | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2104-215-1

### Scotopic Flux vs. Wavelength



Scotopic Lumens: 54268.8

S/P: 1.5

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 13329            | 0.0              | 490       | 105235           | 162.0            | 620       | 524343           | 6.6              | 750       | 24224            | 0.0              | 880       | 16135            | 0.0              |
| 365       | 11697            | 0.0              | 495       | 137678           | 222.6            | 625       | 488932           | 4.1              | 755       | 22376            | 0.0              | 885       | 16876            | 0.0              |
| 370       | 10917            | 0.0              | 500       | 186689           | 312.3            | 630       | 445400           | 2.5              | 760       | 20109            | 0.0              | 890       | 13554            | 0.0              |
| 375       | 12548            | 0.0              | 505       | 244611           | 415.8            | 635       | 403534           | 1.5              | 765       | 18097            | 0.0              | 895       | 11525            | 0.0              |
| 380       | 13932            | 0.0              | 510       | 298987           | 506.8            | 640       | 366414           | 0.9              | 770       | 17366            | 0.0              | 900       | 14656            | 0.0              |
| 385       | 13265            | 0.0              | 515       | 348170           | 577.1            | 645       | 331272           | 0.6              | 775       | 16226            | 0.0              | 905       | 11999            | 0.0              |
| 390       | 11808            | 0.0              | 520       | 390427           | 620.6            | 650       | 297360           | 0.3              | 780       | 14803            | 0.0              | 910       | 12965            | 0.0              |
| 395       | 10395            | 0.1              | 525       | 421211           | 630.1            | 655       | 263291           | 0.2              | 785       | 15199            | 0.0              | 915       | 15939            | 0.0              |
| 400       | 9348             | 0.1              | 530       | 446063           | 615.0            | 660       | 232931           | 0.1              | 790       | 12989            | 0.0              | 920       | 16238            | 0.0              |
| 405       | 9479             | 0.3              | 535       | 465110           | 579.6            | 665       | 204719           | 0.1              | 795       | 12106            | 0.0              | 925       | 14419            | 0.0              |
| 410       | 12414            | 0.7              | 540       | 479189           | 529.5            | 670       | 177096           | 0.0              | 800       | 12942            | 0.0              | 930       | 14788            | 0.0              |
| 415       | 21574            | 2.2              | 545       | 495864           | 475.4            | 675       | 153254           | 0.0              | 805       | 13253            | 0.0              | 935       | 18619            | 0.0              |
| 420       | 41448            | 6.8              | 550       | 516625           | 422.4            | 680       | 132874           | 0.0              | 810       | 12808            | 0.0              | 940       | 13995            | 0.0              |
| 425       | 79385            | 19.4             | 555       | 538555           | 368.0            | 685       | 115378           | 0.0              | 815       | 12903            | 0.0              | 945       | 18047            | 0.0              |
| 430       | 141845           | 48.3             | 560       | 562412           | 314.4            | 690       | 100157           | 0.0              | 820       | 12621            | 0.0              | 950       | 21418            | 0.0              |
| 435       | 231290           | 103.4            | 565       | 585835           | 262.8            | 695       | 85561            | 0.0              | 825       | 13903            | 0.0              | 955       | 23138            | 0.0              |
| 440       | 374482           | 209.3            | 570       | 608681           | 214.8            | 700       | 75396            | 0.0              | 830       | 11870            | 0.0              | 960       | 13665            | 0.0              |
| 445       | 596715           | 399.6            | 575       | 629563           | 171.5            | 705       | 65658            | 0.0              | 835       | 11069            | 0.0              | 965       | 14793            | 0.0              |
| 450       | 719656           | 557.8            | 580       | 646820           | 133.3            | 710       | 58172            | 0.0              | 840       | 15291            | 0.0              | 970       | 14396            | 0.0              |
| 455       | 530438           | 463.5            | 585       | 659231           | 100.8            | 715       | 52563            | 0.0              | 845       | 15125            | 0.0              | 975       | 11155            | 0.0              |
| 460       | 330446           | 319.2            | 590       | 665630           | 74.1             | 720       | 47085            | 0.0              | 850       | 15336            | 0.0              | 980       | 17987            | 0.0              |
| 465       | 241999           | 255.6            | 595       | 656228           | 52.3             | 725       | 41741            | 0.0              | 855       | 15791            | 0.0              | 985       | 16185            | 0.0              |
| 470       | 167096           | 192.4            | 600       | 646946           | 36.5             | 730       | 37415            | 0.0              | 860       | 14660            | 0.0              | 990       | 22120            | 0.0              |
| 475       | 113791           | 142.3            | 605       | 628643           | 24.7             | 735       | 32125            | 0.0              | 865       | 12528            | 0.0              | 995       | 11943            | 0.0              |
| 480       | 96126            | 129.8            | 610       | 599057           | 16.2             | 740       | 29322            | 0.0              | 870       | 14089            | 0.0              | 1000      | 16020            | 0.0              |
| 485       | 94467            | 136.9            | 615       | 565669           | 10.5             | 745       | 26862            | 0.0              | 875       | 11732            | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2104-215-1

### Melanopic Flux vs. Wavelength


**Melanopic Lumens: 20938.3      M/P: 0.58**


| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 13329            | 0.0              | 490       | 105235           | 87.6             | 620       | 524343           | 0.4              | 750       | 24224            | 0.0              | 880       | 16135            | 0.0              |
| 365       | 11697            | 0.0              | 495       | 137678           | 113.7            | 625       | 488932           | 0.3              | 755       | 22376            | 0.0              | 885       | 16876            | 0.0              |
| 370       | 10917            | 0.0              | 500       | 186689           | 150.1            | 630       | 445400           | 0.2              | 760       | 20109            | 0.0              | 890       | 13554            | 0.0              |
| 375       | 12548            | 0.0              | 505       | 244611           | 187.7            | 635       | 403534           | 0.1              | 765       | 18097            | 0.0              | 895       | 11525            | 0.0              |
| 380       | 13932            | 0.0              | 510       | 298987           | 214.7            | 640       | 366414           | 0.1              | 770       | 17366            | 0.0              | 900       | 14656            | 0.0              |
| 385       | 13265            | 0.0              | 515       | 348170           | 227.5            | 645       | 331272           | 0.0              | 775       | 16226            | 0.0              | 905       | 11999            | 0.0              |
| 390       | 11808            | 0.0              | 520       | 390427           | 227.3            | 650       | 297360           | 0.0              | 780       | 14803            | 0.0              | 910       | 12965            | 0.0              |
| 395       | 10395            | 0.1              | 525       | 421211           | 213.6            | 655       | 263291           | 0.0              | 785       | 15199            | 0.0              | 915       | 15939            | 0.0              |
| 400       | 9348             | 0.1              | 530       | 446063           | 192.8            | 660       | 232931           | 0.0              | 790       | 12989            | 0.0              | 920       | 16238            | 0.0              |
| 405       | 9479             | 0.2              | 535       | 465110           | 167.4            | 665       | 204719           | 0.0              | 795       | 12106            | 0.0              | 925       | 14419            | 0.0              |
| 410       | 12414            | 0.5              | 540       | 479189           | 140.2            | 670       | 177096           | 0.0              | 800       | 12942            | 0.0              | 930       | 14788            | 0.0              |
| 415       | 21574            | 1.4              | 545       | 495864           | 115.2            | 675       | 153254           | 0.0              | 805       | 13253            | 0.0              | 935       | 18619            | 0.0              |
| 420       | 41448            | 4.7              | 550       | 516625           | 92.7             | 680       | 132874           | 0.0              | 810       | 12808            | 0.0              | 940       | 13995            | 0.0              |
| 425       | 79385            | 12.4             | 555       | 538555           | 72.6             | 685       | 115378           | 0.0              | 815       | 12903            | 0.0              | 945       | 18047            | 0.0              |
| 430       | 141845           | 30.0             | 560       | 562412           | 55.5             | 690       | 100157           | 0.0              | 820       | 12621            | 0.0              | 950       | 21418            | 0.0              |
| 435       | 231290           | 61.7             | 565       | 585835           | 41.1             | 695       | 85561            | 0.0              | 825       | 13903            | 0.0              | 955       | 23138            | 0.0              |
| 440       | 374482           | 125.1            | 570       | 608681           | 29.7             | 700       | 75396            | 0.0              | 830       | 11870            | 0.0              | 960       | 13665            | 0.0              |
| 445       | 596715           | 235.4            | 575       | 629563           | 21.0             | 705       | 65658            | 0.0              | 835       | 11069            | 0.0              | 965       | 14793            | 0.0              |
| 450       | 719656           | 331.6            | 580       | 646820           | 14.5             | 710       | 58172            | 0.0              | 840       | 15291            | 0.0              | 970       | 14396            | 0.0              |
| 455       | 530438           | 277.9            | 585       | 659231           | 9.8              | 715       | 52563            | 0.0              | 845       | 15125            | 0.0              | 975       | 11155            | 0.0              |
| 460       | 330446           | 194.7            | 590       | 665630           | 6.5              | 720       | 47085            | 0.0              | 850       | 15336            | 0.0              | 980       | 17987            | 0.0              |
| 465       | 241999           | 158.1            | 595       | 656228           | 4.2              | 725       | 41741            | 0.0              | 855       | 15791            | 0.0              | 985       | 16185            | 0.0              |
| 470       | 167096           | 119.6            | 600       | 646946           | 2.7              | 730       | 37415            | 0.0              | 860       | 14660            | 0.0              | 990       | 22120            | 0.0              |
| 475       | 113791           | 86.9             | 605       | 628643           | 1.7              | 735       | 32125            | 0.0              | 865       | 12528            | 0.0              | 995       | 11943            | 0.0              |
| 480       | 96126            | 77.2             | 610       | 599057           | 1.1              | 740       | 29322            | 0.0              | 870       | 14089            | 0.0              | 1000      | 16020            | 0.0              |
| 485       | 94467            | 77.9             | 615       | 565669           | 0.7              | 745       | 26862            | 0.0              | 875       | 11732            | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2104-215-1

TM-30-18

### Summary

$R_f = 76.5$   
 $R_g = 95.6$   
 CIE  $R_a = 75.1$   
 $R_g = -19.0$




### Color Vector Graphics



**Individual Sample Fidelity Index ( $R_{f,i}$ )**

|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 86 | CES26 = 66 | CES51 = 90 | CES76 = 56 |
| CES02 = 61 | CES27 = 89 | CES52 = 89 | CES77 = 73 |
| CES03 = 31 | CES28 = 83 | CES53 = 81 | CES78 = 58 |
| CES04 = 70 | CES29 = 69 | CES54 = 87 | CES79 = 84 |
| CES05 = 48 | CES30 = 84 | CES55 = 86 | CES80 = 81 |
| CES06 = 51 | CES31 = 72 | CES56 = 77 | CES81 = 79 |
| CES07 = 40 | CES32 = 64 | CES57 = 77 | CES82 = 92 |
| CES08 = 39 | CES33 = 79 | CES58 = 77 | CES83 = 90 |
| CES09 = 29 | CES34 = 73 | CES59 = 87 | CES84 = 87 |
| CES10 = 74 | CES35 = 85 | CES60 = 90 | CES85 = 78 |
| CES11 = 57 | CES36 = 91 | CES61 = 84 | CES86 = 73 |
| CES12 = 63 | CES37 = 81 | CES62 = 87 | CES87 = 79 |
| CES13 = 42 | CES38 = 94 | CES63 = 75 | CES88 = 83 |
| CES14 = 74 | CES39 = 96 | CES64 = 69 | CES89 = 73 |
| CES15 = 71 | CES40 = 91 | CES65 = 66 | CES90 = 83 |
| CES16 = 47 | CES41 = 94 | CES66 = 63 | CES91 = 76 |
| CES17 = 49 | CES42 = 82 | CES67 = 60 | CES92 = 62 |
| CES18 = 56 | CES43 = 78 | CES68 = 68 | CES93 = 77 |
| CES19 = 72 | CES44 = 99 | CES69 = 76 | CES94 = 57 |
| CES20 = 65 | CES45 = 86 | CES70 = 60 | CES95 = 69 |
| CES21 = 86 | CES46 = 84 | CES71 = 54 | CES96 = 79 |
| CES22 = 78 | CES47 = 87 | CES72 = 85 | CES97 = 86 |
| CES23 = 92 | CES48 = 80 | CES73 = 52 | CES98 = 79 |
| CES24 = 91 | CES49 = 82 | CES74 = 94 | CES99 = 69 |
| CES25 = 72 | CES50 = 90 | CES75 = 56 |            |



**Color Rendition by Hue-Angle Bin**


**Measure Comparisons**



(END OF REPORT)