

Signify Classified - Internal  
Cooper Lighting Solutions Photometric Lab  
1121 Highway 74 South  
Peachtree City, GA 30269



Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: McGRAW-EDISON

Report Number: P510565

Luminaire Tested: **CTN-CA10-630-760-U-T1**

Issue Date: 4/6/2021

**Test Information**

Test Method: LM-79-08  
Report Number: P510565  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G3-2102-151-9)  
Test Lab: COOPER LIGHTING SOLUTIONS  
Issue Date: 4/6/2021  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: McGRAW-EDISON  
Catalog Number: CTN-CA10-630-760-U-T1  
Description: CELESTEON HIGH MAST LUMINAIRE  
Light Source: (10) 5700K CCT, 70 CRI LEDS  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**

Lumens per Lamp: N/A  
Luminaire Lumens: 95565 lumens  
Efficiency: N/A  
Efficacy: 151.4 lumens/watt  
Luminous Opening: Circular (Dia: 2.08' x H: 0')  
IES Classification: Type I - Short  
BUG Rating: B5 - U0 - G5

Input Watts (W): 631.4  
Input Voltage (V): 120  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 28.75 FT




REPORT NUMBER: P510565

CATALOG NUMBER: CTN-CA10-630-760-U-T1

## Iso-Footcandle Lines of Horizontal Illumination


× Max cd  
 - - - 1/2 Max cd



Based on 30 foot mounting height. Maximum calculated value = 17.7 fc  
 Type I - Short - N/A

REPORT NUMBER: P510565  
CATALOG NUMBER: CTN-CA10-630-760-U-T1

## Luminous Intensity Polar Plot



REPORT NUMBER: P510565

CATALOG NUMBER: CTN-CA10-630-760-U-T1

**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total   |
|--------------------|-----------|----------|--------|---------|
| <b>House Side</b>  | Lumens    | 47782.5  | 0.0    | 47782.5 |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Street Side</b> | Lumens    | 47782.5  | 0.0    | 47782.5 |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Total</b>       | Lumens    | 95565.0  | 0.0    | 95565.0 |
|                    | % Fixture | 100.0    | 0.0    | 100.0   |

**ZONAL LUMENS:**

| Zone      | Lumens  | % Fixture |
|-----------|---------|-----------|
| 0°-10°    | 1494.1  | 1.6       |
| 10°-20°   | 4409.0  | 4.6       |
| 20°-30°   | 7262.7  | 7.6       |
| 30°-40°   | 10640.7 | 11.1      |
| 40°-50°   | 15733.5 | 16.5      |
| 50°-60°   | 20638.3 | 21.6      |
| 60°-70°   | 21531.6 | 22.5      |
| 70°-80°   | 12379.4 | 13.0      |
| 80°-90°   | 1475.7  | 1.5       |
| 90°-100°  | 0.0     | 0.0       |
| 100°-110° | 0.0     | 0.0       |
| 110°-120° | 0.0     | 0.0       |
| 120°-130° | 0.0     | 0.0       |
| 130°-140° | 0.0     | 0.0       |
| 140°-150° | 0.0     | 0.0       |
| 150°-160° | 0.0     | 0.0       |
| 160°-170° | 0.0     | 0.0       |
| 170°-180° | 0.0     | 0.0       |
| 0°-90°    | 95565.0 | 100.0     |
| 0°-180°   | 95565.0 | 100.0     |

**Coefficient of Utilization**



REPORT NUMBER: P510565


CATALOG NUMBER: CTN-CA10-630-760-U-T1

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens  | % Fixture | Zone Rating/Lumen Limit |      |        |
|------|-------------|---------|-----------|-------------------------|------|--------|
|      |             |         |           | B                       | U    | G      |
| FL   | (0°-30°)    | 6582.9  | 6.9       |                         |      |        |
| FM   | (30°-60°)   | 23506.2 | 24.6      |                         |      |        |
| FH   | (60°-80°)   | 16955.5 | 17.7      |                         |      | G5     |
| FVH  | (80°-90°)   | 737.9   | 0.8       |                         |      | G4/750 |
| BL   | (0°-30°)    | 6582.9  | 6.9       | B5                      |      |        |
| BM   | (30°-60°)   | 23506.2 | 24.6      | B5                      |      |        |
| BH   | (60°-80°)   | 16955.5 | 17.7      | B5                      |      | G5     |
| BVH  | (80°-90°)   | 737.9   | 0.8       |                         |      | G4/750 |
| UL   | (90°-100°)  | 0.0     | 0.0       |                         | U0/0 |        |
| UH   | (100°-180°) | 0.0     | 0.0       |                         | U0/0 |        |

**BUG Rating: B5-U0-G5**

Type I Short





REPORT NUMBER: P510565

CATALOG NUMBER: CTN-CA10-630-760-U-T1

**CANDELA DISTRIBUTION (FULL):**

|        | 0°      | 5°      | 10°     | 15°     | 20°     | 25°     | 30°     | 35°     | 40°     | 45°     | 50°     |
|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0°     | 15744.0 | 15744.0 | 15744.0 | 15744.0 | 15744.0 | 15744.0 | 15744.0 | 15744.0 | 15744.0 | 15744.0 | 15744.0 |
| 2.5°   | 15740.3 | 15729.1 | 15725.4 | 15719.8 | 15729.1 | 15736.6 | 15755.3 | 15772.1 | 15768.3 | 15764.6 | 15768.3 |
| 5°     | 15652.5 | 15658.1 | 15660.0 | 15661.9 | 15669.3 | 15674.9 | 15701.1 | 15727.2 | 15723.5 | 15719.8 | 15738.4 |
| 7.5°   | 15529.2 | 15529.2 | 15525.5 | 15521.8 | 15536.7 | 15549.8 | 15575.9 | 15602.1 | 15622.6 | 15641.3 | 15671.2 |
| 10°    | 15349.9 | 15342.5 | 15340.6 | 15338.7 | 15355.5 | 15370.5 | 15419.0 | 15467.6 | 15508.7 | 15547.9 | 15598.4 |
| 12.5°  | 15131.4 | 15129.5 | 15133.3 | 15137.0 | 15172.5 | 15208.0 | 15290.2 | 15372.3 | 15454.5 | 15536.7 | 15609.6 |
| 15°    | 14871.8 | 14849.4 | 14868.0 | 14884.8 | 14942.7 | 14998.8 | 15157.5 | 15316.3 | 15441.5 | 15564.7 | 15706.7 |
| 17.5°  | 14475.8 | 14453.4 | 14481.4 | 14507.5 | 14623.3 | 14739.2 | 14963.3 | 15185.6 | 15420.9 | 15656.3 | 15859.9 |
| 20°    | 13876.2 | 13876.2 | 13947.2 | 14018.2 | 14214.3 | 14410.4 | 14718.6 | 15024.9 | 15342.5 | 15660.0 | 15955.1 |
| 22.5°  | 13237.4 | 13218.7 | 13370.0 | 13521.3 | 13756.7 | 13990.1 | 14378.7 | 14767.2 | 15187.4 | 15605.8 | 16011.2 |
| 25°    | 12516.4 | 12548.2 | 12738.7 | 12927.3 | 13258.0 | 13586.7 | 14064.9 | 14541.2 | 15069.8 | 15598.4 | 16160.6 |
| 27.5°  | 11907.5 | 11913.1 | 12142.8 | 12372.6 | 12787.3 | 13200.0 | 13780.9 | 14361.8 | 15006.3 | 15650.7 | 16358.6 |
| 30°    | 11278.0 | 11380.8 | 11623.6 | 11864.5 | 12327.8 | 12791.0 | 13493.3 | 14193.7 | 14957.7 | 15721.6 | 16584.6 |
| 32.5°  | 10794.3 | 10818.5 | 11093.1 | 11365.8 | 11849.6 | 12333.4 | 13149.6 | 13965.9 | 14883.0 | 15800.1 | 16849.8 |
| 35°    | 10338.5 | 10377.7 | 10633.6 | 10889.5 | 11393.8 | 11896.3 | 12791.0 | 13683.8 | 14780.2 | 15874.8 | 17137.5 |
| 37.5°  | 9933.2  | 9981.8  | 10224.6 | 10467.4 | 10953.0 | 11438.7 | 12387.5 | 13336.4 | 14621.5 | 15906.6 | 17453.1 |
| 40°    | 9636.2  | 9677.3  | 9882.8  | 10088.2 | 10527.2 | 10964.2 | 11957.9 | 12949.8 | 14399.2 | 15848.6 | 17701.5 |
| 42.5°  | 9421.4  | 9440.1  | 9606.3  | 9772.6  | 10164.8 | 10557.0 | 11541.4 | 12523.9 | 14109.7 | 15695.5 | 17893.9 |
| 45°    | 9130.0  | 9171.1  | 9335.5  | 9498.0  | 9851.0  | 10202.2 | 11102.5 | 12002.8 | 13680.1 | 15355.5 | 17895.8 |
| 47.5°  | 8913.3  | 8939.5  | 9094.5  | 9247.7  | 9576.4  | 9905.2  | 10713.9 | 11522.7 | 13194.4 | 14864.3 | 17694.1 |
| 50°    | 8754.6  | 8741.5  | 8885.3  | 9027.3  | 9305.6  | 9582.0  | 10303.0 | 11022.1 | 12593.0 | 14163.9 | 17189.8 |
| 52.5°  | 8528.6  | 8543.5  | 8659.3  | 8775.1  | 9016.1  | 9255.2  | 9901.4  | 10545.8 | 11926.2 | 13304.6 | 16371.6 |
| 55°    | 8226.0  | 8295.1  | 8392.2  | 8487.5  | 8698.5  | 8909.6  | 9490.5  | 10071.4 | 11259.4 | 12445.4 | 15318.2 |
| 57.5°  | 7929.0  | 7979.4  | 8061.6  | 8143.8  | 8310.0  | 8474.4  | 9021.7  | 9569.0  | 10557.0 | 11545.1 | 13988.3 |
| 60°    | 7686.2  | 7699.2  | 7751.5  | 7802.0  | 7929.0  | 8056.0  | 8508.0  | 8960.0  | 9823.0  | 10684.1 | 12662.1 |
| 62.5°  | 7372.4  | 7376.1  | 7411.6  | 7447.1  | 7525.5  | 7602.1  | 7957.0  | 8310.0  | 9046.0  | 9781.9  | 11343.4 |
| 65°    | 6881.1  | 6911.0  | 6944.6  | 6976.4  | 7028.7  | 7079.1  | 7350.0  | 7620.8  | 8171.8  | 8722.8  | 9981.8  |
| 67.5°  | 6384.3  | 6358.1  | 6397.4  | 6436.6  | 6444.1  | 6451.5  | 6657.0  | 6862.5  | 7314.5  | 7766.5  | 8778.9  |
| 70°    | 5575.5  | 5596.1  | 5592.3  | 5586.7  | 5555.0  | 5521.3  | 5665.2  | 5809.0  | 6048.1  | 6285.3  | 7017.5  |
| 72.5°  | 4275.5  | 4247.5  | 4176.5  | 4103.7  | 4070.0  | 4036.4  | 4204.5  | 4370.8  | 4546.3  | 4721.9  | 5250.5  |
| 75°    | 2613.1  | 2693.4  | 2841.0  | 2986.7  | 3042.7  | 3098.8  | 3089.4  | 3078.2  | 3063.3  | 3048.3  | 3707.7  |
| 77.5°  | 1770.7  | 1813.7  | 1847.3  | 1879.1  | 1961.2  | 2041.6  | 2134.9  | 2228.3  | 2226.5  | 2224.6  | 2639.3  |
| 80°    | 1126.3  | 1092.7  | 1107.6  | 1122.6  | 1169.3  | 1216.0  | 1357.9  | 1498.0  | 1537.2  | 1574.6  | 1860.4  |
| 82.5°  | 706.0   | 711.6   | 730.3   | 747.1   | 694.8   | 642.5   | 752.7   | 861.1   | 954.5   | 1046.0  | 1178.6  |
| 85°    | 457.6   | 519.3   | 509.9   | 500.6   | 438.9   | 377.3   | 474.4   | 571.6   | 616.4   | 659.3   | 709.8   |
| 87.5°  | 147.6   | 171.8   | 177.4   | 181.2   | 181.2   | 179.3   | 199.9   | 220.4   | 227.9   | 233.5   | 252.2   |
| 90°    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
| 92.5°  | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
| 95°    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
| 97.5°  | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
| 100°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
| 102.5° | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
| 105°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
| 107.5° | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
| 110°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |



REPORT NUMBER: P510565  
 CATALOG NUMBER: CTN-CA10-630-760-U-T1

**CANDELA DISTRIBUTION (continued):**

|        | 0°  | 5°  | 10° | 15° | 20° | 25° | 30° | 35° | 40° | 45° | 50° |
|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

REPORT NUMBER: P510565

CATALOG NUMBER: CTN-CA10-630-760-U-T1

**CANDELA DISTRIBUTION (continued):**

|        | 55°     | 60°     | 65°     | 70°     | 75°     | 80°     | 85°     | 90°     |
|--------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0°     | 15744.0 | 15744.0 | 15744.0 | 15744.0 | 15744.0 | 15744.0 | 15744.0 | 15744.0 |
| 2.5°   | 15770.2 | 15751.5 | 15732.8 | 15727.2 | 15721.6 | 15717.9 | 15714.2 | 15710.4 |
| 5°     | 15755.3 | 15751.5 | 15747.8 | 15732.8 | 15717.9 | 15716.0 | 15714.2 | 15719.8 |
| 7.5°   | 15701.1 | 15701.1 | 15701.1 | 15717.9 | 15734.7 | 15727.2 | 15717.9 | 15729.1 |
| 10°    | 15646.9 | 15691.8 | 15736.6 | 15749.7 | 15762.7 | 15772.1 | 15781.4 | 15790.7 |
| 12.5°  | 15682.4 | 15759.0 | 15833.7 | 15876.7 | 15919.6 | 15942.0 | 15962.6 | 15968.2 |
| 15°    | 15848.6 | 15945.8 | 16042.9 | 16100.8 | 16156.8 | 16194.2 | 16231.6 | 16240.9 |
| 17.5°  | 16063.5 | 16212.9 | 16360.4 | 16444.5 | 16528.5 | 16571.5 | 16612.6 | 16599.5 |
| 20°    | 16248.4 | 16453.8 | 16659.3 | 16838.6 | 17017.9 | 17116.9 | 17214.0 | 17225.2 |
| 22.5°  | 16414.6 | 16760.2 | 17105.7 | 17337.3 | 17567.1 | 17742.6 | 17918.2 | 17936.9 |
| 25°    | 16720.9 | 17172.9 | 17625.0 | 17994.8 | 18364.6 | 18525.3 | 18684.0 | 18777.4 |
| 27.5°  | 17064.6 | 17669.8 | 18275.0 | 18770.0 | 19264.9 | 19509.6 | 19752.4 | 19765.5 |
| 30°    | 17445.7 | 18213.3 | 18979.2 | 19644.1 | 20307.2 | 20606.0 | 20903.0 | 21059.9 |
| 32.5°  | 17897.7 | 18872.7 | 19845.8 | 20720.0 | 21594.1 | 22048.0 | 22501.9 | 22660.7 |
| 35°    | 18398.3 | 19662.8 | 20925.4 | 22130.2 | 23333.1 | 24201.6 | 25070.2 | 25488.6 |
| 37.5°  | 18999.7 | 20609.8 | 22219.9 | 24029.8 | 25839.7 | 27320.9 | 28800.3 | 29222.4 |
| 40°    | 19554.4 | 21625.9 | 23695.5 | 26209.6 | 28723.7 | 31073.4 | 33421.3 | 33878.9 |
| 42.5°  | 20092.4 | 22599.0 | 25105.7 | 28535.0 | 31964.4 | 35109.8 | 38255.3 | 39445.1 |
| 45°    | 20434.2 | 23465.7 | 26495.4 | 31017.4 | 35539.5 | 39857.9 | 44174.5 | 45173.8 |
| 47.5°  | 20522.0 | 24084.0 | 27645.9 | 33247.6 | 38849.3 | 43931.7 | 49012.2 | 50295.4 |
| 50°    | 20215.7 | 24405.2 | 28594.8 | 35987.7 | 43378.8 | 48554.6 | 53728.5 | 54782.0 |
| 52.5°  | 19438.6 | 24302.5 | 29166.4 | 38111.5 | 47056.6 | 52535.0 | 58013.3 | 58969.7 |
| 55°    | 18190.9 | 23678.6 | 29166.4 | 39859.8 | 50551.3 | 56233.3 | 61913.4 | 63366.6 |
| 57.5°  | 16431.4 | 22487.0 | 28542.5 | 41027.2 | 53511.8 | 59683.2 | 65854.5 | 67160.2 |
| 60°    | 14640.2 | 21069.3 | 27496.5 | 41671.6 | 55846.6 | 62384.1 | 68921.5 | 70445.7 |
| 62.5°  | 12903.1 | 19143.5 | 25382.1 | 40995.4 | 56608.7 | 63510.4 | 70410.2 | 72603.1 |
| 65°    | 11240.7 | 17004.8 | 22769.0 | 39346.1 | 55921.4 | 63829.8 | 71736.4 | 73701.4 |
| 67.5°  | 9791.2  | 15217.3 | 20643.4 | 36581.7 | 52520.0 | 61272.7 | 70023.6 | 72472.3 |
| 70°    | 7749.7  | 12742.4 | 17735.2 | 31680.5 | 45625.8 | 55876.5 | 66127.3 | 69149.4 |
| 72.5°  | 5779.1  | 10013.5 | 14246.0 | 24920.8 | 35595.5 | 47383.4 | 59169.5 | 62972.5 |
| 75°    | 4365.1  | 7998.1  | 11631.1 | 19698.3 | 27765.5 | 37745.4 | 47725.3 | 52815.1 |
| 77.5°  | 3053.9  | 5779.1  | 8502.4  | 14520.6 | 20538.8 | 26063.9 | 31589.0 | 34301.1 |
| 80°    | 2144.3  | 3655.4  | 5164.6  | 8059.7  | 10953.0 | 13403.6 | 15852.4 | 15658.1 |
| 82.5°  | 1309.4  | 1944.4  | 2577.6  | 3496.6  | 4415.6  | 5007.7  | 5599.8  | 5573.6  |
| 85°    | 760.2   | 924.6   | 1087.1  | 1346.7  | 1606.3  | 1899.6  | 2192.8  | 1950.0  |
| 87.5°  | 269.0   | 269.0   | 269.0   | 308.2   | 347.4   | 478.2   | 608.9   | 642.5   |
| 90°    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
| 92.5°  | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
| 95°    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
| 97.5°  | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
| 100°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
| 102.5° | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
| 105°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
| 107.5° | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
| 110°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |



REPORT NUMBER: P510565  
 CATALOG NUMBER: CTN-CA10-630-760-U-T1

**CANDELA DISTRIBUTION (continued):**

|        | 55° | 60° | 65° | 70° | 75° | 80° | 85° | 90° |
|--------|-----|-----|-----|-----|-----|-----|-----|-----|
| 112.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 115°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 117.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 120°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 122.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 125°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 127.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 130°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 132.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 135°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 137.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 140°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 142.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 145°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 147.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 150°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 152.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 155°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 157.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 160°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 162.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 165°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 167.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 170°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 172.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 175°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 177.5° | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 180°   | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

LM-79-08: Approved Method: Electrical and Photometric Measurements of Solid-State Lighting Products

Report Prepared for

Cooper Lighting Solutions

(formerly Eaton)

STREETWORKS

Report Number: SP1-2104-215-3

Luminaire Tested: CST-CA6-230-757-U-T4

Test Date: 04/21/2021

### Test Information

Test Method: LM-79-08  
 Report Number: SP1-2104-215-3  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1  
 Measurement Geometry:  $4\pi$   
 Issue Date: 04/21/2021  
 Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
 Product Line: STREETWORKS  
 Catalog Number: **CST-CA6-230-757-U-T4**  
 Description: STREETWORKS HIGH MAST LUMINAIRE

### Spectral Parameters

|                           |        |           |      |      |       |
|---------------------------|--------|-----------|------|------|-------|
| CCT (K):                  | 5385   | CRI (Ra): | 74.4 |      |       |
| CIE u':                   | 0.2065 | R1:       | 71.8 | R9:  | -25.2 |
| CIE v':                   | 0.4808 | R2:       | 79.4 | R10: | 50.6  |
| Duv:                      | 0.0018 | R3:       | 84.2 | R11: | 72.0  |
| CIE x:                    | 0.3351 | R4:       | 74.7 | R12: | 46.0  |
| CIE y:                    | 0.3467 | R5:       | 72.8 | R13: | 73.1  |
| CIE z:                    | 0.3182 | R6:       | 71.2 | R14: | 91.2  |
| Peak Wavelength (nm):     | 450    | R7:       | 82.2 |      |       |
| Dominant Wavelength (nm): | 560    | R8:       | 58.6 |      |       |
| Purity:                   | 4.7    |           |      |      |       |
| Rf:                       | 75.3   |           |      |      |       |
| Rg:                       | 94.2   |           |      |      |       |



### Test Conditions

Stabilization Time: 66M  
 Operation Time: 12H  
 Room Temperature (°C) / RH%: 25.7/32%  
 Sphere Temperature (°C): 24.8

REPORT NUMBER: SP1-2104-215-3

| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 1/31/2021        | 7/31/2021            |
| Power Meter                    | IN0071                | 12/1/2020        | 12/1/2021            |
| AC Power Source                | IN0063                | 12/1/2020        | 12/1/2021            |
| DC Power Source                | IN0208                | 12/1/2020        | 12/1/2021            |
| Sphere Thermometer             | IN0085                | 12/1/2020        | 12/1/2021            |
| Room Thermometer               | IN0046                | 12/1/2020        | 12/1/2021            |

REPORT NUMBER: SP1-2104-215-3

**CIE 1931 Chromaticity Diagram**



**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



Point lies inside the ANSI 5700K 7-step quadrangle

REPORT NUMBER: SP1-2104-215-3

### Photopic Flux vs. Wavelength



#####

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 16696            | 0.0              | 490       | 164243           | 23.3             | 620       | 415797           | 108.2            | 750       | 22190            | 0.0              | 880       | 22866            | 0.0              |
| 365       | 13447            | 0.0              | 495       | 207773           | 37.7             | 625       | 382869           | 84.5             | 755       | 18942            | 0.0              | 885       | 21901            | 0.0              |
| 370       | 14521            | 0.0              | 500       | 267487           | 59.0             | 630       | 344785           | 62.4             | 760       | 18760            | 0.0              | 890       | 20912            | 0.0              |
| 375       | 15598            | 0.0              | 505       | 333279           | 93.2             | 635       | 309549           | 46.5             | 765       | 19375            | 0.0              | 895       | 19858            | 0.0              |
| 380       | 16553            | 0.0              | 510       | 393084           | 135.0            | 640       | 280226           | 33.5             | 770       | 16788            | 0.0              | 900       | 21828            | 0.0              |
| 385       | 15196            | 0.0              | 515       | 446481           | 185.0            | 645       | 249624           | 24.0             | 775       | 17302            | 0.0              | 905       | 17086            | 0.0              |
| 390       | 13481            | 0.0              | 520       | 488198           | 236.7            | 650       | 224464           | 16.4             | 780       | 15672            | 0.0              | 910       | 17542            | 0.0              |
| 395       | 11977            | 0.0              | 525       | 518433           | 278.3            | 655       | 199646           | 11.5             | 785       | 14771            | 0.0              | 915       | 16185            | 0.0              |
| 400       | 11331            | 0.0              | 530       | 543281           | 319.9            | 660       | 175926           | 7.3              | 790       | 13984            | 0.0              | 920       | 17995            | 0.0              |
| 405       | 11814            | 0.0              | 535       | 561190           | 348.0            | 665       | 155139           | 4.9              | 795       | 14040            | 0.0              | 925       | 15557            | 0.0              |
| 410       | 16208            | 0.0              | 540       | 572451           | 373.0            | 670       | 134630           | 2.9              | 800       | 13342            | 0.0              | 930       | 26095            | 0.0              |
| 415       | 26808            | 0.0              | 545       | 585457           | 389.7            | 675       | 117218           | 2.0              | 805       | 14668            | 0.0              | 935       | 19199            | 0.0              |
| 420       | 50871            | 0.1              | 550       | 599090           | 407.1            | 680       | 102027           | 1.2              | 810       | 14789            | 0.0              | 940       | 23080            | 0.0              |
| 425       | 101020           | 0.5              | 555       | 616995           | 421.4            | 685       | 89213            | 0.8              | 815       | 17650            | 0.0              | 945       | 26343            | 0.0              |
| 430       | 192411           | 1.5              | 560       | 629425           | 427.7            | 690       | 78917            | 0.4              | 820       | 14937            | 0.0              | 950       | 29934            | 0.0              |
| 435       | 336902           | 4.0              | 565       | 636833           | 423.4            | 695       | 68780            | 0.3              | 825       | 16011            | 0.0              | 955       | 22346            | 0.0              |
| 440       | 581105           | 9.1              | 570       | 639836           | 416.0            | 700       | 60229            | 0.2              | 830       | 16981            | 0.0              | 960       | 16017            | 0.0              |
| 445       | 974221           | 20.3             | 575       | 636704           | 396.2            | 705       | 53321            | 0.1              | 835       | 15554            | 0.0              | 965       | 18299            | 0.0              |
| 450       | 1195987          | 31.0             | 580       | 633339           | 376.3            | 710       | 47871            | 0.1              | 840       | 16030            | 0.0              | 970       | 16401            | 0.0              |
| 455       | 889289           | 29.8             | 585       | 623206           | 346.3            | 715       | 44671            | 0.0              | 845       | 19004            | 0.0              | 975       | 23481            | 0.0              |
| 460       | 566512           | 23.2             | 590       | 607134           | 313.9            | 720       | 40236            | 0.0              | 850       | 18632            | 0.0              | 980       | 26457            | 0.0              |
| 465       | 410582           | 21.2             | 595       | 578226           | 274.1            | 725       | 35616            | 0.0              | 855       | 21549            | 0.0              | 985       | 32065            | 0.0              |
| 470       | 276356           | 17.2             | 600       | 554348           | 238.9            | 730       | 31102            | 0.0              | 860       | 21257            | 0.0              | 990       | 31414            | 0.0              |
| 475       | 187504           | 14.7             | 605       | 526616           | 203.9            | 735       | 28341            | 0.0              | 865       | 20272            | 0.0              | 995       | 30650            | 0.0              |
| 480       | 156769           | 14.9             | 610       | 490933           | 168.7            | 740       | 25553            | 0.0              | 870       | 20808            | 0.0              | 1000      | 26490            | 0.0              |
| 485       | 151040           | 17.9             | 615       | 453646           | 136.9            | 745       | 23976            | 0.0              | 875       | 22729            | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2104-215-3

### Scotopic Flux vs. Wavelength



Scotopic Lumens: 72376.6

S/P: 1.89

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 16696            | 0.0              | 490       | 164243           | 252.9            | 620       | 415797           | 5.2              | 750       | 22190            | 0.0              | 880       | 22866            | 0.0              |
| 365       | 13447            | 0.0              | 495       | 207773           | 335.9            | 625       | 382869           | 3.2              | 755       | 18942            | 0.0              | 885       | 21901            | 0.0              |
| 370       | 14521            | 0.0              | 500       | 267487           | 447.4            | 630       | 344785           | 2.0              | 760       | 18760            | 0.0              | 890       | 20912            | 0.0              |
| 375       | 15598            | 0.0              | 505       | 333279           | 566.6            | 635       | 309549           | 1.2              | 765       | 19375            | 0.0              | 895       | 19858            | 0.0              |
| 380       | 16553            | 0.0              | 510       | 393084           | 666.2            | 640       | 280226           | 0.7              | 770       | 16788            | 0.0              | 900       | 21828            | 0.0              |
| 385       | 15196            | 0.0              | 515       | 446481           | 740.0            | 645       | 249624           | 0.4              | 775       | 17302            | 0.0              | 905       | 17086            | 0.0              |
| 390       | 13481            | 0.1              | 520       | 488198           | 776.0            | 650       | 224464           | 0.3              | 780       | 15672            | 0.0              | 910       | 17542            | 0.0              |
| 395       | 11977            | 0.1              | 525       | 518433           | 775.6            | 655       | 199646           | 0.2              | 785       | 14771            | 0.0              | 915       | 16185            | 0.0              |
| 400       | 11331            | 0.2              | 530       | 543281           | 749.0            | 660       | 175926           | 0.1              | 790       | 13984            | 0.0              | 920       | 17995            | 0.0              |
| 405       | 11814            | 0.4              | 535       | 561190           | 699.3            | 665       | 155139           | 0.1              | 795       | 14040            | 0.0              | 925       | 15557            | 0.0              |
| 410       | 16208            | 1.0              | 540       | 572451           | 632.6            | 670       | 134630           | 0.0              | 800       | 13342            | 0.0              | 930       | 26095            | 0.0              |
| 415       | 26808            | 2.8              | 545       | 585457           | 561.3            | 675       | 117218           | 0.0              | 805       | 14668            | 0.0              | 935       | 19199            | 0.0              |
| 420       | 50871            | 8.4              | 550       | 599090           | 489.9            | 680       | 102027           | 0.0              | 810       | 14789            | 0.0              | 940       | 23080            | 0.0              |
| 425       | 101020           | 24.7             | 555       | 616995           | 421.7            | 685       | 89213            | 0.0              | 815       | 17650            | 0.0              | 945       | 26343            | 0.0              |
| 430       | 192411           | 65.5             | 560       | 629425           | 351.8            | 690       | 78917            | 0.0              | 820       | 14937            | 0.0              | 950       | 29934            | 0.0              |
| 435       | 336902           | 150.6            | 565       | 636833           | 285.7            | 695       | 68780            | 0.0              | 825       | 16011            | 0.0              | 955       | 22346            | 0.0              |
| 440       | 581105           | 324.8            | 570       | 639836           | 225.8            | 700       | 60229            | 0.0              | 830       | 16981            | 0.0              | 960       | 16017            | 0.0              |
| 445       | 974221           | 652.3            | 575       | 636704           | 173.4            | 705       | 53321            | 0.0              | 835       | 15554            | 0.0              | 965       | 18299            | 0.0              |
| 450       | 1195987          | 927.0            | 580       | 633339           | 130.5            | 710       | 47871            | 0.0              | 840       | 16030            | 0.0              | 970       | 16401            | 0.0              |
| 455       | 889289           | 777.1            | 585       | 623206           | 95.2             | 715       | 44671            | 0.0              | 845       | 19004            | 0.0              | 975       | 23481            | 0.0              |
| 460       | 566512           | 547.2            | 590       | 607134           | 67.6             | 720       | 40236            | 0.0              | 850       | 18632            | 0.0              | 980       | 26457            | 0.0              |
| 465       | 410582           | 433.6            | 595       | 578226           | 46.1             | 725       | 35616            | 0.0              | 855       | 21549            | 0.0              | 985       | 32065            | 0.0              |
| 470       | 276356           | 318.2            | 600       | 554348           | 31.2             | 730       | 31102            | 0.0              | 860       | 21257            | 0.0              | 990       | 31414            | 0.0              |
| 475       | 187504           | 234.4            | 605       | 526616           | 20.7             | 735       | 28341            | 0.0              | 865       | 20272            | 0.0              | 995       | 30650            | 0.0              |
| 480       | 156769           | 211.8            | 610       | 490933           | 13.3             | 740       | 25553            | 0.0              | 870       | 20808            | 0.0              | 1000      | 26490            | 0.0              |
| 485       | 151040           | 218.9            | 615       | 453646           | 8.4              | 745       | 23976            | 0.0              | 875       | 22729            | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2104-215-3

### Melanopic Flux vs. Wavelength



**Melanopic Lumens: 29860.2**      **M/P: 0.78**

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 16696            | 0.0              | 490       | 164243           | 136.7            | 620       | 415797           | 0.3              | 750       | 22190            | 0.0              | 880       | 22866            | 0.0              |
| 365       | 13447            | 0.0              | 495       | 207773           | 171.5            | 625       | 382869           | 0.2              | 755       | 18942            | 0.0              | 885       | 21901            | 0.0              |
| 370       | 14521            | 0.0              | 500       | 267487           | 215.0            | 630       | 344785           | 0.1              | 760       | 18760            | 0.0              | 890       | 20912            | 0.0              |
| 375       | 15598            | 0.0              | 505       | 333279           | 255.8            | 635       | 309549           | 0.1              | 765       | 19375            | 0.0              | 895       | 19858            | 0.0              |
| 380       | 16553            | 0.0              | 510       | 393084           | 282.2            | 640       | 280226           | 0.0              | 770       | 16788            | 0.0              | 900       | 21828            | 0.0              |
| 385       | 15196            | 0.0              | 515       | 446481           | 291.7            | 645       | 249624           | 0.0              | 775       | 17302            | 0.0              | 905       | 17086            | 0.0              |
| 390       | 13481            | 0.0              | 520       | 488198           | 284.2            | 650       | 224464           | 0.0              | 780       | 15672            | 0.0              | 910       | 17542            | 0.0              |
| 395       | 11977            | 0.1              | 525       | 518433           | 262.9            | 655       | 199646           | 0.0              | 785       | 14771            | 0.0              | 915       | 16185            | 0.0              |
| 400       | 11331            | 0.1              | 530       | 543281           | 234.8            | 660       | 175926           | 0.0              | 790       | 13984            | 0.0              | 920       | 17995            | 0.0              |
| 405       | 11814            | 0.2              | 535       | 561190           | 202.0            | 665       | 155139           | 0.0              | 795       | 14040            | 0.0              | 925       | 15557            | 0.0              |
| 410       | 16208            | 0.6              | 540       | 572451           | 167.5            | 670       | 134630           | 0.0              | 800       | 13342            | 0.0              | 930       | 26095            | 0.0              |
| 415       | 26808            | 1.8              | 545       | 585457           | 136.0            | 675       | 117218           | 0.0              | 805       | 14668            | 0.0              | 935       | 19199            | 0.0              |
| 420       | 50871            | 5.8              | 550       | 599090           | 107.5            | 680       | 102027           | 0.0              | 810       | 14789            | 0.0              | 940       | 23080            | 0.0              |
| 425       | 101020           | 15.7             | 555       | 616995           | 83.2             | 685       | 89213            | 0.0              | 815       | 17650            | 0.0              | 945       | 26343            | 0.0              |
| 430       | 192411           | 40.6             | 560       | 629425           | 62.1             | 690       | 78917            | 0.0              | 820       | 14937            | 0.0              | 950       | 29934            | 0.0              |
| 435       | 336902           | 89.9             | 565       | 636833           | 44.7             | 695       | 68780            | 0.0              | 825       | 16011            | 0.0              | 955       | 22346            | 0.0              |
| 440       | 581105           | 194.2            | 570       | 639836           | 31.3             | 700       | 60229            | 0.0              | 830       | 16981            | 0.0              | 960       | 16017            | 0.0              |
| 445       | 974221           | 384.3            | 575       | 636704           | 21.2             | 705       | 53321            | 0.0              | 835       | 15554            | 0.0              | 965       | 18299            | 0.0              |
| 450       | 1195987          | 551.1            | 580       | 633339           | 14.2             | 710       | 47871            | 0.0              | 840       | 16030            | 0.0              | 970       | 16401            | 0.0              |
| 455       | 889289           | 465.9            | 585       | 623206           | 9.3              | 715       | 44671            | 0.0              | 845       | 19004            | 0.0              | 975       | 23481            | 0.0              |
| 460       | 566512           | 333.8            | 590       | 607134           | 6.0              | 720       | 40236            | 0.0              | 850       | 18632            | 0.0              | 980       | 26457            | 0.0              |
| 465       | 410582           | 268.3            | 595       | 578226           | 3.7              | 725       | 35616            | 0.0              | 855       | 21549            | 0.0              | 985       | 32065            | 0.0              |
| 470       | 276356           | 197.8            | 600       | 554348           | 2.3              | 730       | 31102            | 0.0              | 860       | 21257            | 0.0              | 990       | 31414            | 0.0              |
| 475       | 187504           | 143.2            | 605       | 526616           | 1.5              | 735       | 28341            | 0.0              | 865       | 20272            | 0.0              | 995       | 30650            | 0.0              |
| 480       | 156769           | 126.0            | 610       | 490933           | 0.9              | 740       | 25553            | 0.0              | 870       | 20808            | 0.0              | 1000      | 26490            | 0.0              |
| 485       | 151040           | 124.5            | 615       | 453646           | 0.5              | 745       | 23976            | 0.0              | 875       | 22729            | 0.0              |           |                  |                  |


REPORT NUMBER: SP1-2104-215-3

TM-30-18





### Summary

$R_f = 75.3$   
 $R_g = 94.2$   
 CIE  $R_a = 74.4$   
 $R_g = -25.2$

### Spectral Power Distribution Comparison



### Color Vector Graphics



Individual Sample Fidelity Index ( $R_{f,i}$ )

|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 85 | CES26 = 64 | CES51 = 91 | CES76 = 51 |
| CES02 = 59 | CES27 = 89 | CES52 = 91 | CES77 = 67 |
| CES03 = 30 | CES28 = 81 | CES53 = 81 | CES78 = 53 |
| CES04 = 69 | CES29 = 69 | CES54 = 86 | CES79 = 80 |
| CES05 = 46 | CES30 = 87 | CES55 = 84 | CES80 = 76 |
| CES06 = 50 | CES31 = 72 | CES56 = 76 | CES81 = 79 |
| CES07 = 38 | CES32 = 63 | CES57 = 76 | CES82 = 90 |
| CES08 = 38 | CES33 = 81 | CES58 = 76 | CES83 = 89 |
| CES09 = 29 | CES34 = 70 | CES59 = 87 | CES84 = 85 |
| CES10 = 72 | CES35 = 83 | CES60 = 89 | CES85 = 78 |
| CES11 = 55 | CES36 = 88 | CES61 = 83 | CES86 = 78 |
| CES12 = 61 | CES37 = 78 | CES62 = 83 | CES87 = 77 |
| CES13 = 41 | CES38 = 97 | CES63 = 76 | CES88 = 82 |
| CES14 = 74 | CES39 = 96 | CES64 = 67 | CES89 = 75 |
| CES15 = 70 | CES40 = 91 | CES65 = 64 | CES90 = 82 |
| CES16 = 46 | CES41 = 96 | CES66 = 60 | CES91 = 72 |
| CES17 = 48 | CES42 = 79 | CES67 = 57 | CES92 = 62 |
| CES18 = 55 | CES43 = 78 | CES68 = 65 | CES93 = 77 |
| CES19 = 71 | CES44 = 99 | CES69 = 73 | CES94 = 57 |
| CES20 = 64 | CES45 = 87 | CES70 = 57 | CES95 = 66 |
| CES21 = 85 | CES46 = 86 | CES71 = 49 | CES96 = 78 |
| CES22 = 77 | CES47 = 89 | CES72 = 83 | CES97 = 87 |
| CES23 = 91 | CES48 = 82 | CES73 = 47 | CES98 = 78 |
| CES24 = 90 | CES49 = 84 | CES74 = 90 | CES99 = 65 |
| CES25 = 71 | CES50 = 91 | CES75 = 51 |            |



Color Rendition by Hue-Angle Bin



**Measure Comparisons**



(END OF REPORT)