

Signify Classified - Internal  
Cooper Lighting Solutions Photometric Lab  
1121 Highway 74 South  
Peachtree City, GA 30269



Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: McGRAW-EDISON

Report Number: P1049157

Luminaire Tested: **GALN-SA6A-830-U-RBC**

Issue Date: 07/10/2025



**Test Information**

Test Method: LM-79-08  
Report Number: P1049157  
Test Lab: INNOVATION CENTER(G3)  
Issue Date: 07/10/2025  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: MCGRAW-EDISON  
Catalog Number: GALN-SA6A-830-U-RBC  
Description: GALLEON II AREA AND ROADWAY LUMINAIRE 615mA 6xLight Square PACKAGE  
80CRI 3000K FIXTURE w/ RIGHT CORNER BACKLIGHT CONTROL  
Light Source: (84) 3000K CCT, 80 CRI LEDS  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**

Lumens per Lamp: N/A  
Luminaire Lumens: 17471.9 lumens  
Efficiency: N/A  
Efficacy: 107.3 lumens/watt  
Luminous Opening: Rectangular (W 1.5' x L: 1' x H: 0')  
IES Classification: Type III - Short  
BUG Rating: B0 - U0 - G3

Input Watts (W): 162.9  
Input Voltage (V): 120  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: 0.97  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 28.75 FT


REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

## Iso-Footcandle Lines of Horizontal Illumination

× Max cd

--- 1/2 Max cd




Based on 20 foot mounting height. Maximum calculated value = 2.6 fc

Type III - Short - N/A

REPORT NUMBER: P1049157  
CATALOG NUMBER: GALN-SA6A-830-U-RBC

## Luminous Intensity Polar Plot



REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total   |
|--------------------|-----------|----------|--------|---------|
| <b>House Side</b>  | Lumens    | 87.5     | 0.0    | 87.5    |
|                    | % Fixture | 0.5      | 0.0    | 0.5     |
| <b>Street Side</b> | Lumens    | 17384.4  | 0.0    | 17384.4 |
|                    | % Fixture | 99.5     | 0.0    | 99.5    |
| <b>Total</b>       | Lumens    | 17471.9  | 0.0    | 17471.9 |
|                    | % Fixture | 100.0    | 0.0    | 100.0   |

**ZONAL LUMENS:**

| Zone      | Lumens  | % Fixture |
|-----------|---------|-----------|
| 0°-10°    | 6.8     | 0.0       |
| 10°-20°   | 38.4    | 0.2       |
| 20°-30°   | 414.1   | 2.4       |
| 30°-40°   | 1224.4  | 7.0       |
| 40°-50°   | 3649.2  | 20.9      |
| 50°-60°   | 5786.3  | 33.1      |
| 60°-70°   | 4830.1  | 27.6      |
| 70°-80°   | 1489.4  | 8.5       |
| 80°-90°   | 33.1    | 0.2       |
| 90°-100°  | 0.0     | 0.0       |
| 100°-110° | 0.0     | 0.0       |
| 110°-120° | 0.0     | 0.0       |
| 120°-130° | 0.0     | 0.0       |
| 130°-140° | 0.0     | 0.0       |
| 140°-150° | 0.0     | 0.0       |
| 150°-160° | 0.0     | 0.0       |
| 160°-170° | 0.0     | 0.0       |
| 170°-180° | 0.0     | 0.0       |
| 0°-90°    | 17471.9 | 100.0     |
| 0°-180°   | 17471.9 | 100.0     |

**Coefficient of Utilization**



REPORT NUMBER: P1049157


CATALOG NUMBER: GALN-SA6A-830-U-RBC

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens  | % Fixture | Zone Rating/Lumen Limit |      |         |
|------|-------------|---------|-----------|-------------------------|------|---------|
|      |             |         |           | B                       | U    | G       |
| FL   | (0°-30°)    | 443.2   | 2.5       |                         |      |         |
| FM   | (30°-60°)   | 10628.6 | 60.8      |                         |      |         |
| FH   | (60°-80°)   | 6286.9  | 36.0      |                         |      | G3/7500 |
| FVH  | (80°-90°)   | 25.6    | 0.1       |                         |      | G1/100  |
| BL   | (0°-30°)    | 16.1    | 0.1       | B0/110                  |      |         |
| BM   | (30°-60°)   | 31.3    | 0.2       | B0/220                  |      |         |
| BH   | (60°-80°)   | 32.6    | 0.2       | B0/110                  |      | G0/110  |
| BVH  | (80°-90°)   | 7.5     | 0.0       |                         |      | G0/10   |
| UL   | (90°-100°)  | 0.0     | 0.0       |                         | U0/0 |         |
| UH   | (100°-180°) | 0.0     | 0.0       |                         | U0/0 |         |

**BUG Rating: B0-U0-G3**

Type III Short



REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (FULL):**

|        | 0°     | 2.5°   | 5°    | 7.5°  | 10°   | 12.5° | 15°   | 17.5° | 20°   | 22.5° |
|--------|--------|--------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0°     | 76.6   | 76.6   | 76.6  | 76.6  | 76.6  | 76.6  | 76.6  | 76.6  | 76.6  | 76.6  |
| 2.5°   | 70.0   | 70.0   | 70.0  | 70.0  | 68.7  | 68.7  | 67.3  | 67.3  | 66.0  | 66.0  |
| 5°     | 73.9   | 73.9   | 72.6  | 71.3  | 71.3  | 70.0  | 68.7  | 67.3  | 67.3  | 66.0  |
| 7.5°   | 80.5   | 79.2   | 77.9  | 76.6  | 73.9  | 72.6  | 70.0  | 68.7  | 67.3  | 64.7  |
| 10°    | 88.5   | 85.8   | 83.2  | 80.5  | 77.9  | 75.3  | 72.6  | 71.3  | 68.7  | 67.3  |
| 12.5°  | 99.0   | 95.1   | 89.8  | 85.8  | 83.2  | 79.2  | 76.6  | 73.9  | 70.0  | 67.3  |
| 15°    | 108.3  | 103.0  | 96.4  | 91.1  | 87.1  | 81.9  | 77.9  | 73.9  | 71.3  | 67.3  |
| 17.5°  | 121.5  | 112.2  | 101.7 | 95.1  | 89.8  | 83.2  | 76.6  | 72.6  | 68.7  | 63.4  |
| 20°    | 143.9  | 125.4  | 105.6 | 97.7  | 89.8  | 81.9  | 73.9  | 68.7  | 64.7  | 59.4  |
| 22.5°  | 179.6  | 147.9  | 116.2 | 104.3 | 93.7  | 81.9  | 71.3  | 66.0  | 60.7  | 55.5  |
| 25°    | 248.2  | 191.4  | 134.7 | 118.8 | 103.0 | 87.1  | 71.3  | 64.7  | 59.4  | 52.8  |
| 27.5°  | 330.1  | 245.6  | 159.8 | 137.3 | 116.2 | 93.7  | 71.3  | 63.4  | 56.8  | 48.9  |
| 30°    | 413.3  | 301.0  | 187.5 | 158.4 | 129.4 | 100.3 | 71.3  | 62.1  | 54.1  | 44.9  |
| 32.5°  | 492.5  | 352.5  | 211.3 | 176.9 | 142.6 | 106.9 | 72.6  | 62.1  | 51.5  | 40.9  |
| 35°    | 573.0  | 394.8  | 215.2 | 179.6 | 143.9 | 106.9 | 71.3  | 59.4  | 48.9  | 37.0  |
| 37.5°  | 676.0  | 442.3  | 207.3 | 171.6 | 137.3 | 101.7 | 67.3  | 56.8  | 46.2  | 34.3  |
| 40°    | 831.8  | 521.5  | 211.3 | 174.3 | 137.3 | 100.3 | 63.4  | 52.8  | 43.6  | 33.0  |
| 42.5°  | 1119.6 | 674.7  | 228.4 | 186.2 | 143.9 | 100.3 | 58.1  | 48.9  | 40.9  | 31.7  |
| 45°    | 1935.6 | 1121.0 | 306.3 | 242.9 | 179.6 | 116.2 | 52.8  | 44.9  | 38.3  | 30.4  |
| 47.5°  | 3201.8 | 1876.2 | 550.6 | 425.1 | 301.0 | 175.6 | 51.5  | 44.9  | 38.3  | 30.4  |
| 50°    | 4086.4 | 2389.8 | 693.2 | 533.4 | 373.7 | 213.9 | 54.1  | 46.2  | 39.6  | 31.7  |
| 52.5°  | 4079.8 | 2426.8 | 772.4 | 592.8 | 414.6 | 235.0 | 56.8  | 48.9  | 42.3  | 34.3  |
| 55°    | 3627.0 | 2207.6 | 786.9 | 604.7 | 423.8 | 241.6 | 60.7  | 52.8  | 44.9  | 37.0  |
| 57.5°  | 3031.5 | 1874.9 | 718.3 | 555.9 | 394.8 | 232.4 | 70.0  | 60.7  | 52.8  | 43.6  |
| 60°    | 2397.7 | 1478.8 | 559.8 | 442.3 | 326.1 | 208.6 | 92.4  | 80.5  | 70.0  | 58.1  |
| 62.5°  | 1655.7 | 1072.1 | 488.5 | 392.1 | 297.1 | 200.7 | 105.6 | 93.7  | 83.2  | 71.3  |
| 65°    | 1171.1 | 806.7  | 441.0 | 359.1 | 278.6 | 196.7 | 114.9 | 101.7 | 89.8  | 76.6  |
| 67.5°  | 875.4  | 641.7  | 406.7 | 336.7 | 266.7 | 196.7 | 126.8 | 110.9 | 96.4  | 80.5  |
| 70°    | 670.7  | 526.8  | 381.6 | 324.8 | 269.3 | 212.6 | 155.8 | 133.4 | 112.2 | 89.8  |
| 72.5°  | 546.6  | 450.2  | 352.5 | 311.6 | 270.7 | 229.7 | 188.8 | 159.8 | 130.7 | 100.3 |
| 75°    | 452.9  | 385.5  | 318.2 | 283.9 | 250.9 | 216.5 | 182.2 | 155.8 | 130.7 | 104.3 |
| 77.5°  | 301.0  | 274.6  | 246.9 | 227.1 | 207.3 | 186.2 | 166.4 | 143.9 | 122.8 | 100.3 |
| 80°    | 105.6  | 101.7  | 97.7  | 105.6 | 113.5 | 121.5 | 129.4 | 113.5 | 99.0  | 83.2  |
| 82.5°  | 15.8   | 14.5   | 13.2  | 14.5  | 15.8  | 17.2  | 18.5  | 19.8  | 21.1  | 22.4  |
| 85°    | 0.0    | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 87.5°  | 0.0    | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 90°    | 0.0    | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 92.5°  | 0.0    | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 95°    | 0.0    | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 97.5°  | 0.0    | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 100°   | 0.0    | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 102.5° | 0.0    | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 105°   | 0.0    | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 107.5° | 0.0    | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 110°   | 0.0    | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]

REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 25° |        | 27.5° | 30°  | 32.5° | 35°  | 37.5° | 40°  | 42.5° | 45°  | 47.5° | 50°  |
|-----|--------|-------|------|-------|------|-------|------|-------|------|-------|------|
| 0.0 | 0°     | 76.6  | 76.6 | 76.6  | 76.6 | 76.6  | 76.6 | 76.6  | 76.6 | 76.6  | 76.6 |
| 0.0 | 2.5°   | 64.7  | 64.7 | 63.4  | 63.4 | 63.4  | 62.1 | 62.1  | 60.7 | 60.7  | 60.7 |
| 0.0 | 5°     | 63.4  | 63.4 | 62.1  | 60.7 | 59.4  | 59.4 | 58.1  | 56.8 | 56.8  | 55.5 |
| 0.0 | 7.5°   | 62.1  | 60.7 | 59.4  | 58.1 | 56.8  | 55.5 | 54.1  | 52.8 | 52.8  | 51.5 |
| 0.0 | 10°    | 63.4  | 60.7 | 59.4  | 56.8 | 55.5  | 54.1 | 51.5  | 50.2 | 48.9  | 48.9 |
| 0.0 | 12.5°  | 60.7  | 59.4 | 56.8  | 54.1 | 52.8  | 50.2 | 48.9  | 46.2 | 44.9  | 44.9 |
| 0.0 | 15°    | 60.7  | 58.1 | 54.1  | 51.5 | 48.9  | 47.5 | 44.9  | 42.3 | 40.9  | 39.6 |
| 0.0 | 17.5°  | 56.8  | 54.1 | 50.2  | 47.5 | 44.9  | 42.3 | 39.6  | 37.0 | 35.6  | 34.3 |
| 0.0 | 20°    | 51.5  | 48.9 | 44.9  | 40.9 | 38.3  | 35.6 | 33.0  | 30.4 | 29.0  | 27.7 |
| 0.0 | 22.5°  | 46.2  | 43.6 | 39.6  | 35.6 | 33.0  | 30.4 | 26.4  | 23.8 | 22.4  | 19.8 |
| 0.0 | 25°    | 43.6  | 39.6 | 35.6  | 31.7 | 27.7  | 25.1 | 21.1  | 17.2 | 14.5  | 11.9 |
| 0.0 | 27.5°  | 37.0  | 33.0 | 29.0  | 25.1 | 21.1  | 17.2 | 13.2  | 9.2  | 6.6   | 5.3  |
| 0.0 | 30°    | 31.7  | 27.7 | 23.8  | 19.8 | 14.5  | 10.6 | 6.6   | 1.3  | 1.3   | 1.3  |
| 0.0 | 32.5°  | 26.4  | 22.4 | 17.2  | 13.2 | 10.6  | 6.6  | 4.0   | 0.0  | 0.0   | 0.0  |
| 0.0 | 35°    | 21.1  | 17.2 | 11.9  | 7.9  | 6.6   | 4.0  | 2.6   | 0.0  | 0.0   | 0.0  |
| 0.0 | 37.5°  | 18.5  | 14.5 | 9.2   | 4.0  | 2.6   | 2.6  | 1.3   | 0.0  | 0.0   | 0.0  |
| 0.0 | 40°    | 17.2  | 11.9 | 6.6   | 1.3  | 1.3   | 1.3  | 0.0   | 0.0  | 0.0   | 0.0  |
| 0.0 | 42.5°  | 17.2  | 11.9 | 5.3   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
| 0.0 | 45°    | 17.2  | 11.9 | 5.3   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
| 0.0 | 47.5°  | 17.2  | 11.9 | 5.3   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
| 0.0 | 50°    | 18.5  | 13.2 | 6.6   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
| 0.0 | 52.5°  | 21.1  | 15.8 | 10.6  | 5.3  | 4.0   | 2.6  | 1.3   | 0.0  | 0.0   | 0.0  |
| 0.0 | 55°    | 26.4  | 23.8 | 19.8  | 17.2 | 13.2  | 9.2  | 4.0   | 0.0  | 0.0   | 0.0  |
| 0.0 | 57.5°  | 34.3  | 34.3 | 33.0  | 31.7 | 23.8  | 15.8 | 7.9   | 0.0  | 0.0   | 0.0  |
| 0.0 | 60°    | 46.2  | 46.2 | 46.2  | 46.2 | 34.3  | 23.8 | 11.9  | 0.0  | 0.0   | 0.0  |
| 0.0 | 62.5°  | 56.8  | 54.1 | 50.2  | 47.5 | 35.6  | 23.8 | 11.9  | 0.0  | 0.0   | 0.0  |
| 0.0 | 65°    | 56.8  | 51.5 | 44.9  | 38.3 | 29.0  | 19.8 | 9.2   | 0.0  | 0.0   | 0.0  |
| 0.0 | 67.5°  | 52.8  | 42.3 | 30.4  | 19.8 | 14.5  | 10.6 | 5.3   | 0.0  | 0.0   | 0.0  |
|     | 70°    | 52.8  | 37.0 | 21.1  | 5.3  | 4.0   | 2.6  | 1.3   | 0.0  | 0.0   | 0.0  |
|     | 72.5°  | 52.8  | 35.6 | 17.2  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 75°    | 58.1  | 39.6 | 19.8  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 77.5°  | 58.1  | 39.6 | 19.8  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 80°    | 51.5  | 34.3 | 17.2  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 82.5°  | 17.2  | 11.9 | 5.3   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 85°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 87.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 90°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 92.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 95°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 97.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 100°   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 102.5° | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 105°   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 107.5° | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 110°   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |



REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]

REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 52.5° |        | 55°  | 57.5° | 60°  | 62.5° | 65°  | 67.5° | 70°  | 72.5° | 75°  | 77.5° |
|-------|--------|------|-------|------|-------|------|-------|------|-------|------|-------|
| 0.0   | 0°     | 76.6 | 76.6  | 76.6 | 76.6  | 76.6 | 76.6  | 76.6 | 76.6  | 76.6 | 76.6  |
| 0.0   | 2.5°   | 59.4 | 59.4  | 59.4 | 58.1  | 58.1 | 58.1  | 58.1 | 56.8  | 56.8 | 56.8  |
| 0.0   | 5°     | 54.1 | 54.1  | 52.8 | 52.8  | 51.5 | 51.5  | 50.2 | 50.2  | 48.9 | 48.9  |
| 0.0   | 7.5°   | 50.2 | 48.9  | 48.9 | 47.5  | 46.2 | 46.2  | 44.9 | 44.9  | 43.6 | 42.3  |
| 0.0   | 10°    | 46.2 | 44.9  | 44.9 | 43.6  | 42.3 | 40.9  | 40.9 | 39.6  | 38.3 | 37.0  |
| 0.0   | 12.5°  | 42.3 | 40.9  | 39.6 | 38.3  | 37.0 | 35.6  | 35.6 | 34.3  | 33.0 | 31.7  |
| 0.0   | 15°    | 37.0 | 35.6  | 34.3 | 33.0  | 31.7 | 30.4  | 30.4 | 29.0  | 27.7 | 26.4  |
| 0.0   | 17.5°  | 31.7 | 30.4  | 30.4 | 29.0  | 27.7 | 26.4  | 25.1 | 22.4  | 21.1 | 19.8  |
| 0.0   | 20°    | 23.8 | 22.4  | 21.1 | 19.8  | 18.5 | 15.8  | 14.5 | 11.9  | 9.2  | 7.9   |
| 0.0   | 22.5°  | 15.8 | 13.2  | 11.9 | 9.2   | 6.6  | 5.3   | 4.0  | 1.3   | 0.0  | 0.0   |
| 0.0   | 25°    | 5.3  | 4.0   | 2.6  | 1.3   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 27.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 30°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 32.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 35°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 37.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 40°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 42.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 45°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 47.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 50°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 52.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 55°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 57.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 60°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 62.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 65°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 67.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 70°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 72.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 75°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 77.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 80°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 82.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 85°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 87.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 90°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 92.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 95°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 97.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 100°   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 102.5° | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 105°   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 107.5° | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 110°   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |



REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]

REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 80° |        | 82.5° | 85°  | 87.5° | 90°  | 92.5° | 95°  | 97.5° | 100° | 102.5° | 105° |
|-----|--------|-------|------|-------|------|-------|------|-------|------|--------|------|
| 0.0 | 0°     | 76.6  | 76.6 | 76.6  | 76.6 | 76.6  | 76.6 | 76.6  | 76.6 | 76.6   | 76.6 |
| 0.0 | 2.5°   | 55.5  | 55.5 | 55.5  | 54.1 | 54.1  | 54.1 | 54.1  | 54.1 | 54.1   | 54.1 |
| 0.0 | 5°     | 47.5  | 47.5 | 47.5  | 46.2 | 46.2  | 44.9 | 44.9  | 44.9 | 43.6   | 43.6 |
| 0.0 | 7.5°   | 40.9  | 39.6 | 39.6  | 38.3 | 38.3  | 37.0 | 37.0  | 37.0 | 35.6   | 35.6 |
| 0.0 | 10°    | 34.3  | 33.0 | 33.0  | 31.7 | 31.7  | 30.4 | 30.4  | 29.0 | 29.0   | 27.7 |
| 0.0 | 12.5°  | 30.4  | 29.0 | 27.7  | 26.4 | 26.4  | 25.1 | 23.8  | 23.8 | 22.4   | 21.1 |
| 0.0 | 15°    | 23.8  | 22.4 | 21.1  | 19.8 | 18.5  | 17.2 | 15.8  | 15.8 | 14.5   | 13.2 |
| 0.0 | 17.5°  | 15.8  | 13.2 | 11.9  | 10.6 | 10.6  | 9.2  | 7.9   | 6.6  | 5.3    | 4.0  |
| 0.0 | 20°    | 4.0   | 2.6  | 1.3   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 22.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 25°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 27.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 30°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 32.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 35°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 37.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 40°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 42.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 45°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 47.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 50°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 52.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 55°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 57.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 60°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 62.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 65°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 67.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
|     | 70°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
|     | 72.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
|     | 75°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
|     | 77.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
|     | 80°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
|     | 82.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
|     | 85°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
|     | 87.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
|     | 90°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
|     | 92.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
|     | 95°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
|     | 97.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
|     | 100°   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
|     | 102.5° | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
|     | 105°   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
|     | 107.5° | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
|     | 110°   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |



REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]

REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 107.5° |        | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 0.0    | 0°     | 76.6 | 76.6   | 76.6 | 76.6   | 76.6 | 76.6   | 76.6 | 76.6   | 76.6 | 76.6   |
| 0.0    | 2.5°   | 54.1 | 52.8   | 52.8 | 52.8   | 54.1 | 54.1   | 54.1 | 54.1   | 54.1 | 54.1   |
| 0.0    | 5°     | 43.6 | 42.3   | 42.3 | 42.3   | 42.3 | 42.3   | 42.3 | 42.3   | 42.3 | 42.3   |
| 0.0    | 7.5°   | 35.6 | 34.3   | 34.3 | 34.3   | 34.3 | 33.0   | 33.0 | 33.0   | 33.0 | 33.0   |
| 0.0    | 10°    | 27.7 | 26.4   | 26.4 | 26.4   | 26.4 | 25.1   | 25.1 | 25.1   | 25.1 | 25.1   |
| 0.0    | 12.5°  | 19.8 | 19.8   | 18.5 | 18.5   | 18.5 | 17.2   | 17.2 | 17.2   | 17.2 | 15.8   |
| 0.0    | 15°    | 11.9 | 10.6   | 9.2  | 9.2    | 9.2  | 7.9    | 7.9  | 7.9    | 7.9  | 6.6    |
| 0.0    | 17.5°  | 2.6  | 2.6    | 1.3  | 1.3    | 1.3  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 20°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 22.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 25°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 27.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 30°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 32.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 35°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 37.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 40°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 42.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 45°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 47.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 50°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 52.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 55°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 57.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 60°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 62.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 65°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 67.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 70°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 72.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 75°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 77.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 80°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 82.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 85°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 87.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 90°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 92.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 95°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 97.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 100°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 102.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 105°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 107.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 110°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |



REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]

REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 135° |        | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° |
|------|--------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 0.0  | 0°     | 76.6   | 76.6 | 76.6   | 76.6 | 76.6   | 76.6 | 76.6   | 76.6 | 76.6   | 76.6 |
| 0.0  | 2.5°   | 55.5   | 55.5 | 56.8   | 56.8 | 58.1   | 60.7 | 62.1   | 63.4 | 66.0   | 68.7 |
| 0.0  | 5°     | 43.6   | 44.9 | 44.9   | 46.2 | 47.5   | 48.9 | 50.2   | 51.5 | 54.1   | 56.8 |
| 0.0  | 7.5°   | 34.3   | 34.3 | 35.6   | 35.6 | 37.0   | 39.6 | 40.9   | 42.3 | 44.9   | 48.9 |
| 0.0  | 10°    | 26.4   | 26.4 | 27.7   | 27.7 | 29.0   | 31.7 | 33.0   | 34.3 | 37.0   | 40.9 |
| 0.0  | 12.5°  | 17.2   | 18.5 | 18.5   | 19.8 | 21.1   | 23.8 | 25.1   | 26.4 | 29.0   | 31.7 |
| 0.0  | 15°    | 7.9    | 9.2  | 9.2    | 10.6 | 11.9   | 14.5 | 15.8   | 17.2 | 19.8   | 23.8 |
| 0.0  | 17.5°  | 1.3    | 1.3  | 2.6    | 2.6  | 4.0    | 5.3  | 6.6    | 7.9  | 11.9   | 14.5 |
| 0.0  | 20°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 2.6    | 5.3  |
| 0.0  | 22.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 1.3  |
| 0.0  | 25°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 27.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 30°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 32.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 35°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 37.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 40°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 42.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 45°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 47.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 50°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 52.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 55°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 57.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 60°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 62.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 65°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 67.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 70°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 72.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 75°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 77.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 80°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 82.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 85°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 87.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 90°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 92.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 95°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 97.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 100°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 102.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 105°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 107.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 110°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]

REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 162.5° |        | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 0.0    | 0°     | 76.6 | 76.6   | 76.6 | 76.6   | 76.6 | 76.6   | 76.6 | 76.6   | 76.6 | 76.6   |
| 0.0    | 2.5°   | 72.6 | 75.3   | 77.9 | 80.5   | 83.2 | 85.8   | 87.1 | 89.8   | 91.1 | 92.4   |
| 0.0    | 5°     | 62.1 | 64.7   | 68.7 | 71.3   | 73.9 | 76.6   | 79.2 | 80.5   | 81.9 | 83.2   |
| 0.0    | 7.5°   | 54.1 | 56.8   | 60.7 | 63.4   | 66.0 | 68.7   | 71.3 | 73.9   | 75.3 | 76.6   |
| 0.0    | 10°    | 46.2 | 50.2   | 52.8 | 56.8   | 59.4 | 62.1   | 64.7 | 67.3   | 70.0 | 71.3   |
| 0.0    | 12.5°  | 37.0 | 40.9   | 44.9 | 47.5   | 51.5 | 55.5   | 58.1 | 60.7   | 63.4 | 66.0   |
| 0.0    | 15°    | 29.0 | 33.0   | 37.0 | 39.6   | 43.6 | 47.5   | 51.5 | 54.1   | 56.8 | 59.4   |
| 0.0    | 17.5°  | 21.1 | 25.1   | 29.0 | 31.7   | 35.6 | 39.6   | 42.3 | 46.2   | 48.9 | 51.5   |
| 0.0    | 20°    | 10.6 | 14.5   | 18.5 | 22.4   | 26.4 | 30.4   | 33.0 | 37.0   | 39.6 | 42.3   |
| 0.0    | 22.5°  | 1.3  | 5.3    | 9.2  | 11.9   | 15.8 | 19.8   | 22.4 | 26.4   | 29.0 | 31.7   |
| 0.0    | 25°    | 0.0  | 1.3    | 4.0  | 5.3    | 6.6  | 9.2    | 11.9 | 14.5   | 17.2 | 19.8   |
| 0.0    | 27.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 1.3    | 2.6  | 5.3    | 7.9  | 10.6   |
| 0.0    | 30°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 2.6    |
| 0.0    | 32.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 35°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 37.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 40°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 42.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 45°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 47.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 50°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 52.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 55°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 57.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 60°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 62.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 65°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 67.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 70°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 72.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 75°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 77.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 80°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 1.3    |
|        | 82.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 1.3    | 1.3  | 2.6    |
|        | 85°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 2.6    | 4.0  | 6.6    | 7.9  | 9.2    |
|        | 87.5°  | 0.0  | 1.3    | 2.6  | 4.0    | 5.3  | 7.9    | 10.6 | 13.2   | 14.5 | 15.8   |
|        | 90°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 92.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 95°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 97.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 100°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 102.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 105°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 107.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 110°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |



REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 190° |        | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° |
|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 76.6 | 112.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 92.4 | 115°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 84.5 | 117.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 77.9 | 120°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 73.9 | 122.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 67.3 | 125°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 62.1 | 127.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 55.5 | 130°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 44.9 | 132.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 34.3 | 135°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 23.8 | 137.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 13.2 | 140°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 4.0  | 142.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 145°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 147.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 150°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 152.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 155°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 157.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 160°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 162.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 165°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 167.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 170°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 172.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 175°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 177.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 180°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 1.3  |        |      |        |      |        |      |        |      |        |      |        |
| 5.3  |        |      |        |      |        |      |        |      |        |      |        |
| 11.9 |        |      |        |      |        |      |        |      |        |      |        |
| 17.2 |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |

REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 190° |        | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° |
|------|--------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 0.0  | 0°     | 76.6   | 76.6 | 76.6   | 76.6 | 76.6   | 76.6 | 76.6   | 76.6 | 76.6   | 76.6 |
| 0.0  | 2.5°   | 93.7   | 93.7 | 93.7   | 93.7 | 92.4   | 92.4 | 92.4   | 91.1 | 91.1   | 89.8 |
| 0.0  | 5°     | 85.8   | 87.1 | 87.1   | 87.1 | 87.1   | 87.1 | 87.1   | 87.1 | 85.8   | 85.8 |
| 0.0  | 7.5°   | 79.2   | 80.5 | 81.9   | 81.9 | 83.2   | 83.2 | 83.2   | 81.9 | 81.9   | 80.5 |
| 0.0  | 10°    | 75.3   | 76.6 | 76.6   | 77.9 | 77.9   | 77.9 | 77.9   | 77.9 | 77.9   | 77.9 |
| 0.0  | 12.5°  | 70.0   | 71.3 | 72.6   | 72.6 | 73.9   | 73.9 | 73.9   | 73.9 | 72.6   | 72.6 |
| 0.0  | 15°    | 63.4   | 66.0 | 67.3   | 68.7 | 68.7   | 70.0 | 70.0   | 70.0 | 70.0   | 70.0 |
| 0.0  | 17.5°  | 58.1   | 60.7 | 62.1   | 63.4 | 63.4   | 64.7 | 64.7   | 66.0 | 66.0   | 66.0 |
| 0.0  | 20°    | 47.5   | 50.2 | 51.5   | 54.1 | 55.5   | 56.8 | 58.1   | 59.4 | 59.4   | 60.7 |
| 0.0  | 22.5°  | 37.0   | 39.6 | 40.9   | 43.6 | 44.9   | 46.2 | 47.5   | 48.9 | 50.2   | 51.5 |
| 0.0  | 25°    | 26.4   | 29.0 | 30.4   | 33.0 | 34.3   | 35.6 | 37.0   | 38.3 | 38.3   | 39.6 |
| 0.0  | 27.5°  | 14.5   | 17.2 | 19.8   | 21.1 | 23.8   | 25.1 | 26.4   | 27.7 | 29.0   | 30.4 |
| 0.0  | 30°    | 6.6    | 7.9  | 9.2    | 11.9 | 13.2   | 14.5 | 15.8   | 18.5 | 19.8   | 21.1 |
| 0.0  | 32.5°  | 0.0    | 0.0  | 1.3    | 4.0  | 5.3    | 6.6  | 7.9    | 9.2  | 9.2    | 10.6 |
| 0.0  | 35°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 1.3    | 2.6  | 4.0    | 5.3  |
| 0.0  | 37.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 40°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 42.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 45°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 47.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 50°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 52.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 55°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 57.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 60°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 62.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 65°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 67.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 70°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 72.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 75°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 77.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 80°    | 2.6    | 2.6  | 2.6    | 4.0  | 4.0    | 4.0  | 4.0    | 4.0  | 4.0    | 4.0  |
|      | 82.5°  | 6.6    | 7.9  | 9.2    | 9.2  | 10.6   | 10.6 | 10.6   | 10.6 | 9.2    | 9.2  |
|      | 85°    | 13.2   | 14.5 | 15.8   | 15.8 | 17.2   | 17.2 | 17.2   | 17.2 | 17.2   | 17.2 |
|      | 87.5°  | 18.5   | 19.8 | 21.1   | 21.1 | 22.4   | 22.4 | 22.4   | 22.4 | 22.4   | 22.4 |
|      | 90°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 92.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 95°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 97.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 100°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 102.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 105°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 107.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 110°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |

REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 217.5° |        | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° |
|--------|--------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 76.6   | 112.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 89.8   | 115°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 85.8   | 117.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 80.5   | 120°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 77.9   | 122.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 72.6   | 125°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 70.0   | 127.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 66.0   | 130°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 59.4   | 132.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 51.5   | 135°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 40.9   | 137.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 31.7   | 140°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 22.4   | 142.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 13.2   | 145°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 7.9    | 147.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 2.6    | 150°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 2.6    | 152.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 1.3    | 155°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 1.3    | 157.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 1.3    | 160°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 1.3    | 162.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 1.3    | 165°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0    | 167.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0    | 170°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0    | 172.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0    | 175°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0    | 177.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0    | 180°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 4.0    |        |        |      |        |      |        |      |        |      |        |      |
| 9.2    |        |        |      |        |      |        |      |        |      |        |      |
| 17.2   |        |        |      |        |      |        |      |        |      |        |      |
| 22.4   |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |

REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 217.5° |        | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 0.0    | 0°     | 76.6 | 76.6   | 76.6 | 76.6   | 76.6 | 76.6   | 76.6 | 76.6   | 76.6 | 76.6   |
| 0.0    | 2.5°   | 88.5 | 88.5   | 87.1 | 87.1   | 87.1 | 87.1   | 87.1 | 88.5   | 89.8 | 89.8   |
| 0.0    | 5°     | 84.5 | 84.5   | 83.2 | 83.2   | 83.2 | 84.5   | 84.5 | 85.8   | 87.1 | 88.5   |
| 0.0    | 7.5°   | 80.5 | 79.2   | 79.2 | 80.5   | 80.5 | 81.9   | 81.9 | 83.2   | 84.5 | 85.8   |
| 0.0    | 10°    | 77.9 | 76.6   | 76.6 | 76.6   | 77.9 | 77.9   | 79.2 | 80.5   | 81.9 | 83.2   |
| 0.0    | 12.5°  | 72.6 | 72.6   | 72.6 | 72.6   | 73.9 | 73.9   | 75.3 | 76.6   | 79.2 | 80.5   |
| 0.0    | 15°    | 70.0 | 68.7   | 68.7 | 68.7   | 68.7 | 70.0   | 70.0 | 72.6   | 75.3 | 76.6   |
| 0.0    | 17.5°  | 64.7 | 64.7   | 63.4 | 63.4   | 64.7 | 64.7   | 66.0 | 68.7   | 71.3 | 72.6   |
| 0.0    | 20°    | 59.4 | 58.1   | 56.8 | 56.8   | 58.1 | 58.1   | 59.4 | 62.1   | 64.7 | 66.0   |
| 0.0    | 22.5°  | 51.5 | 50.2   | 50.2 | 50.2   | 50.2 | 51.5   | 51.5 | 54.1   | 58.1 | 60.7   |
| 0.0    | 25°    | 40.9 | 42.3   | 42.3 | 43.6   | 43.6 | 44.9   | 46.2 | 48.9   | 52.8 | 55.5   |
| 0.0    | 27.5°  | 31.7 | 33.0   | 33.0 | 35.6   | 37.0 | 38.3   | 39.6 | 43.6   | 47.5 | 50.2   |
| 0.0    | 30°    | 23.8 | 25.1   | 26.4 | 27.7   | 30.4 | 33.0   | 35.6 | 39.6   | 43.6 | 46.2   |
| 0.0    | 32.5°  | 14.5 | 17.2   | 18.5 | 21.1   | 23.8 | 26.4   | 29.0 | 33.0   | 38.3 | 42.3   |
| 0.0    | 35°    | 10.6 | 11.9   | 14.5 | 15.8   | 18.5 | 21.1   | 23.8 | 29.0   | 33.0 | 38.3   |
| 0.0    | 37.5°  | 5.3  | 7.9    | 10.6 | 13.2   | 15.8 | 18.5   | 21.1 | 26.4   | 31.7 | 35.6   |
| 0.0    | 40°    | 4.0  | 6.6    | 7.9  | 10.6   | 14.5 | 17.2   | 19.8 | 25.1   | 30.4 | 35.6   |
| 0.0    | 42.5°  | 2.6  | 4.0    | 5.3  | 9.2    | 11.9 | 15.8   | 19.8 | 25.1   | 30.4 | 35.6   |
| 0.0    | 45°    | 2.6  | 2.6    | 4.0  | 7.9    | 11.9 | 17.2   | 21.1 | 26.4   | 30.4 | 35.6   |
| 0.0    | 47.5°  | 2.6  | 4.0    | 5.3  | 10.6   | 13.2 | 17.2   | 21.1 | 25.1   | 30.4 | 34.3   |
| 0.0    | 50°    | 4.0  | 5.3    | 6.6  | 11.9   | 14.5 | 18.5   | 21.1 | 26.4   | 30.4 | 35.6   |
| 0.0    | 52.5°  | 2.6  | 4.0    | 5.3  | 10.6   | 14.5 | 19.8   | 23.8 | 29.0   | 34.3 | 38.3   |
| 0.0    | 55°    | 1.3  | 1.3    | 1.3  | 7.9    | 15.8 | 22.4   | 30.4 | 34.3   | 39.6 | 43.6   |
| 0.0    | 57.5°  | 0.0  | 0.0    | 0.0  | 5.3    | 15.8 | 25.1   | 34.3 | 39.6   | 44.9 | 48.9   |
| 0.0    | 60°    | 0.0  | 0.0    | 0.0  | 5.3    | 15.8 | 25.1   | 34.3 | 40.9   | 47.5 | 54.1   |
| 0.0    | 62.5°  | 0.0  | 0.0    | 0.0  | 5.3    | 13.2 | 21.1   | 29.0 | 39.6   | 51.5 | 62.1   |
| 0.0    | 65°    | 0.0  | 0.0    | 0.0  | 4.0    | 10.6 | 17.2   | 23.8 | 39.6   | 55.5 | 70.0   |
| 0.0    | 67.5°  | 0.0  | 0.0    | 0.0  | 4.0    | 10.6 | 15.8   | 22.4 | 39.6   | 55.5 | 72.6   |
|        | 70°    | 0.0  | 0.0    | 0.0  | 4.0    | 10.6 | 17.2   | 23.8 | 39.6   | 55.5 | 71.3   |
|        | 72.5°  | 0.0  | 0.0    | 0.0  | 4.0    | 11.9 | 18.5   | 26.4 | 39.6   | 52.8 | 66.0   |
|        | 75°    | 0.0  | 0.0    | 0.0  | 5.3    | 11.9 | 19.8   | 27.7 | 39.6   | 51.5 | 62.1   |
|        | 77.5°  | 0.0  | 0.0    | 0.0  | 4.0    | 11.9 | 18.5   | 26.4 | 38.3   | 50.2 | 60.7   |
|        | 80°    | 4.0  | 2.6    | 2.6  | 6.6    | 11.9 | 17.2   | 22.4 | 34.3   | 47.5 | 59.4   |
|        | 82.5°  | 7.9  | 7.9    | 6.6  | 9.2    | 11.9 | 15.8   | 19.8 | 30.4   | 42.3 | 52.8   |
|        | 85°    | 15.8 | 15.8   | 14.5 | 15.8   | 15.8 | 17.2   | 18.5 | 23.8   | 29.0 | 34.3   |
|        | 87.5°  | 21.1 | 21.1   | 19.8 | 19.8   | 19.8 | 18.5   | 18.5 | 18.5   | 18.5 | 17.2   |
|        | 90°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 92.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 95°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 97.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 100°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 102.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 105°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 107.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 110°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |

REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 245° |        | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° |
|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 76.6 | 112.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 91.1 | 115°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 89.8 | 117.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 87.1 | 120°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 84.5 | 122.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 81.9 | 125°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 79.2 | 127.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 75.3 | 130°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 68.7 | 132.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 63.4 | 135°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 58.1 | 137.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 54.1 | 140°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 50.2 | 142.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 46.2 | 145°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 42.3 | 147.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 40.9 | 150°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 40.9 | 152.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 40.9 | 155°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 39.6 | 157.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 38.3 | 160°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 39.6 | 162.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 43.6 | 165°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 47.5 | 167.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 54.1 | 170°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 60.7 | 172.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 72.6 | 175°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 85.8 | 177.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 88.5 | 180°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 87.1 |        |      |        |      |        |      |        |      |        |      |        |
| 79.2 |        |      |        |      |        |      |        |      |        |      |        |
| 73.9 |        |      |        |      |        |      |        |      |        |      |        |
| 72.6 |        |      |        |      |        |      |        |      |        |      |        |
| 71.3 |        |      |        |      |        |      |        |      |        |      |        |
| 63.4 |        |      |        |      |        |      |        |      |        |      |        |
| 39.6 |        |      |        |      |        |      |        |      |        |      |        |
| 17.2 |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |

REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 245° |        | 247.5° | 250°  | 252.5° | 255°  | 257.5° | 260°  | 262.5° | 265°  | 267.5° | 270°   |
|------|--------|--------|-------|--------|-------|--------|-------|--------|-------|--------|--------|
| 0.0  | 0°     | 76.6   | 76.6  | 76.6   | 76.6  | 76.6   | 76.6  | 76.6   | 76.6  | 76.6   | 76.6   |
| 0.0  | 2.5°   | 92.4   | 93.7  | 93.7   | 95.1  | 96.4   | 97.7  | 97.7   | 99.0  | 99.0   | 99.0   |
| 0.0  | 5°     | 91.1   | 93.7  | 95.1   | 96.4  | 97.7   | 99.0  | 100.3  | 101.7 | 103.0  | 103.0  |
| 0.0  | 7.5°   | 89.8   | 91.1  | 93.7   | 95.1  | 97.7   | 99.0  | 101.7  | 103.0 | 104.3  | 105.6  |
| 0.0  | 10°    | 87.1   | 89.8  | 92.4   | 95.1  | 97.7   | 100.3 | 103.0  | 105.6 | 108.3  | 109.6  |
| 0.0  | 12.5°  | 84.5   | 88.5  | 91.1   | 93.7  | 97.7   | 101.7 | 104.3  | 108.3 | 110.9  | 113.5  |
| 0.0  | 15°    | 83.2   | 85.8  | 89.8   | 92.4  | 97.7   | 103.0 | 106.9  | 112.2 | 117.5  | 121.5  |
| 0.0  | 17.5°  | 79.2   | 84.5  | 88.5   | 92.4  | 97.7   | 104.3 | 109.6  | 114.9 | 122.8  | 130.7  |
| 0.0  | 20°    | 73.9   | 77.9  | 83.2   | 87.1  | 95.1   | 101.7 | 109.6  | 116.2 | 128.1  | 140.0  |
| 0.0  | 22.5°  | 68.7   | 73.9  | 77.9   | 83.2  | 92.4   | 100.3 | 109.6  | 117.5 | 137.3  | 155.8  |
| 0.0  | 25°    | 63.4   | 70.0  | 75.3   | 80.5  | 91.1   | 101.7 | 112.2  | 122.8 | 155.8  | 188.8  |
| 0.0  | 27.5°  | 60.7   | 66.0  | 72.6   | 77.9  | 91.1   | 105.6 | 118.8  | 132.0 | 184.8  | 236.3  |
| 0.0  | 30°    | 56.8   | 63.4  | 68.7   | 75.3  | 92.4   | 109.6 | 126.8  | 143.9 | 224.5  | 305.0  |
| 0.0  | 32.5°  | 52.8   | 59.4  | 66.0   | 72.6  | 95.1   | 117.5 | 138.6  | 161.1 | 266.7  | 371.0  |
| 0.0  | 35°    | 48.9   | 56.8  | 63.4   | 70.0  | 99.0   | 129.4 | 158.4  | 187.5 | 305.0  | 421.2  |
| 0.0  | 37.5°  | 47.5   | 55.5  | 62.1   | 68.7  | 100.3  | 130.7 | 162.4  | 192.8 | 309.0  | 425.1  |
| 0.0  | 40°    | 48.9   | 55.5  | 63.4   | 70.0  | 96.4   | 122.8 | 147.9  | 174.3 | 295.8  | 415.9  |
| 0.0  | 42.5°  | 48.9   | 56.8  | 64.7   | 72.6  | 93.7   | 114.9 | 136.0  | 157.1 | 291.8  | 426.5  |
| 0.0  | 45°    | 47.5   | 55.5  | 63.4   | 71.3  | 91.1   | 109.6 | 129.4  | 147.9 | 315.6  | 481.9  |
| 0.0  | 47.5°  | 46.2   | 54.1  | 62.1   | 70.0  | 89.8   | 109.6 | 129.4  | 149.2 | 408.0  | 665.5  |
| 0.0  | 50°    | 46.2   | 54.1  | 60.7   | 67.3  | 91.1   | 116.2 | 140.0  | 163.7 | 594.2  | 1023.3 |
| 0.0  | 52.5°  | 48.9   | 55.5  | 60.7   | 66.0  | 93.7   | 122.8 | 150.5  | 178.2 | 755.2  | 1330.9 |
| 0.0  | 55°    | 52.8   | 56.8  | 62.1   | 66.0  | 100.3  | 133.4 | 167.7  | 200.7 | 804.1  | 1407.5 |
| 0.0  | 57.5°  | 58.1   | 62.1  | 66.0   | 70.0  | 112.2  | 154.5 | 195.4  | 237.7 | 808.0  | 1377.1 |
| 0.0  | 60°    | 64.7   | 70.0  | 73.9   | 77.9  | 122.8  | 169.0 | 213.9  | 258.8 | 731.5  | 1202.8 |
| 0.0  | 62.5°  | 79.2   | 85.8  | 91.1   | 97.7  | 141.3  | 183.5 | 227.1  | 269.3 | 607.4  | 945.4  |
| 0.0  | 65°    | 91.1   | 96.4  | 101.7  | 106.9 | 149.2  | 192.8 | 235.0  | 277.3 | 514.9  | 752.6  |
| 0.0  | 67.5°  | 93.7   | 99.0  | 103.0  | 108.3 | 151.8  | 195.4 | 237.7  | 281.2 | 441.0  | 599.4  |
|      | 70°    | 95.1   | 101.7 | 109.6  | 116.2 | 161.1  | 206.0 | 249.5  | 294.4 | 390.8  | 487.2  |
|      | 72.5°  | 91.1   | 104.3 | 116.2  | 128.1 | 170.3  | 211.3 | 253.5  | 294.4 | 363.1  | 431.8  |
|      | 75°    | 91.1   | 109.6 | 126.8  | 143.9 | 175.6  | 206.0 | 237.7  | 268.0 | 320.8  | 373.7  |
|      | 77.5°  | 96.4   | 120.2 | 143.9  | 167.7 | 186.2  | 203.3 | 221.8  | 239.0 | 273.3  | 307.6  |
|      | 80°    | 96.4   | 121.5 | 145.2  | 170.3 | 178.2  | 187.5 | 195.4  | 203.3 | 207.3  | 211.3  |
|      | 82.5°  | 83.2   | 103.0 | 122.8  | 142.6 | 133.4  | 124.1 | 114.9  | 105.6 | 99.0   | 91.1   |
|      | 85°    | 42.3   | 46.2  | 48.9   | 51.5  | 47.5   | 43.6  | 39.6   | 35.6  | 33.0   | 29.0   |
|      | 87.5°  | 17.2   | 17.2  | 15.8   | 15.8  | 15.8   | 15.8  | 14.5   | 14.5  | 14.5   | 14.5   |
|      | 90°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0    |
|      | 92.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0    |
|      | 95°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0    |
|      | 97.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0    |
|      | 100°   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0    |
|      | 102.5° | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0    |
|      | 105°   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0    |
|      | 107.5° | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0    |
|      | 110°   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0    |

REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 272.5° |        | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° |
|--------|--------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 76.6   | 112.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 99.0   | 115°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 103.0  | 117.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 106.9  | 120°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 112.2  | 122.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 117.5  | 125°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 128.1  | 127.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 141.3  | 130°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 162.4  | 132.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 207.3  | 135°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 281.2  | 137.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 390.8  | 140°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 529.5  | 142.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 661.5  | 145°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 751.3  | 147.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 818.6  | 150°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 885.9  | 152.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 1018.0 | 155°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 1282.0 | 157.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 1954.1 | 160°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 2993.2 | 162.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 3768.2 | 165°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 3854.1 | 167.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 3477.8 | 170°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 2973.4 | 172.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 2323.8 | 175°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 1756.0 | 177.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 1296.6 | 180°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 917.6  |        |        |      |        |      |        |      |        |      |        |      |
| 682.6  |        |        |      |        |      |        |      |        |      |        |      |
| 496.4  |        |        |      |        |      |        |      |        |      |        |      |
| 373.7  |        |        |      |        |      |        |      |        |      |        |      |
| 209.9  |        |        |      |        |      |        |      |        |      |        |      |
| 95.1   |        |        |      |        |      |        |      |        |      |        |      |
| 27.7   |        |        |      |        |      |        |      |        |      |        |      |
| 13.2   |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |

REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 272.5° |        | 275°   | 277.5° | 280°    | 282.5°  | 285°    | 287.5°  | 290°    | 292.5°  | 295°    | 297.5°  |
|--------|--------|--------|--------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0.0    | 0°     | 76.6   | 76.6   | 76.6    | 76.6    | 76.6    | 76.6    | 76.6    | 76.6    | 76.6    | 76.6    |
| 0.0    | 2.5°   | 99.0   | 97.7   | 97.7    | 96.4    | 95.1    | 93.7    | 92.4    | 91.1    | 89.8    | 88.5    |
| 0.0    | 5°     | 103.0  | 103.0  | 103.0   | 101.7   | 101.7   | 100.3   | 100.3   | 99.0    | 97.7    | 96.4    |
| 0.0    | 7.5°   | 106.9  | 108.3  | 108.3   | 109.6   | 109.6   | 109.6   | 109.6   | 108.3   | 108.3   | 108.3   |
| 0.0    | 10°    | 113.5  | 114.9  | 116.2   | 117.5   | 118.8   | 120.2   | 120.2   | 121.5   | 121.5   | 121.5   |
| 0.0    | 12.5°  | 121.5  | 125.4  | 128.1   | 132.0   | 134.7   | 138.6   | 141.3   | 145.2   | 147.9   | 150.5   |
| 0.0    | 15°    | 133.4  | 140.0  | 147.9   | 154.5   | 161.1   | 170.3   | 180.9   | 190.1   | 199.4   | 213.9   |
| 0.0    | 17.5°  | 150.5  | 171.6  | 192.8   | 212.6   | 233.7   | 279.9   | 326.1   | 371.0   | 417.2   | 484.6   |
| 0.0    | 20°    | 183.5  | 246.9  | 309.0   | 372.3   | 434.4   | 596.8   | 757.9   | 920.3   | 1081.4  | 1254.3  |
| 0.0    | 22.5°  | 257.5  | 413.3  | 569.1   | 724.9   | 880.7   | 1220.0  | 1558.0  | 1897.3  | 2235.3  | 2632.8  |
| 0.0    | 25°    | 373.7  | 660.2  | 946.7   | 1231.9  | 1518.4  | 2049.2  | 2581.3  | 3112.0  | 3642.8  | 4159.1  |
| 0.0    | 27.5°  | 544.0  | 982.3  | 1420.7  | 1857.7  | 2296.1  | 3015.7  | 3736.6  | 4456.1  | 5175.7  | 5759.3  |
| 0.0    | 30°    | 753.9  | 1348.1 | 1942.2  | 2536.4  | 3130.5  | 3949.1  | 4767.7  | 5585.0  | 6403.6  | 7041.4  |
| 0.0    | 32.5°  | 952.0  | 1679.5 | 2407.0  | 3133.2  | 3860.7  | 4792.8  | 5726.3  | 6658.5  | 7590.6  | 8287.8  |
| 0.0    | 35°    | 1081.4 | 1960.7 | 2841.4  | 3720.7  | 4600.1  | 5608.8  | 6617.5  | 7624.9  | 8633.7  | 9429.8  |
| 0.0    | 37.5°  | 1210.7 | 2226.1 | 3240.1  | 4255.4  | 5269.5  | 6377.2  | 7485.0  | 8592.8  | 9700.5  | 10684.2 |
| 0.0    | 40°    | 1356.0 | 2546.9 | 3736.6  | 4927.5  | 6117.1  | 7429.5  | 8740.6  | 10053.0 | 11364.1 | 12751.8 |
| 0.0    | 42.5°  | 1608.2 | 3079.0 | 4551.2  | 6022.1  | 7492.9  | 9229.2  | 10965.4 | 12700.3 | 14436.6 | 16417.1 |
| 0.0    | 45°    | 2082.2 | 4155.1 | 6229.4  | 8302.3  | 10375.2 | 12675.2 | 14976.6 | 17276.6 | 19576.6 | 22212.0 |
| 0.0    | 47.5°  | 3242.7 | 6094.7 | 8945.3  | 11797.2 | 14647.8 | 17131.4 | 19613.6 | 22097.2 | 24579.4 | 27204.2 |
| 0.0    | 50°    | 4961.8 | 8281.2 | 11600.5 | 14918.5 | 18237.8 | 20485.0 | 22730.9 | 24978.1 | 27224.0 | 29720.8 |
| 0.0    | 52.5°  | 6205.6 | 9663.5 | 13122.8 | 16580.8 | 20038.8 | 22066.8 | 24096.2 | 26124.2 | 28152.2 | 30485.3 |
| 0.0    | 55°    | 6299.3 | 9737.5 | 13177.0 | 16615.1 | 20053.3 | 22090.6 | 24127.8 | 26165.1 | 28202.4 | 30675.4 |
| 0.0    | 57.5°  | 5577.1 | 8987.5 | 12396.6 | 15807.1 | 19216.2 | 21536.0 | 23854.5 | 26174.4 | 28492.9 | 31166.6 |
| 0.0    | 60°    | 4744.0 | 8155.7 | 11566.2 | 14977.9 | 18388.3 | 21060.7 | 23734.4 | 26406.7 | 29079.1 | 31583.8 |
| 0.0    | 62.5°  | 3700.9 | 7210.4 | 10721.1 | 14230.6 | 17740.1 | 20453.3 | 23166.6 | 25878.6 | 28591.9 | 30470.7 |
| 0.0    | 65°    | 2758.2 | 6166.0 | 9573.8  | 12980.2 | 16388.0 | 18561.3 | 20734.6 | 22906.5 | 25079.8 | 26243.0 |
| 0.0    | 67.5°  | 1993.7 | 4932.8 | 7870.5  | 10809.6 | 13747.4 | 15302.7 | 16858.1 | 18412.1 | 19967.5 | 20857.4 |
|        | 70°    | 1348.1 | 3384.0 | 5418.7  | 7454.6  | 9489.3  | 10767.4 | 12046.8 | 13324.8 | 14602.9 | 15804.4 |
|        | 72.5°  | 933.5  | 2076.9 | 3221.6  | 4365.0  | 5508.4  | 6794.5  | 8079.1  | 9365.2  | 10649.8 | 11921.3 |
|        | 75°    | 619.2  | 1139.5 | 1661.0  | 2181.2  | 2701.4  | 3653.4  | 4606.7  | 5558.6  | 6510.6  | 7268.5  |
|        | 77.5°  | 439.7  | 595.5  | 752.6   | 908.4   | 1064.2  | 1242.4  | 1422.0  | 1600.2  | 1778.5  | 2049.2  |
|        | 80°    | 208.6  | 228.4  | 248.2   | 266.7   | 286.5   | 351.2   | 415.9   | 480.6   | 545.3   | 614.0   |
|        | 82.5°  | 99.0   | 106.9  | 114.9   | 121.5   | 129.4   | 136.0   | 142.6   | 149.2   | 155.8   | 149.2   |
|        | 85°    | 26.4   | 26.4   | 27.7    | 27.7    | 27.7    | 27.7    | 27.7    | 27.7    | 27.7    | 26.4    |
|        | 87.5°  | 11.9   | 11.9   | 11.9    | 11.9    | 11.9    | 11.9    | 11.9    | 10.6    | 10.6    | 9.2     |
|        | 90°    | 0.0    | 0.0    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|        | 92.5°  | 0.0    | 0.0    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|        | 95°    | 0.0    | 0.0    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|        | 97.5°  | 0.0    | 0.0    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|        | 100°   | 0.0    | 0.0    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|        | 102.5° | 0.0    | 0.0    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|        | 105°   | 0.0    | 0.0    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|        | 107.5° | 0.0    | 0.0    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|        | 110°   | 0.0    | 0.0    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |

REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 300°    |        | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° |
|---------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 76.6    | 112.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 87.1    | 115°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 95.1    | 117.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 106.9   | 120°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 122.8   | 122.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 151.8   | 125°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 229.7   | 127.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 550.6   | 130°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 1428.6  | 132.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 3030.2  | 135°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 4675.3  | 137.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 6342.9  | 140°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 7680.4  | 142.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 8986.2  | 145°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 10226.0 | 147.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 11669.1 | 150°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 14139.5 | 152.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 18397.6 | 155°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 24847.4 | 157.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 29829.1 | 160°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 32217.6 | 162.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 32818.3 | 165°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 33149.7 | 167.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 33840.2 | 170°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 34087.2 | 172.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 32350.9 | 175°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 27407.6 | 177.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 21748.6 | 180°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 17004.6 |        |      |        |      |        |      |        |      |        |      |        |
| 13192.8 |        |      |        |      |        |      |        |      |        |      |        |
| 8026.3  |        |      |        |      |        |      |        |      |        |      |        |
| 2319.8  |        |      |        |      |        |      |        |      |        |      |        |
| 682.6   |        |      |        |      |        |      |        |      |        |      |        |
| 141.3   |        |      |        |      |        |      |        |      |        |      |        |
| 25.1    |        |      |        |      |        |      |        |      |        |      |        |
| 9.2     |        |      |        |      |        |      |        |      |        |      |        |
| 0.0     |        |      |        |      |        |      |        |      |        |      |        |
| 0.0     |        |      |        |      |        |      |        |      |        |      |        |
| 0.0     |        |      |        |      |        |      |        |      |        |      |        |
| 0.0     |        |      |        |      |        |      |        |      |        |      |        |
| 0.0     |        |      |        |      |        |      |        |      |        |      |        |
| 0.0     |        |      |        |      |        |      |        |      |        |      |        |
| 0.0     |        |      |        |      |        |      |        |      |        |      |        |
| 0.0     |        |      |        |      |        |      |        |      |        |      |        |
| 0.0     |        |      |        |      |        |      |        |      |        |      |        |
| 0.0     |        |      |        |      |        |      |        |      |        |      |        |
| 0.0     |        |      |        |      |        |      |        |      |        |      |        |

REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 300° |        | 302.5°  | 305°    | 307.5°  | 310°    | 312.5°  | 315°    | 317.5°  | 320°    | 322.5°  |
|------|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0.0  | 0°     | 76.6    | 76.6    | 76.6    | 76.6    | 76.6    | 76.6    | 76.6    | 76.6    | 76.6    |
| 0.0  | 2.5°   | 85.8    | 84.5    | 83.2    | 81.9    | 80.5    | 77.9    | 77.9    | 76.6    | 76.6    |
| 0.0  | 5°     | 93.7    | 92.4    | 91.1    | 89.8    | 89.8    | 88.5    | 87.1    | 87.1    | 85.8    |
| 0.0  | 7.5°   | 106.9   | 105.6   | 104.3   | 103.0   | 103.0   | 101.7   | 101.7   | 100.3   | 100.3   |
| 0.0  | 10°    | 122.8   | 122.8   | 122.8   | 122.8   | 122.8   | 121.5   | 121.5   | 121.5   | 120.2   |
| 0.0  | 12.5°  | 154.5   | 155.8   | 158.4   | 161.1   | 165.0   | 165.0   | 165.0   | 163.7   | 163.7   |
| 0.0  | 15°    | 244.3   | 258.8   | 269.3   | 279.9   | 289.2   | 310.3   | 307.6   | 303.7   | 301.0   |
| 0.0  | 17.5°  | 617.9   | 683.9   | 719.6   | 753.9   | 789.6   | 887.3   | 871.4   | 855.6   | 841.1   |
| 0.0  | 20°    | 1601.6  | 1774.5  | 1889.4  | 2004.3  | 2120.5  | 2304.0  | 2259.1  | 2214.2  | 2169.3  |
| 0.0  | 22.5°  | 3426.3  | 3823.7  | 3996.7  | 4169.6  | 4341.3  | 4563.1  | 4419.2  | 4275.3  | 4132.7  |
| 0.0  | 25°    | 5190.2  | 5706.5  | 5998.3  | 6290.1  | 6580.6  | 6707.3  | 6519.8  | 6331.0  | 6143.5  |
| 0.0  | 27.5°  | 6926.5  | 7510.1  | 7767.5  | 8023.7  | 8281.2  | 8546.5  | 8314.2  | 8080.5  | 7848.1  |
| 0.0  | 30°    | 8318.1  | 8955.8  | 9234.4  | 9511.7  | 9790.3  | 9975.1  | 9734.8  | 9493.2  | 9252.9  |
| 0.0  | 32.5°  | 9683.4  | 10380.5 | 10685.5 | 10990.5 | 11294.2 | 11559.6 | 11263.8 | 10966.7 | 10671.0 |
| 0.0  | 35°    | 11020.9 | 11817.0 | 12236.9 | 12656.8 | 13076.6 | 13323.5 | 12972.3 | 12619.8 | 12268.6 |
| 0.0  | 37.5°  | 12652.8 | 13636.4 | 14106.5 | 14576.5 | 15046.6 | 15496.8 | 15109.9 | 14721.8 | 14334.9 |
| 0.0  | 40°    | 15527.2 | 16914.8 | 17635.7 | 18358.0 | 19078.9 | 19659.8 | 19171.3 | 18682.8 | 18194.2 |
| 0.0  | 42.5°  | 20378.1 | 22358.6 | 23395.1 | 24430.2 | 25466.7 | 26373.7 | 25860.1 | 25346.5 | 24832.9 |
| 0.0  | 45°    | 27482.8 | 30118.2 | 31381.8 | 32644.0 | 33907.6 | 34570.4 | 33831.0 | 33090.3 | 32350.9 |
| 0.0  | 47.5°  | 32452.6 | 35077.4 | 36202.3 | 37327.3 | 38452.2 | 39208.7 | 38304.3 | 37399.9 | 36496.8 |
| 0.0  | 50°    | 34713.0 | 37209.7 | 38338.6 | 39466.2 | 40595.1 | 41195.8 | 40151.5 | 39105.8 | 38061.4 |
| 0.0  | 52.5°  | 35150.0 | 37483.1 | 38829.8 | 40177.9 | 41524.6 | 42327.4 | 41094.2 | 39859.7 | 38626.5 |
| 0.0  | 55°    | 35622.7 | 38095.7 | 39657.7 | 41220.9 | 42782.9 | 43894.6 | 42500.3 | 41104.7 | 39710.5 |
| 0.0  | 57.5°  | 36512.6 | 39186.3 | 40744.3 | 42301.0 | 43859.0 | 44803.0 | 43404.8 | 42005.2 | 40607.0 |
| 0.0  | 60°    | 36591.8 | 39095.2 | 40434.0 | 41774.2 | 43113.0 | 43707.1 | 42369.6 | 41030.8 | 39693.3 |
| 0.0  | 62.5°  | 34229.7 | 36108.6 | 37038.1 | 37967.6 | 38897.1 | 39542.8 | 38147.2 | 36750.3 | 35354.7 |
| 0.0  | 65°    | 28570.8 | 29734.0 | 30474.7 | 31215.4 | 31956.1 | 32725.9 | 31447.8 | 30169.7 | 28891.6 |
| 0.0  | 67.5°  | 22638.5 | 23528.4 | 24504.1 | 25479.9 | 26455.6 | 27278.2 | 26254.9 | 25230.3 | 24207.1 |
|      | 70°    | 18206.1 | 19406.3 | 20503.5 | 21600.7 | 22697.9 | 23371.3 | 22344.1 | 21315.5 | 20288.3 |
|      | 72.5°  | 14464.3 | 15735.8 | 16652.1 | 17567.1 | 18483.4 | 18648.4 | 17893.2 | 17138.0 | 16384.1 |
|      | 75°    | 8782.9  | 9540.8  | 9559.2  | 9576.4  | 9594.9  | 9752.0  | 9126.2  | 8500.3  | 7875.8  |
|      | 77.5°  | 2590.5  | 2861.2  | 3084.3  | 3306.1  | 3529.3  | 3798.6  | 3568.9  | 3337.8  | 3108.1  |
|      | 80°    | 750.0   | 818.6   | 876.7   | 933.5   | 991.6   | 957.2   | 903.1   | 849.0   | 794.8   |
|      | 82.5°  | 134.7   | 126.8   | 125.4   | 124.1   | 124.1   | 117.5   | 106.9   | 96.4    | 85.8    |
|      | 85°    | 23.8    | 22.4    | 21.1    | 19.8    | 18.5    | 17.2    | 14.5    | 13.2    | 10.6    |
|      | 87.5°  | 7.9     | 6.6     | 5.3     | 4.0     | 4.0     | 1.3     | 1.3     | 1.3     | 0.0     |
|      | 90°    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      | 92.5°  | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      | 95°    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      | 97.5°  | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      | 100°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      | 102.5° | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      | 105°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      | 107.5° | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      | 110°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |



REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]

REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 325° | 327.5° |        | 330°    | 332.5°  | 335°    | 337.5°  | 340°    | 342.5°  | 345°    | 347.5°  | 350°    |
|------|--------|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0.0  | 0.0    | 0°     | 76.6    | 76.6    | 76.6    | 76.6    | 76.6    | 76.6    | 76.6    | 76.6    | 76.6    |
| 0.0  | 0.0    | 2.5°   | 75.3    | 73.9    | 73.9    | 73.9    | 73.9    | 72.6    | 72.6    | 72.6    | 72.6    |
| 0.0  | 0.0    | 5°     | 83.2    | 83.2    | 81.9    | 81.9    | 80.5    | 80.5    | 79.2    | 79.2    | 77.9    |
| 0.0  | 0.0    | 7.5°   | 97.7    | 96.4    | 95.1    | 93.7    | 92.4    | 89.8    | 88.5    | 87.1    | 87.1    |
| 0.0  | 0.0    | 10°    | 117.5   | 114.9   | 113.5   | 110.9   | 109.6   | 106.9   | 104.3   | 101.7   | 99.0    |
| 0.0  | 0.0    | 12.5°  | 154.5   | 149.2   | 145.2   | 140.0   | 134.7   | 130.7   | 125.4   | 121.5   | 116.2   |
| 0.0  | 0.0    | 15°    | 268.0   | 254.8   | 240.3   | 223.1   | 204.7   | 187.5   | 169.0   | 158.4   | 146.6   |
| 0.0  | 0.0    | 17.5°  | 685.3   | 616.6   | 546.6   | 489.8   | 433.1   | 377.6   | 320.8   | 279.9   | 239.0   |
| 0.0  | 0.0    | 20°    | 1744.2  | 1554.0  | 1363.9  | 1176.4  | 987.6   | 800.1   | 611.3   | 516.3   | 421.2   |
| 0.0  | 0.0    | 22.5°  | 3282.4  | 2929.8  | 2576.0  | 2234.0  | 1890.7  | 1548.8  | 1206.8  | 991.6   | 777.7   |
| 0.0  | 0.0    | 25°    | 5066.1  | 4622.5  | 4178.9  | 3616.4  | 3052.6  | 2490.2  | 1927.7  | 1577.8  | 1227.9  |
| 0.0  | 0.0    | 27.5°  | 6592.4  | 6081.5  | 5570.5  | 4886.6  | 4202.6  | 3518.7  | 2834.8  | 2313.2  | 1793.0  |
| 0.0  | 0.0    | 30°    | 7914.1  | 7364.8  | 6815.6  | 6019.4  | 5223.3  | 4427.1  | 3630.9  | 2978.7  | 2326.4  |
| 0.0  | 0.0    | 32.5°  | 9060.2  | 8402.6  | 7745.1  | 6923.8  | 6102.6  | 5281.3  | 4460.1  | 3660.0  | 2859.9  |
| 0.0  | 0.0    | 35°    | 10381.8 | 9614.7  | 8846.3  | 7935.2  | 7022.9  | 6111.8  | 5200.8  | 4297.7  | 3393.3  |
| 0.0  | 0.0    | 37.5°  | 12061.3 | 11119.9 | 10177.2 | 9161.8  | 8146.5  | 7132.5  | 6117.1  | 5084.6  | 4052.1  |
| 0.0  | 0.0    | 40°    | 15276.3 | 14061.6 | 12846.9 | 11556.9 | 10265.6 | 8975.7  | 7685.7  | 6418.2  | 5150.6  |
| 0.0  | 0.0    | 42.5°  | 21036.9 | 19395.8 | 17754.6 | 16038.1 | 14320.4 | 12603.9 | 10886.2 | 9098.4  | 7309.4  |
| 0.0  | 0.0    | 45°    | 27538.3 | 25502.3 | 23465.0 | 21538.7 | 19611.0 | 17684.6 | 15758.2 | 13305.0 | 10851.9 |
| 0.0  | 0.0    | 47.5°  | 31194.3 | 28995.9 | 26797.6 | 24974.2 | 23150.8 | 21327.4 | 19504.0 | 16859.4 | 14214.8 |
| 0.0  | 0.0    | 50°    | 32539.7 | 30301.7 | 28063.8 | 26385.6 | 24706.2 | 23028.0 | 21348.5 | 18699.9 | 16050.0 |
| 0.0  | 0.0    | 52.5°  | 32826.2 | 30543.4 | 28260.5 | 26571.8 | 24883.1 | 23195.7 | 21507.0 | 18875.5 | 16244.1 |
| 0.0  | 0.0    | 55°    | 33415.1 | 30965.9 | 28515.3 | 26590.3 | 24665.2 | 22740.2 | 20815.1 | 18141.4 | 15467.8 |
| 0.0  | 0.0    | 57.5°  | 34184.9 | 31673.6 | 29162.3 | 26969.2 | 24776.1 | 22584.4 | 20391.3 | 17468.1 | 14544.8 |
| 0.0  | 0.0    | 60°    | 33982.8 | 31797.7 | 29611.2 | 27262.3 | 24912.1 | 22563.2 | 20213.0 | 16998.0 | 13781.7 |
| 0.0  | 0.0    | 62.5°  | 30476.0 | 28735.8 | 26994.3 | 25062.6 | 23129.7 | 21198.0 | 19266.4 | 15956.3 | 12646.2 |
| 0.0  | 0.0    | 65°    | 25071.9 | 23801.7 | 22531.6 | 20977.5 | 19422.2 | 17868.1 | 16314.1 | 13346.0 | 10379.2 |
| 0.0  | 0.0    | 67.5°  | 20320.0 | 18888.7 | 17456.2 | 16217.7 | 14977.9 | 13739.4 | 12499.6 | 10164.0 | 7828.3  |
|      |        | 70°    | 16143.8 | 14587.1 | 13029.1 | 11819.7 | 10608.9 | 9399.5  | 8190.1  | 6637.3  | 5085.9  |
|      |        | 72.5°  | 12820.5 | 11417.0 | 10013.4 | 8723.5  | 7432.2  | 6142.2  | 4850.9  | 3933.3  | 3015.7  |
|      |        | 75°    | 6127.7  | 5566.5  | 5005.4  | 4330.7  | 3656.0  | 2981.3  | 2306.6  | 1906.6  | 1507.8  |
|      |        | 77.5°  | 2271.0  | 1968.6  | 1664.9  | 1390.3  | 1115.7  | 842.4   | 567.7   | 520.2   | 472.7   |
|      |        | 80°    | 587.6   | 512.3   | 435.7   | 381.6   | 326.1   | 272.0   | 217.9   | 196.7   | 176.9   |
|      |        | 82.5°  | 67.3    | 62.1    | 58.1    | 55.5    | 51.5    | 48.9    | 44.9    | 40.9    | 37.0    |
|      |        | 85°    | 4.0     | 2.6     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      |        | 87.5°  | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      |        | 90°    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      |        | 92.5°  | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      |        | 95°    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      |        | 97.5°  | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      |        | 100°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      |        | 102.5° | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      |        | 105°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      |        | 107.5° | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      |        | 110°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |



REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]

REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 352.5° | 355° |        | 357.5° | 360°   |
|--------|------|--------|--------|--------|
| 0.0    | 0.0  | 0°     | 76.6   | 76.6   |
| 0.0    | 0.0  | 2.5°   | 71.3   | 70.0   |
| 0.0    | 0.0  | 5°     | 75.3   | 73.9   |
| 0.0    | 0.0  | 7.5°   | 83.2   | 80.5   |
| 0.0    | 0.0  | 10°    | 91.1   | 88.5   |
| 0.0    | 0.0  | 12.5°  | 103.0  | 99.0   |
| 0.0    | 0.0  | 15°    | 116.2  | 108.3  |
| 0.0    | 0.0  | 17.5°  | 138.6  | 121.5  |
| 0.0    | 0.0  | 20°    | 187.5  | 143.9  |
| 0.0    | 0.0  | 22.5°  | 264.1  | 179.6  |
| 0.0    | 0.0  | 25°    | 388.2  | 248.2  |
| 0.0    | 0.0  | 27.5°  | 540.0  | 330.1  |
| 0.0    | 0.0  | 30°    | 718.3  | 413.3  |
| 0.0    | 0.0  | 32.5°  | 875.4  | 492.5  |
| 0.0    | 0.0  | 35°    | 1080.0 | 573.0  |
| 0.0    | 0.0  | 37.5°  | 1332.2 | 676.0  |
| 0.0    | 0.0  | 40°    | 1723.0 | 831.8  |
| 0.0    | 0.0  | 42.5°  | 2426.8 | 1119.6 |
| 0.0    | 0.0  | 45°    | 3941.2 | 1935.6 |
| 0.0    | 0.0  | 47.5°  | 6064.3 | 3201.8 |
| 0.0    | 0.0  | 50°    | 7419.0 | 4086.4 |
| 0.0    | 0.0  | 52.5°  | 7529.9 | 4079.8 |
| 0.0    | 0.0  | 55°    | 6873.7 | 3627.0 |
| 0.0    | 0.0  | 57.5°  | 5864.9 | 3031.5 |
| 0.0    | 0.0  | 60°    | 4874.7 | 2397.7 |
| 0.0    | 0.0  | 62.5°  | 3840.9 | 1655.7 |
| 0.0    | 0.0  | 65°    | 2807.0 | 1171.1 |
| 0.0    | 0.0  | 67.5°  | 2016.2 | 875.4  |
|        |      | 70°    | 1325.6 | 670.7  |
|        |      | 72.5°  | 863.5  | 546.6  |
|        |      | 75°    | 580.9  | 452.9  |
|        |      | 77.5°  | 339.3  | 301.0  |
|        |      | 80°    | 120.2  | 105.6  |
|        |      | 82.5°  | 22.4   | 15.8   |
|        |      | 85°    | 0.0    | 0.0    |
|        |      | 87.5°  | 0.0    | 0.0    |
|        |      | 90°    | 0.0    | 0.0    |
|        |      | 92.5°  | 0.0    | 0.0    |
|        |      | 95°    | 0.0    | 0.0    |
|        |      | 97.5°  | 0.0    | 0.0    |
|        |      | 100°   | 0.0    | 0.0    |
|        |      | 102.5° | 0.0    | 0.0    |
|        |      | 105°   | 0.0    | 0.0    |
|        |      | 107.5° | 0.0    | 0.0    |
|        |      | 110°   | 0.0    | 0.0    |



REPORT NUMBER: P1049157

CATALOG NUMBER: GALN-SA6A-830-U-RBC

**CANDELA DISTRIBUTION (continued):**

|        | 357.5° | 360° |
|--------|--------|------|
| 112.5° | 0.0    | 0.0  |
| 115°   | 0.0    | 0.0  |
| 117.5° | 0.0    | 0.0  |
| 120°   | 0.0    | 0.0  |
| 122.5° | 0.0    | 0.0  |
| 125°   | 0.0    | 0.0  |
| 127.5° | 0.0    | 0.0  |
| 130°   | 0.0    | 0.0  |
| 132.5° | 0.0    | 0.0  |
| 135°   | 0.0    | 0.0  |
| 137.5° | 0.0    | 0.0  |
| 140°   | 0.0    | 0.0  |
| 142.5° | 0.0    | 0.0  |
| 145°   | 0.0    | 0.0  |
| 147.5° | 0.0    | 0.0  |
| 150°   | 0.0    | 0.0  |
| 152.5° | 0.0    | 0.0  |
| 155°   | 0.0    | 0.0  |
| 157.5° | 0.0    | 0.0  |
| 160°   | 0.0    | 0.0  |
| 162.5° | 0.0    | 0.0  |
| 165°   | 0.0    | 0.0  |
| 167.5° | 0.0    | 0.0  |
| 170°   | 0.0    | 0.0  |
| 172.5° | 0.0    | 0.0  |
| 175°   | 0.0    | 0.0  |
| 177.5° | 0.0    | 0.0  |
| 180°   | 0.0    | 0.0  |

Cooper Lighting Solutions Photometric Lab  
1121 Highway 74 South  
Peachtree City, GA 30269



LM-79-2019: Approved Method: Electrical and Photometric Measurements of Solid-State Lighting Products

Report Prepared for

Cooper Lighting Solutions

McGraw-Edison

Report Number: SP1-2407-184-9

Test Date: 10/10/2024

Luminaire Tested: GSS-SB1A-830-U-5WQ

Data in this report applies to families of products including GSS-SB1A-830-U-5WQ


### Test Information

Test Method: LM-79-2019  
 Report Number: SP1-2407-184-9  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1 - 76IN SPHERE  
 Measurement Geometry:  $4\pi$   
 Issue Date: 10/15/2024  
 Manufacturer: COOPER LIGHTING SOLUTIONS  
 Product Line: McGraw-Edison  
 Catalog Number: **GSS-SB1A-830-U-5WQ**  
 Description: GALLEON II SITE SLIM 1SQ 350MA 5WQ HIGH DENSITY LIGHTSQUARE WITH 80 CRI  
 3000K CCT 26 LEDS

### Spectral Parameters

CCT (K): 3055  
 CIE  $u'$ : 0.2475  
 CIE  $v'$ : 0.5247  
 Duv: 0.0032  
 CIE x: 0.4377  
 CIE y: 0.4124  
 CIE z: 0.1499  
 Peak Wavelength (nm): 604  
 Dominant Wavelength (nm): 581  
 Purity: 55.16339  
 R<sub>f</sub>: 81.5  
 R<sub>g</sub>: 99.2

CRI (Ra): 80.9  
 R1: 79.5  
 R2: 85.6  
 R3: 92.1  
 R4: 82.4  
 R5: 78.9  
 R6: 81.7  
 R7: 85.1  
 R8: 61.9  
 R9: 6.8  
 R10: 67.1  
 R11: 82.5  
 R12: 63.4  
 R13: 80.2  
 R14: 95.1  
 R15: 71.7



### Test Conditions


Stabilization Time: 20M  
 Operation Time: 1H 20M  
 Sphere Temperature (°C): 25.2

REPORT NUMBER: SP1-2407-184-9


| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 6/18/2024        | 12/18/2024           |
| Power Meter                    | INXT2011004           | 2/8/2024         | 2/8/2025             |
| AC Power Source                | IN0063                | 10/24/2023       | 10/24/2024           |
| DC Power Source                | IN0208                | 10/24/2023       | 10/24/2024           |
| Sphere Thermometer             | IN0085                | 10/24/2023       | 10/24/2024           |
| Room Thermometer               | IN0046                | 10/24/2023       | 10/24/2024           |

REPORT NUMBER: SP1-2407-184-9

**CIE 1931 Chromaticity Diagram**




**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



Point lies inside the ANSI 3000K 4-step quadrangle

REPORT NUMBER: SP1-2407-184-9

### Photopic Flux vs. Wavelength




### Photopic Lumens: NR

| λ (nm) | Power W <sup>λ</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>λ</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>λ</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>λ</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>λ</sup> /nm | Lumens (φ/nm) |
|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|
| 360    | 0                        | NR            | 490    | 170                      | NR            | 620    | 938                      | NR            | 750    | 35                       | NR            | 880    | 1                        | NR            |
| 365    | 0                        | NR            | 495    | 234                      | NR            | 625    | 894                      | NR            | 755    | 30                       | NR            | 885    | 1                        | NR            |
| 370    | 0                        | NR            | 500    | 302                      | NR            | 630    | 847                      | NR            | 760    | 26                       | NR            | 890    | 1                        | NR            |
| 375    | 0                        | NR            | 505    | 371                      | NR            | 635    | 788                      | NR            | 765    | 22                       | NR            | 895    | 1                        | NR            |
| 380    | 0                        | NR            | 510    | 431                      | NR            | 640    | 728                      | NR            | 770    | 19                       | NR            | 900    | 1                        | NR            |
| 385    | 0                        | NR            | 515    | 482                      | NR            | 645    | 665                      | NR            | 775    | 16                       | NR            | 905    | 1                        | NR            |
| 390    | 0                        | NR            | 520    | 523                      | NR            | 650    | 603                      | NR            | 780    | 14                       | NR            | 910    | 0                        | NR            |
| 395    | 2                        | NR            | 525    | 553                      | NR            | 655    | 542                      | NR            | 785    | 12                       | NR            | 915    | 0                        | NR            |
| 400    | 4                        | NR            | 530    | 580                      | NR            | 660    | 484                      | NR            | 790    | 11                       | NR            | 920    | 0                        | NR            |
| 405    | 8                        | NR            | 535    | 603                      | NR            | 665    | 430                      | NR            | 795    | 9                        | NR            | 925    | 0                        | NR            |
| 410    | 18                       | NR            | 540    | 622                      | NR            | 670    | 377                      | NR            | 800    | 8                        | NR            | 930    | 0                        | NR            |
| 415    | 36                       | NR            | 545    | 644                      | NR            | 675    | 330                      | NR            | 805    | 7                        | NR            | 935    | 0                        | NR            |
| 420    | 71                       | NR            | 550    | 668                      | NR            | 680    | 289                      | NR            | 810    | 6                        | NR            | 940    | 0                        | NR            |
| 425    | 131                      | NR            | 555    | 693                      | NR            | 685    | 250                      | NR            | 815    | 5                        | NR            | 945    | 0                        | NR            |
| 430    | 215                      | NR            | 560    | 720                      | NR            | 690    | 218                      | NR            | 820    | 4                        | NR            | 950    | 0                        | NR            |
| 435    | 341                      | NR            | 565    | 754                      | NR            | 695    | 188                      | NR            | 825    | 4                        | NR            | 955    | 0                        | NR            |
| 440    | 514                      | NR            | 570    | 792                      | NR            | 700    | 161                      | NR            | 830    | 3                        | NR            | 960    | 0                        | NR            |
| 445    | 576                      | NR            | 575    | 832                      | NR            | 705    | 139                      | NR            | 835    | 3                        | NR            | 965    | 0                        | NR            |
| 450    | 358                      | NR            | 580    | 875                      | NR            | 710    | 119                      | NR            | 840    | 3                        | NR            | 970    | 0                        | NR            |
| 455    | 222                      | NR            | 585    | 913                      | NR            | 715    | 102                      | NR            | 845    | 2                        | NR            | 975    | 0                        | NR            |
| 460    | 170                      | NR            | 590    | 950                      | NR            | 720    | 88                       | NR            | 850    | 2                        | NR            | 980    | 0                        | NR            |
| 465    | 115                      | NR            | 595    | 977                      | NR            | 725    | 76                       | NR            | 855    | 2                        | NR            | 985    | 0                        | NR            |
| 470    | 88                       | NR            | 600    | 994                      | NR            | 730    | 65                       | NR            | 860    | 1                        | NR            | 990    | 0                        | NR            |
| 475    | 87                       | NR            | 605    | 997                      | NR            | 735    | 56                       | NR            | 865    | 1                        | NR            | 995    | 0                        | NR            |
| 480    | 96                       | NR            | 610    | 990                      | NR            | 740    | 47                       | NR            | 870    | 1                        | NR            | 1000   | 0                        | NR            |
| 485    | 122                      | NR            | 615    | 971                      | NR            | 745    | 41                       | NR            | 875    | 1                        | NR            |        |                          |               |

REPORT NUMBER: SP1-2407-184-9

### Scotopic Flux vs. Wavelength




Scotopic Lumens: NR

S/P: 1.28

| λ (nm) | Power W <sup>^</sup> /nm | Lumens (Φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (Φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (Φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (Φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (Φ/nm) |
|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|
| 360    | 0                        | NR            | 490    | 170                      | NR            | 620    | 938                      | NR            | 750    | 35                       | NR            | 880    | 1                        | NR            |
| 365    | 0                        | NR            | 495    | 234                      | NR            | 625    | 894                      | NR            | 755    | 30                       | NR            | 885    | 1                        | NR            |
| 370    | 0                        | NR            | 500    | 302                      | NR            | 630    | 847                      | NR            | 760    | 26                       | NR            | 890    | 1                        | NR            |
| 375    | 0                        | NR            | 505    | 371                      | NR            | 635    | 788                      | NR            | 765    | 22                       | NR            | 895    | 1                        | NR            |
| 380    | 0                        | NR            | 510    | 431                      | NR            | 640    | 728                      | NR            | 770    | 19                       | NR            | 900    | 1                        | NR            |
| 385    | 0                        | NR            | 515    | 482                      | NR            | 645    | 665                      | NR            | 775    | 16                       | NR            | 905    | 1                        | NR            |
| 390    | 0                        | NR            | 520    | 523                      | NR            | 650    | 603                      | NR            | 780    | 14                       | NR            | 910    | 0                        | NR            |
| 395    | 2                        | NR            | 525    | 553                      | NR            | 655    | 542                      | NR            | 785    | 12                       | NR            | 915    | 0                        | NR            |
| 400    | 4                        | NR            | 530    | 580                      | NR            | 660    | 484                      | NR            | 790    | 11                       | NR            | 920    | 0                        | NR            |
| 405    | 8                        | NR            | 535    | 603                      | NR            | 665    | 430                      | NR            | 795    | 9                        | NR            | 925    | 0                        | NR            |
| 410    | 18                       | NR            | 540    | 622                      | NR            | 670    | 377                      | NR            | 800    | 8                        | NR            | 930    | 0                        | NR            |
| 415    | 36                       | NR            | 545    | 644                      | NR            | 675    | 330                      | NR            | 805    | 7                        | NR            | 935    | 0                        | NR            |
| 420    | 71                       | NR            | 550    | 668                      | NR            | 680    | 289                      | NR            | 810    | 6                        | NR            | 940    | 0                        | NR            |
| 425    | 131                      | NR            | 555    | 693                      | NR            | 685    | 250                      | NR            | 815    | 5                        | NR            | 945    | 0                        | NR            |
| 430    | 215                      | NR            | 560    | 720                      | NR            | 690    | 218                      | NR            | 820    | 4                        | NR            | 950    | 0                        | NR            |
| 435    | 341                      | NR            | 565    | 754                      | NR            | 695    | 188                      | NR            | 825    | 4                        | NR            | 955    | 0                        | NR            |
| 440    | 514                      | NR            | 570    | 792                      | NR            | 700    | 161                      | NR            | 830    | 3                        | NR            | 960    | 0                        | NR            |
| 445    | 576                      | NR            | 575    | 832                      | NR            | 705    | 139                      | NR            | 835    | 3                        | NR            | 965    | 0                        | NR            |
| 450    | 358                      | NR            | 580    | 875                      | NR            | 710    | 119                      | NR            | 840    | 3                        | NR            | 970    | 0                        | NR            |
| 455    | 222                      | NR            | 585    | 913                      | NR            | 715    | 102                      | NR            | 845    | 2                        | NR            | 975    | 0                        | NR            |
| 460    | 170                      | NR            | 590    | 950                      | NR            | 720    | 88                       | NR            | 850    | 2                        | NR            | 980    | 0                        | NR            |
| 465    | 115                      | NR            | 595    | 977                      | NR            | 725    | 76                       | NR            | 855    | 2                        | NR            | 985    | 0                        | NR            |
| 470    | 88                       | NR            | 600    | 994                      | NR            | 730    | 65                       | NR            | 860    | 1                        | NR            | 990    | 0                        | NR            |
| 475    | 87                       | NR            | 605    | 997                      | NR            | 735    | 56                       | NR            | 865    | 1                        | NR            | 995    | 0                        | NR            |
| 480    | 96                       | NR            | 610    | 990                      | NR            | 740    | 47                       | NR            | 870    | 1                        | NR            | 1000   | 0                        | NR            |
| 485    | 122                      | NR            | 615    | 971                      | NR            | 745    | 41                       | NR            | 875    | 1                        | NR            |        |                          |               |

REPORT NUMBER: SP1-2407-184-9

### Melanopic Flux vs. Wavelength



Melanopic Lumens: NR

M/P: 2.33


| $\lambda$<br>(nm) | Power<br>$\text{W}^{\wedge}/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^{\wedge}/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^{\wedge}/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^{\wedge}/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^{\wedge}/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) |
|-------------------|----------------------------------------|--------------------------------|-------------------|----------------------------------------|--------------------------------|-------------------|----------------------------------------|--------------------------------|-------------------|----------------------------------------|--------------------------------|-------------------|----------------------------------------|--------------------------------|
| 360               | 0                                      | NR                             | 490               | 170                                    | NR                             | 620               | 938                                    | NR                             | 750               | 35                                     | NR                             | 880               | 1                                      | NR                             |
| 365               | 0                                      | NR                             | 495               | 234                                    | NR                             | 625               | 894                                    | NR                             | 755               | 30                                     | NR                             | 885               | 1                                      | NR                             |
| 370               | 0                                      | NR                             | 500               | 302                                    | NR                             | 630               | 847                                    | NR                             | 760               | 26                                     | NR                             | 890               | 1                                      | NR                             |
| 375               | 0                                      | NR                             | 505               | 371                                    | NR                             | 635               | 788                                    | NR                             | 765               | 22                                     | NR                             | 895               | 1                                      | NR                             |
| 380               | 0                                      | NR                             | 510               | 431                                    | NR                             | 640               | 728                                    | NR                             | 770               | 19                                     | NR                             | 900               | 1                                      | NR                             |
| 385               | 0                                      | NR                             | 515               | 482                                    | NR                             | 645               | 665                                    | NR                             | 775               | 16                                     | NR                             | 905               | 1                                      | NR                             |
| 390               | 0                                      | NR                             | 520               | 523                                    | NR                             | 650               | 603                                    | NR                             | 780               | 14                                     | NR                             | 910               | 0                                      | NR                             |
| 395               | 2                                      | NR                             | 525               | 553                                    | NR                             | 655               | 542                                    | NR                             | 785               | 12                                     | NR                             | 915               | 0                                      | NR                             |
| 400               | 4                                      | NR                             | 530               | 580                                    | NR                             | 660               | 484                                    | NR                             | 790               | 11                                     | NR                             | 920               | 0                                      | NR                             |
| 405               | 8                                      | NR                             | 535               | 603                                    | NR                             | 665               | 430                                    | NR                             | 795               | 9                                      | NR                             | 925               | 0                                      | NR                             |
| 410               | 18                                     | NR                             | 540               | 622                                    | NR                             | 670               | 377                                    | NR                             | 800               | 8                                      | NR                             | 930               | 0                                      | NR                             |
| 415               | 36                                     | NR                             | 545               | 644                                    | NR                             | 675               | 330                                    | NR                             | 805               | 7                                      | NR                             | 935               | 0                                      | NR                             |
| 420               | 71                                     | NR                             | 550               | 668                                    | NR                             | 680               | 289                                    | NR                             | 810               | 6                                      | NR                             | 940               | 0                                      | NR                             |
| 425               | 131                                    | NR                             | 555               | 693                                    | NR                             | 685               | 250                                    | NR                             | 815               | 5                                      | NR                             | 945               | 0                                      | NR                             |
| 430               | 215                                    | NR                             | 560               | 720                                    | NR                             | 690               | 218                                    | NR                             | 820               | 4                                      | NR                             | 950               | 0                                      | NR                             |
| 435               | 341                                    | NR                             | 565               | 754                                    | NR                             | 695               | 188                                    | NR                             | 825               | 4                                      | NR                             | 955               | 0                                      | NR                             |
| 440               | 514                                    | NR                             | 570               | 792                                    | NR                             | 700               | 161                                    | NR                             | 830               | 3                                      | NR                             | 960               | 0                                      | NR                             |
| 445               | 576                                    | NR                             | 575               | 832                                    | NR                             | 705               | 139                                    | NR                             | 835               | 3                                      | NR                             | 965               | 0                                      | NR                             |
| 450               | 358                                    | NR                             | 580               | 875                                    | NR                             | 710               | 119                                    | NR                             | 840               | 3                                      | NR                             | 970               | 0                                      | NR                             |
| 455               | 222                                    | NR                             | 585               | 913                                    | NR                             | 715               | 102                                    | NR                             | 845               | 2                                      | NR                             | 975               | 0                                      | NR                             |
| 460               | 170                                    | NR                             | 590               | 950                                    | NR                             | 720               | 88                                     | NR                             | 850               | 2                                      | NR                             | 980               | 0                                      | NR                             |
| 465               | 115                                    | NR                             | 595               | 977                                    | NR                             | 725               | 76                                     | NR                             | 855               | 2                                      | NR                             | 985               | 0                                      | NR                             |
| 470               | 88                                     | NR                             | 600               | 994                                    | NR                             | 730               | 65                                     | NR                             | 860               | 1                                      | NR                             | 990               | 0                                      | NR                             |
| 475               | 87                                     | NR                             | 605               | 997                                    | NR                             | 735               | 56                                     | NR                             | 865               | 1                                      | NR                             | 995               | 0                                      | NR                             |
| 480               | 96                                     | NR                             | 610               | 990                                    | NR                             | 740               | 47                                     | NR                             | 870               | 1                                      | NR                             | 1000              | 0                                      | NR                             |
| 485               | 122                                    | NR                             | 615               | 971                                    | NR                             | 745               | 41                                     | NR                             | 875               | 1                                      | NR                             |                   |                                        |                                |

REPORT NUMBER: SP1-2407-184-9





TM-30-18

### Summary

$R_f = 81.5$   
 $R_g = 99.2$   
 $CIE R_a = 80.9$   
 $R_9 = 6.8$




### Color Vector Graphics






**Individual Sample Fidelity Index ( $R_{f,i}$ )**


|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 86 | CES26 = 74 | CES51 = 89 | CES76 = 70 |
| CES02 = 63 | CES27 = 88 | CES52 = 91 | CES77 = 86 |
| CES03 = 31 | CES28 = 89 | CES53 = 81 | CES78 = 72 |
| CES04 = 70 | CES29 = 67 | CES54 = 87 | CES79 = 90 |
| CES05 = 50 | CES30 = 68 | CES55 = 85 | CES80 = 88 |
| CES06 = 51 | CES31 = 71 | CES56 = 78 | CES81 = 78 |
| CES07 = 42 | CES32 = 70 | CES57 = 76 | CES82 = 95 |
| CES08 = 41 | CES33 = 71 | CES58 = 78 | CES83 = 90 |
| CES09 = 29 | CES34 = 82 | CES59 = 92 | CES84 = 93 |
| CES10 = 76 | CES35 = 90 | CES60 = 95 | CES85 = 86 |
| CES11 = 59 | CES36 = 93 | CES61 = 93 | CES86 = 72 |
| CES12 = 65 | CES37 = 87 | CES62 = 83 | CES87 = 85 |
| CES13 = 43 | CES38 = 75 | CES63 = 77 | CES88 = 83 |
| CES14 = 74 | CES39 = 94 | CES64 = 83 | CES89 = 75 |
| CES15 = 71 | CES40 = 89 | CES65 = 77 | CES90 = 81 |
| CES16 = 47 | CES41 = 85 | CES66 = 80 | CES91 = 96 |
| CES17 = 50 | CES42 = 86 | CES67 = 79 | CES92 = 73 |
| CES18 = 56 | CES43 = 81 | CES68 = 84 | CES93 = 84 |
| CES19 = 72 | CES44 = 99 | CES69 = 90 | CES94 = 64 |
| CES20 = 66 | CES45 = 87 | CES70 = 77 | CES95 = 80 |
| CES21 = 87 | CES46 = 82 | CES71 = 76 | CES96 = 84 |
| CES22 = 79 | CES47 = 77 | CES72 = 92 | CES97 = 87 |
| CES23 = 92 | CES48 = 71 | CES73 = 71 | CES98 = 81 |
| CES24 = 91 | CES49 = 81 | CES74 = 93 | CES99 = 74 |
| CES25 = 72 | CES50 = 89 | CES75 = 74 |            |



Color Rendition by Hue-Angle Bin



**Measure Comparisons**



(END OF REPORT)