

Signify Classified - Internal  
Cooper Lighting Solutions Photometric Lab  
1121 Highway 74 South  
Peachtree City, GA 30269



Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: McGRAW-EDISON

Report Number: P1049319

Luminaire Tested: **GALN-SA1C-930-U-RBC**

Issue Date: 07/10/2025

**Test Information**

Test Method: LM-79-08  
Report Number: P1049319  
Test Lab: INNOVATION CENTER(G3)  
Issue Date: 07/10/2025  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: MCGRAW-EDISON  
Catalog Number: GALN-SA1C-930-U-RBC  
Description: GALLEON II AREA AND ROADWAY LUMINAIRE 1050mA 1xLight Square PACKAGE  
90CRI 3000K FIXTURE w/ RIGHT CORNER BACKLIGHT CONTROL  
Light Source: (14) 3000K CCT, 90 CRI LEDS  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**

Lumens per Lamp: N/A  
Luminaire Lumens: 3586.5 lumens  
Efficiency: N/A  
Efficacy: 71.4 lumens/watt  
Luminous Opening: Rectangular (W 0.5' x L: 0.5' x H: 0')  
IES Classification: Type III - Short  
BUG Rating: B0 - U0 - G1


Input Watts (W): 50.2  
Input Voltage (V): 120  
Input Current (A<sub>in</sub>): NR  
Voltage Rise (V): NR  
Power Factor: 0.97  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 28.75 FT

REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

## Iso-Footcandle Lines of Horizontal Illumination


× Max cd  
 - - - 1/2 Max cd



Based on 20 foot mounting height. Maximum calculated value = 0.5 fc  
 Type III - Short - N/A

REPORT NUMBER: P1049319  
CATALOG NUMBER: GALN-SA1C-930-U-RBC

## Luminous Intensity Polar Plot



REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total  |
|--------------------|-----------|----------|--------|--------|
| <b>House Side</b>  | Lumens    | 18.0     | 0.0    | 18.0   |
|                    | % Fixture | 0.5      | 0.0    | 0.5    |
| <b>Street Side</b> | Lumens    | 3568.5   | 0.0    | 3568.5 |
|                    | % Fixture | 99.5     | 0.0    | 99.5   |
| <b>Total</b>       | Lumens    | 3586.5   | 0.0    | 3586.5 |
|                    | % Fixture | 100.0    | 0.0    | 100.0  |

**Coefficient of Utilization**

**ZONAL LUMENS:**

| Zone      | Lumens | % Fixture |
|-----------|--------|-----------|
| 0°-10°    | 1.4    | 0.0       |
| 10°-20°   | 7.9    | 0.2       |
| 20°-30°   | 85.0   | 2.4       |
| 30°-40°   | 251.3  | 7.0       |
| 40°-50°   | 749.1  | 20.9      |
| 50°-60°   | 1187.8 | 33.1      |
| 60°-70°   | 991.5  | 27.6      |
| 70°-80°   | 305.7  | 8.5       |
| 80°-90°   | 6.8    | 0.2       |
| 90°-100°  | 0.0    | 0.0       |
| 100°-110° | 0.0    | 0.0       |
| 110°-120° | 0.0    | 0.0       |
| 120°-130° | 0.0    | 0.0       |
| 130°-140° | 0.0    | 0.0       |
| 140°-150° | 0.0    | 0.0       |
| 150°-160° | 0.0    | 0.0       |
| 160°-170° | 0.0    | 0.0       |
| 170°-180° | 0.0    | 0.0       |
| 0°-90°    | 3586.5 | 100.0     |
| 0°-180°   | 3586.5 | 100.0     |



REPORT NUMBER: P1049319


CATALOG NUMBER: GALN-SA1C-930-U-RBC

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens | % Fixture | Zone Rating/Lumen Limit |      |         |
|------|-------------|--------|-----------|-------------------------|------|---------|
|      |             |        |           | B                       | U    | G       |
| FL   | (0°-30°)    | 91.0   | 2.5       |                         |      |         |
| FM   | (30°-60°)   | 2181.8 | 60.8      |                         |      |         |
| FH   | (60°-80°)   | 1290.5 | 36.0      |                         |      | G1/1800 |
| FVH  | (80°-90°)   | 5.3    | 0.1       |                         |      | G0/10   |
| BL   | (0°-30°)    | 3.3    | 0.1       | B0/110                  |      |         |
| BM   | (30°-60°)   | 6.4    | 0.2       | B0/220                  |      |         |
| BH   | (60°-80°)   | 6.7    | 0.2       | B0/110                  |      | G0/110  |
| BVH  | (80°-90°)   | 1.5    | 0.0       |                         |      | G0/10   |
| UL   | (90°-100°)  | 0.0    | 0.0       |                         | U0/0 |         |
| UH   | (100°-180°) | 0.0    | 0.0       |                         | U0/0 |         |

**BUG Rating: B0-U0-G1**

Type III Short



REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (FULL):**

|        | 0°    | 2.5°  | 5°    | 7.5°  | 10°  | 12.5° | 15°  | 17.5° | 20°  | 22.5° |
|--------|-------|-------|-------|-------|------|-------|------|-------|------|-------|
| 0°     | 15.7  | 15.7  | 15.7  | 15.7  | 15.7 | 15.7  | 15.7 | 15.7  | 15.7 | 15.7  |
| 2.5°   | 14.4  | 14.4  | 14.4  | 14.4  | 14.1 | 14.1  | 13.8 | 13.8  | 13.6 | 13.6  |
| 5°     | 15.2  | 15.2  | 14.9  | 14.6  | 14.6 | 14.4  | 14.1 | 13.8  | 13.8 | 13.6  |
| 7.5°   | 16.5  | 16.3  | 16.0  | 15.7  | 15.2 | 14.9  | 14.4 | 14.1  | 13.8 | 13.3  |
| 10°    | 18.2  | 17.6  | 17.1  | 16.5  | 16.0 | 15.4  | 14.9 | 14.6  | 14.1 | 13.8  |
| 12.5°  | 20.3  | 19.5  | 18.4  | 17.6  | 17.1 | 16.3  | 15.7 | 15.2  | 14.4 | 13.8  |
| 15°    | 22.2  | 21.1  | 19.8  | 18.7  | 17.9 | 16.8  | 16.0 | 15.2  | 14.6 | 13.8  |
| 17.5°  | 24.9  | 23.0  | 20.9  | 19.5  | 18.4 | 17.1  | 15.7 | 14.9  | 14.1 | 13.0  |
| 20°    | 29.5  | 25.7  | 21.7  | 20.1  | 18.4 | 16.8  | 15.2 | 14.1  | 13.3 | 12.2  |
| 22.5°  | 36.9  | 30.4  | 23.9  | 21.4  | 19.2 | 16.8  | 14.6 | 13.6  | 12.5 | 11.4  |
| 25°    | 51.0  | 39.3  | 27.6  | 24.4  | 21.1 | 17.9  | 14.6 | 13.3  | 12.2 | 10.8  |
| 27.5°  | 67.8  | 50.4  | 32.8  | 28.2  | 23.9 | 19.2  | 14.6 | 13.0  | 11.7 | 10.0  |
| 30°    | 84.8  | 61.8  | 38.5  | 32.5  | 26.6 | 20.6  | 14.6 | 12.7  | 11.1 | 9.2   |
| 32.5°  | 101.1 | 72.4  | 43.4  | 36.3  | 29.3 | 22.0  | 14.9 | 12.7  | 10.6 | 8.4   |
| 35°    | 117.6 | 81.0  | 44.2  | 36.9  | 29.5 | 22.0  | 14.6 | 12.2  | 10.0 | 7.6   |
| 37.5°  | 138.8 | 90.8  | 42.6  | 35.2  | 28.2 | 20.9  | 13.8 | 11.7  | 9.5  | 7.0   |
| 40°    | 170.7 | 107.1 | 43.4  | 35.8  | 28.2 | 20.6  | 13.0 | 10.8  | 8.9  | 6.8   |
| 42.5°  | 229.8 | 138.5 | 46.9  | 38.2  | 29.5 | 20.6  | 11.9 | 10.0  | 8.4  | 6.5   |
| 45°    | 397.3 | 230.1 | 62.9  | 49.9  | 36.9 | 23.9  | 10.8 | 9.2   | 7.9  | 6.2   |
| 47.5°  | 657.2 | 385.1 | 113.0 | 87.3  | 61.8 | 36.0  | 10.6 | 9.2   | 7.9  | 6.2   |
| 50°    | 838.8 | 490.6 | 142.3 | 109.5 | 76.7 | 43.9  | 11.1 | 9.5   | 8.1  | 6.5   |
| 52.5°  | 837.5 | 498.1 | 158.6 | 121.7 | 85.1 | 48.2  | 11.7 | 10.0  | 8.7  | 7.0   |
| 55°    | 744.5 | 453.2 | 161.5 | 124.1 | 87.0 | 49.6  | 12.5 | 10.8  | 9.2  | 7.6   |
| 57.5°  | 622.3 | 384.9 | 147.4 | 114.1 | 81.0 | 47.7  | 14.4 | 12.5  | 10.8 | 8.9   |
| 60°    | 492.2 | 303.6 | 114.9 | 90.8  | 66.9 | 42.8  | 19.0 | 16.5  | 14.4 | 11.9  |
| 62.5°  | 339.9 | 220.1 | 100.3 | 80.5  | 61.0 | 41.2  | 21.7 | 19.2  | 17.1 | 14.6  |
| 65°    | 240.4 | 165.6 | 90.5  | 73.7  | 57.2 | 40.4  | 23.6 | 20.9  | 18.4 | 15.7  |
| 67.5°  | 179.7 | 131.7 | 83.5  | 69.1  | 54.7 | 40.4  | 26.0 | 22.8  | 19.8 | 16.5  |
| 70°    | 137.7 | 108.1 | 78.3  | 66.7  | 55.3 | 43.6  | 32.0 | 27.4  | 23.0 | 18.4  |
| 72.5°  | 112.2 | 92.4  | 72.4  | 64.0  | 55.6 | 47.2  | 38.8 | 32.8  | 26.8 | 20.6  |
| 75°    | 93.0  | 79.1  | 65.3  | 58.3  | 51.5 | 44.4  | 37.4 | 32.0  | 26.8 | 21.4  |
| 77.5°  | 61.8  | 56.4  | 50.7  | 46.6  | 42.6 | 38.2  | 34.1 | 29.5  | 25.2 | 20.6  |
| 80°    | 21.7  | 20.9  | 20.1  | 21.7  | 23.3 | 24.9  | 26.6 | 23.3  | 20.3 | 17.1  |
| 82.5°  | 3.3   | 3.0   | 2.7   | 3.0   | 3.3  | 3.5   | 3.8  | 4.1   | 4.3  | 4.6   |
| 85°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 87.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 90°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 92.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 95°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 97.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 100°   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 102.5° | 0.0   | 0.0   | 0.0   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 105°   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 107.5° | 0.0   | 0.0   | 0.0   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 110°   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |



REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]

REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 25° |        | 27.5° | 30°  | 32.5° | 35°  | 37.5° | 40°  | 42.5° | 45°  | 47.5° | 50°  |
|-----|--------|-------|------|-------|------|-------|------|-------|------|-------|------|
| 0.0 | 0°     | 15.7  | 15.7 | 15.7  | 15.7 | 15.7  | 15.7 | 15.7  | 15.7 | 15.7  | 15.7 |
| 0.0 | 2.5°   | 13.3  | 13.3 | 13.0  | 13.0 | 13.0  | 12.7 | 12.7  | 12.5 | 12.5  | 12.5 |
| 0.0 | 5°     | 13.0  | 13.0 | 12.7  | 12.5 | 12.2  | 12.2 | 11.9  | 11.7 | 11.7  | 11.4 |
| 0.0 | 7.5°   | 12.7  | 12.5 | 12.2  | 11.9 | 11.7  | 11.4 | 11.1  | 10.8 | 10.8  | 10.6 |
| 0.0 | 10°    | 13.0  | 12.5 | 12.2  | 11.7 | 11.4  | 11.1 | 10.6  | 10.3 | 10.0  | 10.0 |
| 0.0 | 12.5°  | 12.5  | 12.2 | 11.7  | 11.1 | 10.8  | 10.3 | 10.0  | 9.5  | 9.2   | 9.2  |
| 0.0 | 15°    | 12.5  | 11.9 | 11.1  | 10.6 | 10.0  | 9.8  | 9.2   | 8.7  | 8.4   | 8.1  |
| 0.0 | 17.5°  | 11.7  | 11.1 | 10.3  | 9.8  | 9.2   | 8.7  | 8.1   | 7.6  | 7.3   | 7.0  |
| 0.0 | 20°    | 10.6  | 10.0 | 9.2   | 8.4  | 7.9   | 7.3  | 6.8   | 6.2  | 6.0   | 5.7  |
| 0.0 | 22.5°  | 9.5   | 8.9  | 8.1   | 7.3  | 6.8   | 6.2  | 5.4   | 4.9  | 4.6   | 4.1  |
| 0.0 | 25°    | 8.9   | 8.1  | 7.3   | 6.5  | 5.7   | 5.1  | 4.3   | 3.5  | 3.0   | 2.4  |
| 0.0 | 27.5°  | 7.6   | 6.8  | 6.0   | 5.1  | 4.3   | 3.5  | 2.7   | 1.9  | 1.4   | 1.1  |
| 0.0 | 30°    | 6.5   | 5.7  | 4.9   | 4.1  | 3.0   | 2.2  | 1.4   | 0.3  | 0.3   | 0.3  |
| 0.0 | 32.5°  | 5.4   | 4.6  | 3.5   | 2.7  | 2.2   | 1.4  | 0.8   | 0.0  | 0.0   | 0.0  |
| 0.0 | 35°    | 4.3   | 3.5  | 2.4   | 1.6  | 1.4   | 0.8  | 0.5   | 0.0  | 0.0   | 0.0  |
| 0.0 | 37.5°  | 3.8   | 3.0  | 1.9   | 0.8  | 0.5   | 0.5  | 0.3   | 0.0  | 0.0   | 0.0  |
| 0.0 | 40°    | 3.5   | 2.4  | 1.4   | 0.3  | 0.3   | 0.3  | 0.0   | 0.0  | 0.0   | 0.0  |
| 0.0 | 42.5°  | 3.5   | 2.4  | 1.1   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
| 0.0 | 45°    | 3.5   | 2.4  | 1.1   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
| 0.0 | 47.5°  | 3.5   | 2.4  | 1.1   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
| 0.0 | 50°    | 3.8   | 2.7  | 1.4   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
| 0.0 | 52.5°  | 4.3   | 3.3  | 2.2   | 1.1  | 0.8   | 0.5  | 0.3   | 0.0  | 0.0   | 0.0  |
| 0.0 | 55°    | 5.4   | 4.9  | 4.1   | 3.5  | 2.7   | 1.9  | 0.8   | 0.0  | 0.0   | 0.0  |
| 0.0 | 57.5°  | 7.0   | 7.0  | 6.8   | 6.5  | 4.9   | 3.3  | 1.6   | 0.0  | 0.0   | 0.0  |
| 0.0 | 60°    | 9.5   | 9.5  | 9.5   | 9.5  | 7.0   | 4.9  | 2.4   | 0.0  | 0.0   | 0.0  |
| 0.0 | 62.5°  | 11.7  | 11.1 | 10.3  | 9.8  | 7.3   | 4.9  | 2.4   | 0.0  | 0.0   | 0.0  |
| 0.0 | 65°    | 11.7  | 10.6 | 9.2   | 7.9  | 6.0   | 4.1  | 1.9   | 0.0  | 0.0   | 0.0  |
| 0.0 | 67.5°  | 10.8  | 8.7  | 6.2   | 4.1  | 3.0   | 2.2  | 1.1   | 0.0  | 0.0   | 0.0  |
|     | 70°    | 10.8  | 7.6  | 4.3   | 1.1  | 0.8   | 0.5  | 0.3   | 0.0  | 0.0   | 0.0  |
|     | 72.5°  | 10.8  | 7.3  | 3.5   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 75°    | 11.9  | 8.1  | 4.1   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 77.5°  | 11.9  | 8.1  | 4.1   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 80°    | 10.6  | 7.0  | 3.5   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 82.5°  | 3.5   | 2.4  | 1.1   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 85°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 87.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 90°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 92.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 95°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 97.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 100°   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 102.5° | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 105°   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 107.5° | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |
|     | 110°   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  |



REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]



REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 52.5° |        | 55°  | 57.5° | 60°  | 62.5° | 65°  | 67.5° | 70°  | 72.5° | 75°  | 77.5° |
|-------|--------|------|-------|------|-------|------|-------|------|-------|------|-------|
| 0.0   | 0°     | 15.7 | 15.7  | 15.7 | 15.7  | 15.7 | 15.7  | 15.7 | 15.7  | 15.7 | 15.7  |
| 0.0   | 2.5°   | 12.2 | 12.2  | 12.2 | 11.9  | 11.9 | 11.9  | 11.9 | 11.7  | 11.7 | 11.7  |
| 0.0   | 5°     | 11.1 | 11.1  | 10.8 | 10.8  | 10.6 | 10.6  | 10.3 | 10.3  | 10.0 | 10.0  |
| 0.0   | 7.5°   | 10.3 | 10.0  | 10.0 | 9.8   | 9.5  | 9.5   | 9.2  | 9.2   | 8.9  | 8.7   |
| 0.0   | 10°    | 9.5  | 9.2   | 9.2  | 8.9   | 8.7  | 8.4   | 8.4  | 8.1   | 7.9  | 7.6   |
| 0.0   | 12.5°  | 8.7  | 8.4   | 8.1  | 7.9   | 7.6  | 7.3   | 7.3  | 7.0   | 6.8  | 6.5   |
| 0.0   | 15°    | 7.6  | 7.3   | 7.0  | 6.8   | 6.5  | 6.2   | 6.2  | 6.0   | 5.7  | 5.4   |
| 0.0   | 17.5°  | 6.5  | 6.2   | 6.2  | 6.0   | 5.7  | 5.4   | 5.1  | 4.6   | 4.3  | 4.1   |
| 0.0   | 20°    | 4.9  | 4.6   | 4.3  | 4.1   | 3.8  | 3.3   | 3.0  | 2.4   | 1.9  | 1.6   |
| 0.0   | 22.5°  | 3.3  | 2.7   | 2.4  | 1.9   | 1.4  | 1.1   | 0.8  | 0.3   | 0.0  | 0.0   |
| 0.0   | 25°    | 1.1  | 0.8   | 0.5  | 0.3   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 27.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 30°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 32.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 35°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 37.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 40°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 42.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 45°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 47.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 50°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 52.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 55°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 57.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 60°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 62.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 65°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 67.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 70°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 72.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 75°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 77.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 80°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 82.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 85°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 87.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 90°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 92.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 95°    | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 97.5°  | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 100°   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 102.5° | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 105°   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 107.5° | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |
| 0.0   | 110°   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   |

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]

REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 80° |        | 82.5° | 85°  | 87.5° | 90°  | 92.5° | 95°  | 97.5° | 100° | 102.5° | 105° |
|-----|--------|-------|------|-------|------|-------|------|-------|------|--------|------|
| 0.0 | 0°     | 15.7  | 15.7 | 15.7  | 15.7 | 15.7  | 15.7 | 15.7  | 15.7 | 15.7   | 15.7 |
| 0.0 | 2.5°   | 11.4  | 11.4 | 11.4  | 11.1 | 11.1  | 11.1 | 11.1  | 11.1 | 11.1   | 11.1 |
| 0.0 | 5°     | 9.8   | 9.8  | 9.8   | 9.5  | 9.5   | 9.2  | 9.2   | 9.2  | 8.9    | 8.9  |
| 0.0 | 7.5°   | 8.4   | 8.1  | 8.1   | 7.9  | 7.9   | 7.6  | 7.6   | 7.6  | 7.3    | 7.3  |
| 0.0 | 10°    | 7.0   | 6.8  | 6.8   | 6.5  | 6.5   | 6.2  | 6.2   | 6.0  | 6.0    | 5.7  |
| 0.0 | 12.5°  | 6.2   | 6.0  | 5.7   | 5.4  | 5.4   | 5.1  | 4.9   | 4.9  | 4.6    | 4.3  |
| 0.0 | 15°    | 4.9   | 4.6  | 4.3   | 4.1  | 3.8   | 3.5  | 3.3   | 3.3  | 3.0    | 2.7  |
| 0.0 | 17.5°  | 3.3   | 2.7  | 2.4   | 2.2  | 2.2   | 1.9  | 1.6   | 1.4  | 1.1    | 0.8  |
| 0.0 | 20°    | 0.8   | 0.5  | 0.3   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 22.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 25°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 27.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 30°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 32.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 35°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 37.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 40°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 42.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 45°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 47.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 50°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 52.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 55°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 57.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 60°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 62.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 65°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 67.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 70°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 72.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 75°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 77.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 80°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 82.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 85°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 87.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 90°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 92.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 95°    | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 97.5°  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 100°   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 102.5° | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 105°   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 107.5° | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |
| 0.0 | 110°   | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0   | 0.0  | 0.0    | 0.0  |



REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]

REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 107.5° |        | 110° | 112.5° | 115° | 117.5° | 120° | 122.5° | 125° | 127.5° | 130° | 132.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 0.0    | 0°     | 15.7 | 15.7   | 15.7 | 15.7   | 15.7 | 15.7   | 15.7 | 15.7   | 15.7 | 15.7   |
| 0.0    | 2.5°   | 11.1 | 10.8   | 10.8 | 10.8   | 11.1 | 11.1   | 11.1 | 11.1   | 11.1 | 11.1   |
| 0.0    | 5°     | 8.9  | 8.7    | 8.7  | 8.7    | 8.7  | 8.7    | 8.7  | 8.7    | 8.7  | 8.7    |
| 0.0    | 7.5°   | 7.3  | 7.0    | 7.0  | 7.0    | 7.0  | 6.8    | 6.8  | 6.8    | 6.8  | 6.8    |
| 0.0    | 10°    | 5.7  | 5.4    | 5.4  | 5.4    | 5.4  | 5.1    | 5.1  | 5.1    | 5.1  | 5.1    |
| 0.0    | 12.5°  | 4.1  | 4.1    | 3.8  | 3.8    | 3.8  | 3.5    | 3.5  | 3.5    | 3.5  | 3.3    |
| 0.0    | 15°    | 2.4  | 2.2    | 1.9  | 1.9    | 1.9  | 1.6    | 1.6  | 1.6    | 1.6  | 1.4    |
| 0.0    | 17.5°  | 0.5  | 0.5    | 0.3  | 0.3    | 0.3  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 20°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 22.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 25°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 27.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 30°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 32.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 35°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 37.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 40°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 42.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 45°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 47.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 50°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 52.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 55°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 57.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 60°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 62.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 65°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 67.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 70°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 72.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 75°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 77.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 80°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 82.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 85°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 87.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 90°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 92.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 95°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 97.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 100°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 102.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 105°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 107.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 110°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |



REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]

REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 135° |        | 137.5° | 140° | 142.5° | 145° | 147.5° | 150° | 152.5° | 155° | 157.5° | 160° |
|------|--------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 0.0  | 0°     | 15.7   | 15.7 | 15.7   | 15.7 | 15.7   | 15.7 | 15.7   | 15.7 | 15.7   | 15.7 |
| 0.0  | 2.5°   | 11.4   | 11.4 | 11.7   | 11.7 | 11.9   | 12.5 | 12.7   | 13.0 | 13.6   | 14.1 |
| 0.0  | 5°     | 8.9    | 9.2  | 9.2    | 9.5  | 9.8    | 10.0 | 10.3   | 10.6 | 11.1   | 11.7 |
| 0.0  | 7.5°   | 7.0    | 7.0  | 7.3    | 7.3  | 7.6    | 8.1  | 8.4    | 8.7  | 9.2    | 10.0 |
| 0.0  | 10°    | 5.4    | 5.4  | 5.7    | 5.7  | 6.0    | 6.5  | 6.8    | 7.0  | 7.6    | 8.4  |
| 0.0  | 12.5°  | 3.5    | 3.8  | 3.8    | 4.1  | 4.3    | 4.9  | 5.1    | 5.4  | 6.0    | 6.5  |
| 0.0  | 15°    | 1.6    | 1.9  | 1.9    | 2.2  | 2.4    | 3.0  | 3.3    | 3.5  | 4.1    | 4.9  |
| 0.0  | 17.5°  | 0.3    | 0.3  | 0.5    | 0.5  | 0.8    | 1.1  | 1.4    | 1.6  | 2.4    | 3.0  |
| 0.0  | 20°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.5    | 1.1  |
| 0.0  | 22.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.3  |
| 0.0  | 25°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 27.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 30°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 32.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 35°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 37.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 40°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 42.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 45°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 47.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 50°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 52.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 55°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 57.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 60°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 62.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 65°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 67.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 70°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 72.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 75°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 77.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 80°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 82.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 85°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 87.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 90°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 92.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 95°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 97.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 100°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 102.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 105°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 107.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 110°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |



REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]



REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 162.5° |        | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 0.0    | 0°     | 15.7 | 15.7   | 15.7 | 15.7   | 15.7 | 15.7   | 15.7 | 15.7   | 15.7 | 15.7   |
| 0.0    | 2.5°   | 14.9 | 15.4   | 16.0 | 16.5   | 17.1 | 17.6   | 17.9 | 18.4   | 18.7 | 19.0   |
| 0.0    | 5°     | 12.7 | 13.3   | 14.1 | 14.6   | 15.2 | 15.7   | 16.3 | 16.5   | 16.8 | 17.1   |
| 0.0    | 7.5°   | 11.1 | 11.7   | 12.5 | 13.0   | 13.6 | 14.1   | 14.6 | 15.2   | 15.4 | 15.7   |
| 0.0    | 10°    | 9.5  | 10.3   | 10.8 | 11.7   | 12.2 | 12.7   | 13.3 | 13.8   | 14.4 | 14.6   |
| 0.0    | 12.5°  | 7.6  | 8.4    | 9.2  | 9.8    | 10.6 | 11.4   | 11.9 | 12.5   | 13.0 | 13.6   |
| 0.0    | 15°    | 6.0  | 6.8    | 7.6  | 8.1    | 8.9  | 9.8    | 10.6 | 11.1   | 11.7 | 12.2   |
| 0.0    | 17.5°  | 4.3  | 5.1    | 6.0  | 6.5    | 7.3  | 8.1    | 8.7  | 9.5    | 10.0 | 10.6   |
| 0.0    | 20°    | 2.2  | 3.0    | 3.8  | 4.6    | 5.4  | 6.2    | 6.8  | 7.6    | 8.1  | 8.7    |
| 0.0    | 22.5°  | 0.3  | 1.1    | 1.9  | 2.4    | 3.3  | 4.1    | 4.6  | 5.4    | 6.0  | 6.5    |
| 0.0    | 25°    | 0.0  | 0.3    | 0.8  | 1.1    | 1.4  | 1.9    | 2.4  | 3.0    | 3.5  | 4.1    |
| 0.0    | 27.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.3    | 0.5  | 1.1    | 1.6  | 2.2    |
| 0.0    | 30°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.5    |
| 0.0    | 32.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 35°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 37.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 40°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 42.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 45°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 47.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 50°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 52.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 55°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 57.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 60°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 62.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 65°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0    | 67.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 70°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 72.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 75°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 77.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 80°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.3    |
|        | 82.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.3    | 0.3  | 0.5    |
|        | 85°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.5    | 0.8  | 1.4    | 1.6  | 1.9    |
|        | 87.5°  | 0.0  | 0.3    | 0.5  | 0.8    | 1.1  | 1.6    | 2.2  | 2.7    | 3.0  | 3.3    |
|        | 90°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 92.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 95°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 97.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 100°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 102.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 105°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 107.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 110°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |



REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 190° |        | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° |
|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 15.7 | 112.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 19.0 | 115°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 17.3 | 117.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 16.0 | 120°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 15.2 | 122.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 13.8 | 125°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 12.7 | 127.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 11.4 | 130°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 9.2  | 132.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 7.0  | 135°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 4.9  | 137.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 2.7  | 140°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.8  | 142.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 145°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 147.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 150°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 152.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 155°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 157.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 160°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 162.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 165°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 167.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 170°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 172.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 175°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 177.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  | 180°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.3  |        |      |        |      |        |      |        |      |        |      |        |
| 1.1  |        |      |        |      |        |      |        |      |        |      |        |
| 2.4  |        |      |        |      |        |      |        |      |        |      |        |
| 3.5  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |

REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 190° |        | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° |
|------|--------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 0.0  | 0°     | 15.7   | 15.7 | 15.7   | 15.7 | 15.7   | 15.7 | 15.7   | 15.7 | 15.7   | 15.7 |
| 0.0  | 2.5°   | 19.2   | 19.2 | 19.2   | 19.2 | 19.0   | 19.0 | 19.0   | 18.7 | 18.7   | 18.4 |
| 0.0  | 5°     | 17.6   | 17.9 | 17.9   | 17.9 | 17.9   | 17.9 | 17.9   | 17.9 | 17.6   | 17.6 |
| 0.0  | 7.5°   | 16.3   | 16.5 | 16.8   | 16.8 | 17.1   | 17.1 | 17.1   | 16.8 | 16.8   | 16.5 |
| 0.0  | 10°    | 15.4   | 15.7 | 15.7   | 16.0 | 16.0   | 16.0 | 16.0   | 16.0 | 16.0   | 16.0 |
| 0.0  | 12.5°  | 14.4   | 14.6 | 14.9   | 14.9 | 15.2   | 15.2 | 15.2   | 15.2 | 14.9   | 14.9 |
| 0.0  | 15°    | 13.0   | 13.6 | 13.8   | 14.1 | 14.1   | 14.4 | 14.4   | 14.4 | 14.4   | 14.4 |
| 0.0  | 17.5°  | 11.9   | 12.5 | 12.7   | 13.0 | 13.0   | 13.3 | 13.3   | 13.6 | 13.6   | 13.6 |
| 0.0  | 20°    | 9.8    | 10.3 | 10.6   | 11.1 | 11.4   | 11.7 | 11.9   | 12.2 | 12.2   | 12.5 |
| 0.0  | 22.5°  | 7.6    | 8.1  | 8.4    | 8.9  | 9.2    | 9.5  | 9.8    | 10.0 | 10.3   | 10.6 |
| 0.0  | 25°    | 5.4    | 6.0  | 6.2    | 6.8  | 7.0    | 7.3  | 7.6    | 7.9  | 7.9    | 8.1  |
| 0.0  | 27.5°  | 3.0    | 3.5  | 4.1    | 4.3  | 4.9    | 5.1  | 5.4    | 5.7  | 6.0    | 6.2  |
| 0.0  | 30°    | 1.4    | 1.6  | 1.9    | 2.4  | 2.7    | 3.0  | 3.3    | 3.8  | 4.1    | 4.3  |
| 0.0  | 32.5°  | 0.0    | 0.0  | 0.3    | 0.8  | 1.1    | 1.4  | 1.6    | 1.9  | 1.9    | 2.2  |
| 0.0  | 35°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.3    | 0.5  | 0.8    | 1.1  |
| 0.0  | 37.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 40°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 42.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 45°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 47.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 50°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 52.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 55°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 57.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 60°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 62.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 65°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0  | 67.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 70°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 72.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 75°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 77.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 80°    | 0.5    | 0.5  | 0.5    | 0.8  | 0.8    | 0.8  | 0.8    | 0.8  | 0.8    | 0.8  |
|      | 82.5°  | 1.4    | 1.6  | 1.9    | 1.9  | 2.2    | 2.2  | 2.2    | 2.2  | 1.9    | 1.9  |
|      | 85°    | 2.7    | 3.0  | 3.3    | 3.3  | 3.5    | 3.5  | 3.5    | 3.5  | 3.5    | 3.5  |
|      | 87.5°  | 3.8    | 4.1  | 4.3    | 4.3  | 4.6    | 4.6  | 4.6    | 4.6  | 4.6    | 4.6  |
|      | 90°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 92.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 95°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 97.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 100°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 102.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 105°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 107.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
|      | 110°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |

REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 217.5° |        | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° |
|--------|--------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 15.7   | 112.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 18.4   | 115°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 17.6   | 117.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 16.5   | 120°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 16.0   | 122.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 14.9   | 125°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 14.4   | 127.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 13.6   | 130°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 12.2   | 132.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 10.6   | 135°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 8.4    | 137.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 6.5    | 140°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 4.6    | 142.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 2.7    | 145°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 1.6    | 147.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.5    | 150°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.5    | 152.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.3    | 155°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.3    | 157.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.3    | 160°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.3    | 162.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.3    | 165°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0    | 167.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0    | 170°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0    | 172.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0    | 175°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0    | 177.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0    | 180°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.8    |        |        |      |        |      |        |      |        |      |        |      |
| 1.9    |        |        |      |        |      |        |      |        |      |        |      |
| 3.5    |        |        |      |        |      |        |      |        |      |        |      |
| 4.6    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |

REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 217.5° |        | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 0.0    | 0°     | 15.7 | 15.7   | 15.7 | 15.7   | 15.7 | 15.7   | 15.7 | 15.7   | 15.7 | 15.7   |
| 0.0    | 2.5°   | 18.2 | 18.2   | 17.9 | 17.9   | 17.9 | 17.9   | 17.9 | 18.2   | 18.4 | 18.4   |
| 0.0    | 5°     | 17.3 | 17.3   | 17.1 | 17.1   | 17.1 | 17.3   | 17.3 | 17.6   | 17.9 | 18.2   |
| 0.0    | 7.5°   | 16.5 | 16.3   | 16.3 | 16.5   | 16.5 | 16.8   | 16.8 | 17.1   | 17.3 | 17.6   |
| 0.0    | 10°    | 16.0 | 15.7   | 15.7 | 15.7   | 16.0 | 16.0   | 16.3 | 16.5   | 16.8 | 17.1   |
| 0.0    | 12.5°  | 14.9 | 14.9   | 14.9 | 14.9   | 15.2 | 15.2   | 15.4 | 15.7   | 16.3 | 16.5   |
| 0.0    | 15°    | 14.4 | 14.1   | 14.1 | 14.1   | 14.1 | 14.4   | 14.4 | 14.9   | 15.4 | 15.7   |
| 0.0    | 17.5°  | 13.3 | 13.3   | 13.0 | 13.0   | 13.3 | 13.3   | 13.6 | 14.1   | 14.6 | 14.9   |
| 0.0    | 20°    | 12.2 | 11.9   | 11.7 | 11.7   | 11.9 | 11.9   | 12.2 | 12.7   | 13.3 | 13.6   |
| 0.0    | 22.5°  | 10.6 | 10.3   | 10.3 | 10.3   | 10.3 | 10.6   | 10.6 | 11.1   | 11.9 | 12.5   |
| 0.0    | 25°    | 8.4  | 8.7    | 8.7  | 8.9    | 8.9  | 9.2    | 9.5  | 10.0   | 10.8 | 11.4   |
| 0.0    | 27.5°  | 6.5  | 6.8    | 6.8  | 7.3    | 7.6  | 7.9    | 8.1  | 8.9    | 9.8  | 10.3   |
| 0.0    | 30°    | 4.9  | 5.1    | 5.4  | 5.7    | 6.2  | 6.8    | 7.3  | 8.1    | 8.9  | 9.5    |
| 0.0    | 32.5°  | 3.0  | 3.5    | 3.8  | 4.3    | 4.9  | 5.4    | 6.0  | 6.8    | 7.9  | 8.7    |
| 0.0    | 35°    | 2.2  | 2.4    | 3.0  | 3.3    | 3.8  | 4.3    | 4.9  | 6.0    | 6.8  | 7.9    |
| 0.0    | 37.5°  | 1.1  | 1.6    | 2.2  | 2.7    | 3.3  | 3.8    | 4.3  | 5.4    | 6.5  | 7.3    |
| 0.0    | 40°    | 0.8  | 1.4    | 1.6  | 2.2    | 3.0  | 3.5    | 4.1  | 5.1    | 6.2  | 7.3    |
| 0.0    | 42.5°  | 0.5  | 0.8    | 1.1  | 1.9    | 2.4  | 3.3    | 4.1  | 5.1    | 6.2  | 7.3    |
| 0.0    | 45°    | 0.5  | 0.5    | 0.8  | 1.6    | 2.4  | 3.5    | 4.3  | 5.4    | 6.2  | 7.3    |
| 0.0    | 47.5°  | 0.5  | 0.8    | 1.1  | 2.2    | 2.7  | 3.5    | 4.3  | 5.1    | 6.2  | 7.0    |
| 0.0    | 50°    | 0.8  | 1.1    | 1.4  | 2.4    | 3.0  | 3.8    | 4.3  | 5.4    | 6.2  | 7.3    |
| 0.0    | 52.5°  | 0.5  | 0.8    | 1.1  | 2.2    | 3.0  | 4.1    | 4.9  | 6.0    | 7.0  | 7.9    |
| 0.0    | 55°    | 0.3  | 0.3    | 0.3  | 1.6    | 3.3  | 4.6    | 6.2  | 7.0    | 8.1  | 8.9    |
| 0.0    | 57.5°  | 0.0  | 0.0    | 0.0  | 1.1    | 3.3  | 5.1    | 7.0  | 8.1    | 9.2  | 10.0   |
| 0.0    | 60°    | 0.0  | 0.0    | 0.0  | 1.1    | 3.3  | 5.1    | 7.0  | 8.4    | 9.8  | 11.1   |
| 0.0    | 62.5°  | 0.0  | 0.0    | 0.0  | 1.1    | 2.7  | 4.3    | 6.0  | 8.1    | 10.6 | 12.7   |
| 0.0    | 65°    | 0.0  | 0.0    | 0.0  | 0.8    | 2.2  | 3.5    | 4.9  | 8.1    | 11.4 | 14.4   |
| 0.0    | 67.5°  | 0.0  | 0.0    | 0.0  | 0.8    | 2.2  | 3.3    | 4.6  | 8.1    | 11.4 | 14.9   |
|        | 70°    | 0.0  | 0.0    | 0.0  | 0.8    | 2.2  | 3.5    | 4.9  | 8.1    | 11.4 | 14.6   |
|        | 72.5°  | 0.0  | 0.0    | 0.0  | 0.8    | 2.4  | 3.8    | 5.4  | 8.1    | 10.8 | 13.6   |
|        | 75°    | 0.0  | 0.0    | 0.0  | 1.1    | 2.4  | 4.1    | 5.7  | 8.1    | 10.6 | 12.7   |
|        | 77.5°  | 0.0  | 0.0    | 0.0  | 0.8    | 2.4  | 3.8    | 5.4  | 7.9    | 10.3 | 12.5   |
|        | 80°    | 0.8  | 0.5    | 0.5  | 1.4    | 2.4  | 3.5    | 4.6  | 7.0    | 9.8  | 12.2   |
|        | 82.5°  | 1.6  | 1.6    | 1.4  | 1.9    | 2.4  | 3.3    | 4.1  | 6.2    | 8.7  | 10.8   |
|        | 85°    | 3.3  | 3.3    | 3.0  | 3.3    | 3.3  | 3.5    | 3.8  | 4.9    | 6.0  | 7.0    |
|        | 87.5°  | 4.3  | 4.3    | 4.1  | 4.1    | 4.1  | 3.8    | 3.8  | 3.8    | 3.8  | 3.5    |
|        | 90°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 92.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 95°    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 97.5°  | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 100°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 102.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 105°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 107.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
|        | 110°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |

REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 245° |        | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° |
|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 15.7 | 112.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 18.7 | 115°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 18.4 | 117.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 17.9 | 120°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 17.3 | 122.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 16.8 | 125°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 16.3 | 127.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 15.4 | 130°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 14.1 | 132.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 13.0 | 135°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 11.9 | 137.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 11.1 | 140°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 10.3 | 142.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 9.5  | 145°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 8.7  | 147.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 8.4  | 150°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 8.4  | 152.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 8.4  | 155°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 8.1  | 157.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 7.9  | 160°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 8.1  | 162.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 8.9  | 165°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 9.8  | 167.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 11.1 | 170°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 12.5 | 172.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 14.9 | 175°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 17.6 | 177.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 18.2 | 180°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 17.9 |        |      |        |      |        |      |        |      |        |      |        |
| 16.3 |        |      |        |      |        |      |        |      |        |      |        |
| 15.2 |        |      |        |      |        |      |        |      |        |      |        |
| 14.9 |        |      |        |      |        |      |        |      |        |      |        |
| 14.6 |        |      |        |      |        |      |        |      |        |      |        |
| 13.0 |        |      |        |      |        |      |        |      |        |      |        |
| 8.1  |        |      |        |      |        |      |        |      |        |      |        |
| 3.5  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0  |        |      |        |      |        |      |        |      |        |      |        |

REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 245° |        | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270°  |
|------|--------|--------|------|--------|------|--------|------|--------|------|--------|-------|
| 0.0  | 0°     | 15.7   | 15.7 | 15.7   | 15.7 | 15.7   | 15.7 | 15.7   | 15.7 | 15.7   | 15.7  |
| 0.0  | 2.5°   | 19.0   | 19.2 | 19.2   | 19.5 | 19.8   | 20.1 | 20.1   | 20.3 | 20.3   | 20.3  |
| 0.0  | 5°     | 18.7   | 19.2 | 19.5   | 19.8 | 20.1   | 20.3 | 20.6   | 20.9 | 21.1   | 21.1  |
| 0.0  | 7.5°   | 18.4   | 18.7 | 19.2   | 19.5 | 20.1   | 20.3 | 20.9   | 21.1 | 21.4   | 21.7  |
| 0.0  | 10°    | 17.9   | 18.4 | 19.0   | 19.5 | 20.1   | 20.6 | 21.1   | 21.7 | 22.2   | 22.5  |
| 0.0  | 12.5°  | 17.3   | 18.2 | 18.7   | 19.2 | 20.1   | 20.9 | 21.4   | 22.2 | 22.8   | 23.3  |
| 0.0  | 15°    | 17.1   | 17.6 | 18.4   | 19.0 | 20.1   | 21.1 | 22.0   | 23.0 | 24.1   | 24.9  |
| 0.0  | 17.5°  | 16.3   | 17.3 | 18.2   | 19.0 | 20.1   | 21.4 | 22.5   | 23.6 | 25.2   | 26.8  |
| 0.0  | 20°    | 15.2   | 16.0 | 17.1   | 17.9 | 19.5   | 20.9 | 22.5   | 23.9 | 26.3   | 28.7  |
| 0.0  | 22.5°  | 14.1   | 15.2 | 16.0   | 17.1 | 19.0   | 20.6 | 22.5   | 24.1 | 28.2   | 32.0  |
| 0.0  | 25°    | 13.0   | 14.4 | 15.4   | 16.5 | 18.7   | 20.9 | 23.0   | 25.2 | 32.0   | 38.8  |
| 0.0  | 27.5°  | 12.5   | 13.6 | 14.9   | 16.0 | 18.7   | 21.7 | 24.4   | 27.1 | 37.9   | 48.5  |
| 0.0  | 30°    | 11.7   | 13.0 | 14.1   | 15.4 | 19.0   | 22.5 | 26.0   | 29.5 | 46.1   | 62.6  |
| 0.0  | 32.5°  | 10.8   | 12.2 | 13.6   | 14.9 | 19.5   | 24.1 | 28.5   | 33.1 | 54.7   | 76.2  |
| 0.0  | 35°    | 10.0   | 11.7 | 13.0   | 14.4 | 20.3   | 26.6 | 32.5   | 38.5 | 62.6   | 86.5  |
| 0.0  | 37.5°  | 9.8    | 11.4 | 12.7   | 14.1 | 20.6   | 26.8 | 33.3   | 39.6 | 63.4   | 87.3  |
| 0.0  | 40°    | 10.0   | 11.4 | 13.0   | 14.4 | 19.8   | 25.2 | 30.4   | 35.8 | 60.7   | 85.4  |
| 0.0  | 42.5°  | 10.0   | 11.7 | 13.3   | 14.9 | 19.2   | 23.6 | 27.9   | 32.3 | 59.9   | 87.5  |
| 0.0  | 45°    | 9.8    | 11.4 | 13.0   | 14.6 | 18.7   | 22.5 | 26.6   | 30.4 | 64.8   | 98.9  |
| 0.0  | 47.5°  | 9.5    | 11.1 | 12.7   | 14.4 | 18.4   | 22.5 | 26.6   | 30.6 | 83.7   | 136.6 |
| 0.0  | 50°    | 9.5    | 11.1 | 12.5   | 13.8 | 18.7   | 23.9 | 28.7   | 33.6 | 122.0  | 210.0 |
| 0.0  | 52.5°  | 10.0   | 11.4 | 12.5   | 13.6 | 19.2   | 25.2 | 30.9   | 36.6 | 155.0  | 273.2 |
| 0.0  | 55°    | 10.8   | 11.7 | 12.7   | 13.6 | 20.6   | 27.4 | 34.4   | 41.2 | 165.1  | 288.9 |
| 0.0  | 57.5°  | 11.9   | 12.7 | 13.6   | 14.4 | 23.0   | 31.7 | 40.1   | 48.8 | 165.9  | 282.7 |
| 0.0  | 60°    | 13.3   | 14.4 | 15.2   | 16.0 | 25.2   | 34.7 | 43.9   | 53.1 | 150.1  | 246.9 |
| 0.0  | 62.5°  | 16.3   | 17.6 | 18.7   | 20.1 | 29.0   | 37.7 | 46.6   | 55.3 | 124.7  | 194.1 |
| 0.0  | 65°    | 18.7   | 19.8 | 20.9   | 22.0 | 30.6   | 39.6 | 48.2   | 56.9 | 105.7  | 154.5 |
| 0.0  | 67.5°  | 19.2   | 20.3 | 21.1   | 22.2 | 31.2   | 40.1 | 48.8   | 57.7 | 90.5   | 123.0 |
|      | 70°    | 19.5   | 20.9 | 22.5   | 23.9 | 33.1   | 42.3 | 51.2   | 60.4 | 80.2   | 100.0 |
|      | 72.5°  | 18.7   | 21.4 | 23.9   | 26.3 | 35.0   | 43.4 | 52.0   | 60.4 | 74.5   | 88.6  |
|      | 75°    | 18.7   | 22.5 | 26.0   | 29.5 | 36.0   | 42.3 | 48.8   | 55.0 | 65.9   | 76.7  |
|      | 77.5°  | 19.8   | 24.7 | 29.5   | 34.4 | 38.2   | 41.7 | 45.5   | 49.1 | 56.1   | 63.1  |
|      | 80°    | 19.8   | 24.9 | 29.8   | 35.0 | 36.6   | 38.5 | 40.1   | 41.7 | 42.6   | 43.4  |
|      | 82.5°  | 17.1   | 21.1 | 25.2   | 29.3 | 27.4   | 25.5 | 23.6   | 21.7 | 20.3   | 18.7  |
|      | 85°    | 8.7    | 9.5  | 10.0   | 10.6 | 9.8    | 8.9  | 8.1    | 7.3  | 6.8    | 6.0   |
|      | 87.5°  | 3.5    | 3.5  | 3.3    | 3.3  | 3.3    | 3.3  | 3.0    | 3.0  | 3.0    | 3.0   |
|      | 90°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0   |
|      | 92.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0   |
|      | 95°    | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0   |
|      | 97.5°  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0   |
|      | 100°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0   |
|      | 102.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0   |
|      | 105°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0   |
|      | 107.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0   |
|      | 110°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0   |

REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 272.5° |        | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° |
|--------|--------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 15.7   | 112.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 20.3   | 115°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 21.1   | 117.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 22.0   | 120°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 23.0   | 122.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 24.1   | 125°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 26.3   | 127.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 29.0   | 130°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 33.3   | 132.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 42.6   | 135°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 57.7   | 137.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 80.2   | 140°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 108.7  | 142.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 135.8  | 145°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 154.2  | 147.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 168.0  | 150°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 181.9  | 152.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 209.0  | 155°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 263.2  | 157.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 401.1  | 160°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 614.4  | 162.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 773.5  | 165°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 791.1  | 167.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 713.9  | 170°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 610.4  | 172.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 477.0  | 175°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 360.5  | 177.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 266.1  | 180°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 188.4  |        |        |      |        |      |        |      |        |      |        |      |
| 140.1  |        |        |      |        |      |        |      |        |      |        |      |
| 101.9  |        |        |      |        |      |        |      |        |      |        |      |
| 76.7   |        |        |      |        |      |        |      |        |      |        |      |
| 43.1   |        |        |      |        |      |        |      |        |      |        |      |
| 19.5   |        |        |      |        |      |        |      |        |      |        |      |
| 5.7    |        |        |      |        |      |        |      |        |      |        |      |
| 2.7    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |

REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 272.5° |        | 275°   | 277.5° | 280°   | 282.5° | 285°   | 287.5° | 290°   | 292.5° | 295°   | 297.5° |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0.0    | 0°     | 15.7   | 15.7   | 15.7   | 15.7   | 15.7   | 15.7   | 15.7   | 15.7   | 15.7   | 15.7   |
| 0.0    | 2.5°   | 20.3   | 20.1   | 20.1   | 19.8   | 19.5   | 19.2   | 19.0   | 18.7   | 18.4   | 18.2   |
| 0.0    | 5°     | 21.1   | 21.1   | 21.1   | 20.9   | 20.9   | 20.6   | 20.6   | 20.3   | 20.1   | 19.8   |
| 0.0    | 7.5°   | 22.0   | 22.2   | 22.2   | 22.5   | 22.5   | 22.5   | 22.5   | 22.2   | 22.2   | 22.2   |
| 0.0    | 10°    | 23.3   | 23.6   | 23.9   | 24.1   | 24.4   | 24.7   | 24.7   | 24.9   | 24.9   | 24.9   |
| 0.0    | 12.5°  | 24.9   | 25.7   | 26.3   | 27.1   | 27.6   | 28.5   | 29.0   | 29.8   | 30.4   | 30.9   |
| 0.0    | 15°    | 27.4   | 28.7   | 30.4   | 31.7   | 33.1   | 35.0   | 37.1   | 39.0   | 40.9   | 43.9   |
| 0.0    | 17.5°  | 30.9   | 35.2   | 39.6   | 43.6   | 48.0   | 57.5   | 66.9   | 76.2   | 85.6   | 99.5   |
| 0.0    | 20°    | 37.7   | 50.7   | 63.4   | 76.4   | 89.2   | 122.5  | 155.6  | 188.9  | 222.0  | 257.5  |
| 0.0    | 22.5°  | 52.9   | 84.8   | 116.8  | 148.8  | 180.8  | 250.4  | 319.8  | 389.5  | 458.8  | 540.4  |
| 0.0    | 25°    | 76.7   | 135.5  | 194.3  | 252.9  | 311.7  | 420.6  | 529.9  | 638.8  | 747.8  | 853.7  |
| 0.0    | 27.5°  | 111.7  | 201.6  | 291.6  | 381.3  | 471.3  | 619.0  | 767.0  | 914.7  | 1062.4 | 1182.2 |
| 0.0    | 30°    | 154.8  | 276.7  | 398.7  | 520.6  | 642.6  | 810.6  | 978.7  | 1146.4 | 1314.5 | 1445.4 |
| 0.0    | 32.5°  | 195.4  | 344.7  | 494.1  | 643.1  | 792.5  | 983.8  | 1175.4 | 1366.8 | 1558.1 | 1701.2 |
| 0.0    | 35°    | 222.0  | 402.5  | 583.2  | 763.8  | 944.3  | 1151.3 | 1358.4 | 1565.2 | 1772.2 | 1935.7 |
| 0.0    | 37.5°  | 248.5  | 457.0  | 665.1  | 873.5  | 1081.7 | 1309.1 | 1536.5 | 1763.8 | 1991.2 | 2193.1 |
| 0.0    | 40°    | 278.3  | 522.8  | 767.0  | 1011.5 | 1255.7 | 1525.1 | 1794.2 | 2063.6 | 2332.7 | 2617.6 |
| 0.0    | 42.5°  | 330.1  | 632.0  | 934.2  | 1236.2 | 1538.1 | 1894.5 | 2250.9 | 2607.0 | 2963.4 | 3369.9 |
| 0.0    | 45°    | 427.4  | 852.9  | 1278.7 | 1704.2 | 2129.7 | 2601.9 | 3074.3 | 3546.4 | 4018.5 | 4559.5 |
| 0.0    | 47.5°  | 665.6  | 1251.1 | 1836.2 | 2421.6 | 3006.8 | 3516.6 | 4026.1 | 4535.9 | 5045.4 | 5584.2 |
| 0.0    | 50°    | 1018.5 | 1699.9 | 2381.2 | 3062.3 | 3743.7 | 4205.0 | 4666.0 | 5127.3 | 5588.3 | 6100.8 |
| 0.0    | 52.5°  | 1273.8 | 1983.6 | 2693.7 | 3403.6 | 4113.4 | 4529.7 | 4946.2 | 5362.5 | 5778.8 | 6257.7 |
| 0.0    | 55°    | 1293.1 | 1998.8 | 2704.8 | 3410.6 | 4116.4 | 4534.5 | 4952.7 | 5370.9 | 5789.1 | 6296.8 |
| 0.0    | 57.5°  | 1144.8 | 1844.9 | 2544.7 | 3244.7 | 3944.5 | 4420.7 | 4896.6 | 5372.8 | 5848.8 | 6397.6 |
| 0.0    | 60°    | 973.8  | 1674.1 | 2374.2 | 3074.5 | 3774.6 | 4323.1 | 4872.0 | 5420.5 | 5969.1 | 6483.2 |
| 0.0    | 62.5°  | 759.7  | 1480.1 | 2200.7 | 2921.1 | 3641.5 | 4198.5 | 4755.4 | 5312.1 | 5869.1 | 6254.8 |
| 0.0    | 65°    | 566.2  | 1265.7 | 1965.2 | 2664.5 | 3364.0 | 3810.1 | 4256.2 | 4702.0 | 5148.2 | 5386.9 |
| 0.0    | 67.5°  | 409.3  | 1012.6 | 1615.6 | 2218.9 | 2821.9 | 3141.2 | 3460.5 | 3779.5 | 4098.7 | 4281.4 |
|        | 70°    | 276.7  | 694.6  | 1112.3 | 1530.2 | 1947.9 | 2210.2 | 2472.8 | 2735.2 | 2997.6 | 3244.2 |
|        | 72.5°  | 191.6  | 426.3  | 661.3  | 896.0  | 1130.7 | 1394.7 | 1658.4 | 1922.4 | 2186.1 | 2447.1 |
|        | 75°    | 127.1  | 233.9  | 341.0  | 447.7  | 554.5  | 749.9  | 945.6  | 1141.0 | 1336.4 | 1492.0 |
|        | 77.5°  | 90.3   | 122.2  | 154.5  | 186.5  | 218.4  | 255.0  | 291.9  | 328.5  | 365.1  | 420.6  |
|        | 80°    | 42.8   | 46.9   | 51.0   | 54.7   | 58.8   | 72.1   | 85.4   | 98.7   | 111.9  | 126.0  |
|        | 82.5°  | 20.3   | 22.0   | 23.6   | 24.9   | 26.6   | 27.9   | 29.3   | 30.6   | 32.0   | 30.6   |
|        | 85°    | 5.4    | 5.4    | 5.7    | 5.7    | 5.7    | 5.7    | 5.7    | 5.7    | 5.7    | 5.4    |
|        | 87.5°  | 2.4    | 2.4    | 2.4    | 2.4    | 2.4    | 2.4    | 2.4    | 2.2    | 2.2    | 1.9    |
|        | 90°    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|        | 92.5°  | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|        | 95°    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|        | 97.5°  | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|        | 100°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|        | 102.5° | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|        | 105°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|        | 107.5° | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|        | 110°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 300°   |        | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 15.7   | 112.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 17.9   | 115°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 19.5   | 117.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 22.0   | 120°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 25.2   | 122.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 31.2   | 125°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 47.2   | 127.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 113.0  | 130°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 293.3  | 132.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 622.0  | 135°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 959.7  | 137.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 1302.0 | 140°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 1576.6 | 142.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 1844.6 | 145°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 2099.1 | 147.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 2395.3 | 150°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 2902.4 | 152.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 3776.5 | 155°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 5100.5 | 157.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 6123.0 | 160°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 6613.3 | 162.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 6736.6 | 165°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 6804.7 | 167.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 6946.4 | 170°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 6997.1 | 172.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 6640.7 | 175°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 5626.0 | 177.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 4464.4 | 180°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 3490.6 |        |      |        |      |        |      |        |      |        |      |        |
| 2708.1 |        |      |        |      |        |      |        |      |        |      |        |
| 1647.6 |        |      |        |      |        |      |        |      |        |      |        |
| 476.2  |        |      |        |      |        |      |        |      |        |      |        |
| 140.1  |        |      |        |      |        |      |        |      |        |      |        |
| 29.0   |        |      |        |      |        |      |        |      |        |      |        |
| 5.1    |        |      |        |      |        |      |        |      |        |      |        |
| 1.9    |        |      |        |      |        |      |        |      |        |      |        |
| 0.0    |        |      |        |      |        |      |        |      |        |      |        |
| 0.0    |        |      |        |      |        |      |        |      |        |      |        |
| 0.0    |        |      |        |      |        |      |        |      |        |      |        |
| 0.0    |        |      |        |      |        |      |        |      |        |      |        |
| 0.0    |        |      |        |      |        |      |        |      |        |      |        |
| 0.0    |        |      |        |      |        |      |        |      |        |      |        |
| 0.0    |        |      |        |      |        |      |        |      |        |      |        |
| 0.0    |        |      |        |      |        |      |        |      |        |      |        |
| 0.0    |        |      |        |      |        |      |        |      |        |      |        |
| 0.0    |        |      |        |      |        |      |        |      |        |      |        |
| 0.0    |        |      |        |      |        |      |        |      |        |      |        |

REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 300° |        | 302.5° | 305°   | 307.5° | 310°   | 312.5° | 315°   | 317.5° | 320°   | 322.5° |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0.0  | 0°     | 15.7   | 15.7   | 15.7   | 15.7   | 15.7   | 15.7   | 15.7   | 15.7   | 15.7   |
| 0.0  | 2.5°   | 17.6   | 17.3   | 17.1   | 16.8   | 16.5   | 16.0   | 16.0   | 15.7   | 15.7   |
| 0.0  | 5°     | 19.2   | 19.0   | 18.7   | 18.4   | 18.4   | 18.2   | 17.9   | 17.9   | 17.6   |
| 0.0  | 7.5°   | 22.0   | 21.7   | 21.4   | 21.1   | 21.1   | 20.9   | 20.9   | 20.6   | 20.6   |
| 0.0  | 10°    | 25.2   | 25.2   | 25.2   | 25.2   | 25.2   | 24.9   | 24.9   | 24.9   | 24.7   |
| 0.0  | 12.5°  | 31.7   | 32.0   | 32.5   | 33.1   | 33.9   | 33.9   | 33.9   | 33.6   | 33.6   |
| 0.0  | 15°    | 50.1   | 53.1   | 55.3   | 57.5   | 59.4   | 63.7   | 63.1   | 62.3   | 61.8   |
| 0.0  | 17.5°  | 126.8  | 140.4  | 147.7  | 154.8  | 162.1  | 182.1  | 178.9  | 175.6  | 172.6  |
| 0.0  | 20°    | 328.8  | 364.3  | 387.8  | 411.4  | 435.3  | 472.9  | 463.7  | 454.5  | 445.3  |
| 0.0  | 22.5°  | 703.3  | 784.9  | 820.4  | 855.9  | 891.1  | 936.7  | 907.1  | 877.6  | 848.3  |
| 0.0  | 25°    | 1065.4 | 1171.4 | 1231.3 | 1291.2 | 1350.8 | 1376.8 | 1338.3 | 1299.6 | 1261.1 |
| 0.0  | 27.5°  | 1421.8 | 1541.6 | 1594.5 | 1647.0 | 1699.9 | 1754.4 | 1706.7 | 1658.7 | 1611.0 |
| 0.0  | 30°    | 1707.5 | 1838.4 | 1895.6 | 1952.5 | 2009.7 | 2047.6 | 1998.3 | 1948.7 | 1899.4 |
| 0.0  | 32.5°  | 1987.7 | 2130.8 | 2193.4 | 2256.0 | 2318.4 | 2372.8 | 2312.1 | 2251.1 | 2190.4 |
| 0.0  | 35°    | 2262.3 | 2425.7 | 2511.9 | 2598.1 | 2684.2 | 2734.9 | 2662.8 | 2590.5 | 2518.4 |
| 0.0  | 37.5°  | 2597.3 | 2799.2 | 2895.7 | 2992.1 | 3088.6 | 3181.0 | 3101.6 | 3021.9 | 2942.5 |
| 0.0  | 40°    | 3187.3 | 3472.1 | 3620.1 | 3768.4 | 3916.3 | 4035.6 | 3935.3 | 3835.0 | 3734.7 |
| 0.0  | 42.5°  | 4183.0 | 4589.6 | 4802.3 | 5014.8 | 5227.6 | 5413.8 | 5308.3 | 5202.9 | 5097.5 |
| 0.0  | 45°    | 5641.4 | 6182.4 | 6441.8 | 6700.9 | 6960.2 | 7096.3 | 6944.5 | 6792.5 | 6640.7 |
| 0.0  | 47.5°  | 6661.6 | 7200.4 | 7431.3 | 7662.2 | 7893.1 | 8048.4 | 7862.8 | 7677.1 | 7491.7 |
| 0.0  | 50°    | 7125.6 | 7638.1 | 7869.8 | 8101.3 | 8333.0 | 8456.3 | 8241.9 | 8027.3 | 7812.9 |
| 0.0  | 52.5°  | 7215.3 | 7694.2 | 7970.6 | 8247.3 | 8523.8 | 8688.6 | 8435.4 | 8182.0 | 7928.9 |
| 0.0  | 55°    | 7312.3 | 7819.9 | 8140.6 | 8461.5 | 8782.1 | 9010.3 | 8724.1 | 8437.6 | 8151.4 |
| 0.0  | 57.5°  | 7495.0 | 8043.8 | 8363.6 | 8683.2 | 9003.0 | 9196.8 | 8909.7 | 8622.4 | 8335.4 |
| 0.0  | 60°    | 7511.2 | 8025.1 | 8299.9 | 8575.0 | 8849.8 | 8971.8 | 8697.3 | 8422.4 | 8147.9 |
| 0.0  | 62.5°  | 7026.4 | 7412.0 | 7602.8 | 7793.6 | 7984.5 | 8117.0 | 7830.5 | 7543.8 | 7257.3 |
| 0.0  | 65°    | 5864.7 | 6103.5 | 6255.6 | 6407.6 | 6559.7 | 6717.7 | 6455.3 | 6193.0 | 5930.6 |
| 0.0  | 67.5°  | 4647.0 | 4829.7 | 5030.0 | 5230.3 | 5430.6 | 5599.4 | 5389.4 | 5179.1 | 4969.0 |
|      | 70°    | 3737.2 | 3983.6 | 4208.8 | 4434.0 | 4659.2 | 4797.4 | 4586.6 | 4375.5 | 4164.6 |
|      | 72.5°  | 2969.1 | 3230.1 | 3418.2 | 3606.0 | 3794.1 | 3828.0 | 3673.0 | 3517.9 | 3363.2 |
|      | 75°    | 1802.9 | 1958.4 | 1962.2 | 1965.8 | 1969.6 | 2001.8 | 1873.3 | 1744.9 | 1616.7 |
|      | 77.5°  | 531.8  | 587.3  | 633.1  | 678.7  | 724.5  | 779.7  | 732.6  | 685.2  | 638.0  |
|      | 80°    | 153.9  | 168.0  | 180.0  | 191.6  | 203.5  | 196.5  | 185.4  | 174.3  | 163.2  |
|      | 82.5°  | 27.6   | 26.0   | 25.7   | 25.5   | 25.5   | 24.1   | 22.0   | 19.8   | 17.6   |
|      | 85°    | 4.9    | 4.6    | 4.3    | 4.1    | 3.8    | 3.5    | 3.0    | 2.7    | 2.2    |
|      | 87.5°  | 1.6    | 1.4    | 1.1    | 0.8    | 0.8    | 0.3    | 0.3    | 0.3    | 0.0    |
|      | 90°    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|      | 92.5°  | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|      | 95°    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|      | 97.5°  | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|      | 100°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|      | 102.5° | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|      | 105°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|      | 107.5° | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|      | 110°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |



REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]

REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 325° | 327.5° |        | 330°   | 332.5° | 335°   | 337.5° | 340°   | 342.5° | 345°   | 347.5° | 350°   |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0.0  | 0.0    | 0°     | 15.7   | 15.7   | 15.7   | 15.7   | 15.7   | 15.7   | 15.7   | 15.7   | 15.7   |
| 0.0  | 0.0    | 2.5°   | 15.4   | 15.2   | 15.2   | 15.2   | 15.2   | 14.9   | 14.9   | 14.9   | 14.9   |
| 0.0  | 0.0    | 5°     | 17.1   | 17.1   | 16.8   | 16.8   | 16.5   | 16.5   | 16.3   | 16.3   | 16.0   |
| 0.0  | 0.0    | 7.5°   | 20.1   | 19.8   | 19.5   | 19.2   | 19.0   | 18.4   | 18.2   | 17.9   | 17.9   |
| 0.0  | 0.0    | 10°    | 24.1   | 23.6   | 23.3   | 22.8   | 22.5   | 22.0   | 21.4   | 20.9   | 20.3   |
| 0.0  | 0.0    | 12.5°  | 31.7   | 30.6   | 29.8   | 28.7   | 27.6   | 26.8   | 25.7   | 24.9   | 23.9   |
| 0.0  | 0.0    | 15°    | 55.0   | 52.3   | 49.3   | 45.8   | 42.0   | 38.5   | 34.7   | 32.5   | 30.1   |
| 0.0  | 0.0    | 17.5°  | 140.7  | 126.6  | 112.2  | 100.6  | 88.9   | 77.5   | 65.9   | 57.5   | 49.1   |
| 0.0  | 0.0    | 20°    | 358.0  | 319.0  | 280.0  | 241.5  | 202.7  | 164.2  | 125.5  | 106.0  | 86.5   |
| 0.0  | 0.0    | 22.5°  | 673.8  | 601.4  | 528.8  | 458.6  | 388.1  | 317.9  | 247.7  | 203.5  | 159.6  |
| 0.0  | 0.0    | 25°    | 1039.9 | 948.9  | 857.8  | 742.3  | 626.6  | 511.2  | 395.7  | 323.9  | 252.1  |
| 0.0  | 0.0    | 27.5°  | 1353.2 | 1248.3 | 1143.5 | 1003.1 | 862.7  | 722.3  | 581.9  | 474.8  | 368.1  |
| 0.0  | 0.0    | 30°    | 1624.5 | 1511.8 | 1399.0 | 1235.6 | 1072.2 | 908.8  | 745.3  | 611.4  | 477.5  |
| 0.0  | 0.0    | 32.5°  | 1859.8 | 1724.8 | 1589.8 | 1421.3 | 1252.7 | 1084.1 | 915.5  | 751.3  | 587.0  |
| 0.0  | 0.0    | 35°    | 2131.1 | 1973.6 | 1815.9 | 1628.9 | 1441.6 | 1254.6 | 1067.6 | 882.2  | 696.5  |
| 0.0  | 0.0    | 37.5°  | 2475.8 | 2282.6 | 2089.1 | 1880.7 | 1672.2 | 1464.1 | 1255.7 | 1043.7 | 831.8  |
| 0.0  | 0.0    | 40°    | 3135.8 | 2886.4 | 2637.1 | 2372.3 | 2107.2 | 1842.4 | 1577.6 | 1317.5 | 1057.3 |
| 0.0  | 0.0    | 42.5°  | 4318.3 | 3981.4 | 3644.5 | 3292.2 | 2939.6 | 2587.2 | 2234.6 | 1867.6 | 1500.4 |
| 0.0  | 0.0    | 45°    | 5652.8 | 5234.9 | 4816.7 | 4421.3 | 4025.6 | 3630.1 | 3234.7 | 2731.1 | 2227.6 |
| 0.0  | 0.0    | 47.5°  | 6403.3 | 5952.0 | 5500.8 | 5126.5 | 4752.2 | 4377.9 | 4003.6 | 3460.7 | 2917.9 |
| 0.0  | 0.0    | 50°    | 6679.5 | 6220.1 | 5760.7 | 5416.2 | 5071.5 | 4727.0 | 4382.2 | 3838.6 | 3294.6 |
| 0.0  | 0.0    | 52.5°  | 6738.3 | 6269.7 | 5801.1 | 5454.4 | 5107.8 | 4761.4 | 4414.8 | 3874.6 | 3334.4 |
| 0.0  | 0.0    | 55°    | 6859.1 | 6356.4 | 5853.4 | 5458.2 | 5063.1 | 4667.9 | 4272.7 | 3723.9 | 3175.1 |
| 0.0  | 0.0    | 57.5°  | 7017.2 | 6501.7 | 5986.2 | 5536.0 | 5085.8 | 4635.9 | 4185.7 | 3585.7 | 2985.6 |
| 0.0  | 0.0    | 60°    | 6975.7 | 6527.1 | 6078.3 | 5596.2 | 5113.7 | 4631.6 | 4149.1 | 3489.2 | 2829.0 |
| 0.0  | 0.0    | 62.5°  | 6255.8 | 5898.6 | 5541.1 | 5144.6 | 4747.8 | 4351.3 | 3954.8 | 3275.4 | 2595.9 |
| 0.0  | 0.0    | 65°    | 5146.5 | 4885.8 | 4625.1 | 4306.1 | 3986.8 | 3667.8 | 3348.8 | 2739.5 | 2130.5 |
| 0.0  | 0.0    | 67.5°  | 4171.1 | 3877.3 | 3583.2 | 3329.0 | 3074.5 | 2820.3 | 2565.8 | 2086.4 | 1606.9 |
|      |        | 70°    | 3313.8 | 2994.3 | 2674.5 | 2426.2 | 2177.7 | 1929.4 | 1681.2 | 1362.5 | 1044.0 |
|      |        | 72.5°  | 2631.7 | 2343.6 | 2055.5 | 1790.7 | 1525.6 | 1260.8 | 995.8  | 807.4  | 619.0  |
|      |        | 75°    | 1257.8 | 1142.6 | 1027.5 | 889.0  | 750.5  | 612.0  | 473.5  | 391.4  | 309.5  |
|      |        | 77.5°  | 466.2  | 404.1  | 341.8  | 285.4  | 229.0  | 172.9  | 116.5  | 106.8  | 97.0   |
|      |        | 80°    | 120.6  | 105.2  | 89.4   | 78.3   | 66.9   | 55.8   | 44.7   | 40.4   | 36.3   |
|      |        | 82.5°  | 13.8   | 12.7   | 11.9   | 11.4   | 10.6   | 10.0   | 9.2    | 8.4    | 7.6    |
|      |        | 85°    | 0.8    | 0.5    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|      |        | 87.5°  | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|      |        | 90°    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|      |        | 92.5°  | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|      |        | 95°    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|      |        | 97.5°  | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|      |        | 100°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|      |        | 102.5° | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|      |        | 105°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|      |        | 107.5° | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |
|      |        | 110°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |



REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]

REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 352.5° | 355° |        | 357.5° | 360°  |
|--------|------|--------|--------|-------|
| 0.0    | 0.0  | 0°     | 15.7   | 15.7  |
| 0.0    | 0.0  | 2.5°   | 14.6   | 14.4  |
| 0.0    | 0.0  | 5°     | 15.4   | 15.2  |
| 0.0    | 0.0  | 7.5°   | 17.1   | 16.5  |
| 0.0    | 0.0  | 10°    | 18.7   | 18.2  |
| 0.0    | 0.0  | 12.5°  | 21.1   | 20.3  |
| 0.0    | 0.0  | 15°    | 23.9   | 22.2  |
| 0.0    | 0.0  | 17.5°  | 28.5   | 24.9  |
| 0.0    | 0.0  | 20°    | 38.5   | 29.5  |
| 0.0    | 0.0  | 22.5°  | 54.2   | 36.9  |
| 0.0    | 0.0  | 25°    | 79.7   | 51.0  |
| 0.0    | 0.0  | 27.5°  | 110.8  | 67.8  |
| 0.0    | 0.0  | 30°    | 147.4  | 84.8  |
| 0.0    | 0.0  | 32.5°  | 179.7  | 101.1 |
| 0.0    | 0.0  | 35°    | 221.7  | 117.6 |
| 0.0    | 0.0  | 37.5°  | 273.5  | 138.8 |
| 0.0    | 0.0  | 40°    | 353.7  | 170.7 |
| 0.0    | 0.0  | 42.5°  | 498.1  | 229.8 |
| 0.0    | 0.0  | 45°    | 809.0  | 397.3 |
| 0.0    | 0.0  | 47.5°  | 1244.8 | 657.2 |
| 0.0    | 0.0  | 50°    | 1522.9 | 838.8 |
| 0.0    | 0.0  | 52.5°  | 1545.7 | 837.5 |
| 0.0    | 0.0  | 55°    | 1411.0 | 744.5 |
| 0.0    | 0.0  | 57.5°  | 1203.9 | 622.3 |
| 0.0    | 0.0  | 60°    | 1000.6 | 492.2 |
| 0.0    | 0.0  | 62.5°  | 788.4  | 339.9 |
| 0.0    | 0.0  | 65°    | 576.2  | 240.4 |
| 0.0    | 0.0  | 67.5°  | 413.9  | 179.7 |
|        |      | 70°    | 272.1  | 137.7 |
|        |      | 72.5°  | 177.3  | 112.2 |
|        |      | 75°    | 119.3  | 93.0  |
|        |      | 77.5°  | 69.7   | 61.8  |
|        |      | 80°    | 24.7   | 21.7  |
|        |      | 82.5°  | 4.6    | 3.3   |
|        |      | 85°    | 0.0    | 0.0   |
|        |      | 87.5°  | 0.0    | 0.0   |
|        |      | 90°    | 0.0    | 0.0   |
|        |      | 92.5°  | 0.0    | 0.0   |
|        |      | 95°    | 0.0    | 0.0   |
|        |      | 97.5°  | 0.0    | 0.0   |
|        |      | 100°   | 0.0    | 0.0   |
|        |      | 102.5° | 0.0    | 0.0   |
|        |      | 105°   | 0.0    | 0.0   |
|        |      | 107.5° | 0.0    | 0.0   |
|        |      | 110°   | 0.0    | 0.0   |



REPORT NUMBER: P1049319

CATALOG NUMBER: GALN-SA1C-930-U-RBC

**CANDELA DISTRIBUTION (continued):**

|        | 357.5° | 360° |
|--------|--------|------|
| 112.5° | 0.0    | 0.0  |
| 115°   | 0.0    | 0.0  |
| 117.5° | 0.0    | 0.0  |
| 120°   | 0.0    | 0.0  |
| 122.5° | 0.0    | 0.0  |
| 125°   | 0.0    | 0.0  |
| 127.5° | 0.0    | 0.0  |
| 130°   | 0.0    | 0.0  |
| 132.5° | 0.0    | 0.0  |
| 135°   | 0.0    | 0.0  |
| 137.5° | 0.0    | 0.0  |
| 140°   | 0.0    | 0.0  |
| 142.5° | 0.0    | 0.0  |
| 145°   | 0.0    | 0.0  |
| 147.5° | 0.0    | 0.0  |
| 150°   | 0.0    | 0.0  |
| 152.5° | 0.0    | 0.0  |
| 155°   | 0.0    | 0.0  |
| 157.5° | 0.0    | 0.0  |
| 160°   | 0.0    | 0.0  |
| 162.5° | 0.0    | 0.0  |
| 165°   | 0.0    | 0.0  |
| 167.5° | 0.0    | 0.0  |
| 170°   | 0.0    | 0.0  |
| 172.5° | 0.0    | 0.0  |
| 175°   | 0.0    | 0.0  |
| 177.5° | 0.0    | 0.0  |
| 180°   | 0.0    | 0.0  |

LM-79-2019: Approved Method: Electrical and Photometric Measurements of Solid-State Lighting Products

Report Prepared for

Cooper Lighting Solutions

McGraw-Edison

Report Number: SP1-2407-184-14

Test Date: 10/11/2024

Luminaire Tested: GSS-SB1A-930-U-5WQ

Data in this report applies to families of products including GSS-SB1A-930-U-5WQ


### Test Information

Test Method: LM-79-2019  
 Report Number: SP1-2407-184-14  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1 - 76IN SPHERE  
 Measurement Geometry:  $4\pi$   
 Issue Date: 10/15/2024  
 Manufacturer: COOPER LIGHTING SOLUTIONS  
 Product Line: McGraw-Edison  
 Catalog Number: **GSS-SB1A-930-U-5WQ**  
 Description: GALLEON II SITE SLIM 1SQ 350MA 5WQ HIGH DENSITY LIGHTSQUARE WITH 90 CRI  
 3000K CCT 26 LEDS

### Spectral Parameters

CCT (K): 2993  
 CIE  $u'$ : 0.2501  
 CIE  $v'$ : 0.5245  
 Duv: 0.0021  
 CIE x: 0.4406  
 CIE y: 0.4107  
 CIE z: 0.1487  
 Peak Wavelength (nm): 621  
 Dominant Wavelength (nm): 582  
 Purity: 55.53327  
 R<sub>f</sub>: 92.6  
 R<sub>g</sub>: 98.5

CRI (Ra): 92.4  
 R1: 92.2  
 R2: 95.2  
 R3: 97.0  
 R4: 93.1  
 R5: 91.7  
 R6: 94.2  
 R7: 93.3  
 R8: 82.3  
 R9: 58.2  
 R10: 87.7  
 R11: 93.5  
 R12: 81.7  
 R13: 92.9  
 R14: 97.6  
 R15: 88.1



### Test Conditions


Stabilization Time: 20M  
 Operation Time: 1H 20M  
 Sphere Temperature (°C): 25.2

REPORT NUMBER: SP1-2407-184-14


| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 6/18/2024        | 12/18/2024           |
| Power Meter                    | INXT2011004           | 2/8/2024         | 2/8/2025             |
| AC Power Source                | IN0063                | 10/24/2023       | 10/24/2024           |
| DC Power Source                | IN0208                | 10/24/2023       | 10/24/2024           |
| Sphere Thermometer             | IN0085                | 10/24/2023       | 10/24/2024           |
| Room Thermometer               | IN0046                | 10/24/2023       | 10/24/2024           |

REPORT NUMBER: SP1-2407-184-14

**CIE 1931 Chromaticity Diagram**




**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



Point lies inside the ANSI 3000K 4-step quadrangle

REPORT NUMBER: SP1-2407-184-14

### Photopic Flux vs. Wavelength




### Photopic Lumens: NR

| λ<br>(nm) | Power<br>W <sup>λ</sup> /nm | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>W <sup>λ</sup> /nm | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>W <sup>λ</sup> /nm | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>W <sup>λ</sup> /nm | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>W <sup>λ</sup> /nm | Lumens<br>(φ/nm) |
|-----------|-----------------------------|------------------|-----------|-----------------------------|------------------|-----------|-----------------------------|------------------|-----------|-----------------------------|------------------|-----------|-----------------------------|------------------|
| 360       | 0                           | NR               | 490       | 310                         | NR               | 620       | 998                         | NR               | 750       | 77                          | NR               | 880       | 2                           | NR               |
| 365       | 0                           | NR               | 495       | 347                         | NR               | 625       | 993                         | NR               | 755       | 66                          | NR               | 885       | 1                           | NR               |
| 370       | 0                           | NR               | 500       | 379                         | NR               | 630       | 983                         | NR               | 760       | 56                          | NR               | 890       | 1                           | NR               |
| 375       | 0                           | NR               | 505       | 412                         | NR               | 635       | 960                         | NR               | 765       | 48                          | NR               | 895       | 1                           | NR               |
| 380       | 0                           | NR               | 510       | 442                         | NR               | 640       | 930                         | NR               | 770       | 41                          | NR               | 900       | 1                           | NR               |
| 385       | 0                           | NR               | 515       | 475                         | NR               | 645       | 889                         | NR               | 775       | 35                          | NR               | 905       | 1                           | NR               |
| 390       | 0                           | NR               | 520       | 506                         | NR               | 650       | 846                         | NR               | 780       | 30                          | NR               | 910       | 1                           | NR               |
| 395       | 0                           | NR               | 525       | 535                         | NR               | 655       | 794                         | NR               | 785       | 26                          | NR               | 915       | 1                           | NR               |
| 400       | 1                           | NR               | 530       | 565                         | NR               | 660       | 740                         | NR               | 790       | 22                          | NR               | 920       | 1                           | NR               |
| 405       | 2                           | NR               | 535       | 592                         | NR               | 665       | 684                         | NR               | 795       | 19                          | NR               | 925       | 1                           | NR               |
| 410       | 6                           | NR               | 540       | 615                         | NR               | 670       | 624                         | NR               | 800       | 16                          | NR               | 930       | 0                           | NR               |
| 415       | 10                          | NR               | 545       | 638                         | NR               | 675       | 567                         | NR               | 805       | 14                          | NR               | 935       | 0                           | NR               |
| 420       | 20                          | NR               | 550       | 658                         | NR               | 680       | 513                         | NR               | 810       | 12                          | NR               | 940       | 0                           | NR               |
| 425       | 38                          | NR               | 555       | 678                         | NR               | 685       | 459                         | NR               | 815       | 10                          | NR               | 945       | 0                           | NR               |
| 430       | 70                          | NR               | 560       | 695                         | NR               | 690       | 412                         | NR               | 820       | 9                           | NR               | 950       | 0                           | NR               |
| 435       | 136                         | NR               | 565       | 716                         | NR               | 695       | 363                         | NR               | 825       | 8                           | NR               | 955       | 0                           | NR               |
| 440       | 262                         | NR               | 570       | 740                         | NR               | 700       | 320                         | NR               | 830       | 7                           | NR               | 960       | 0                           | NR               |
| 445       | 424                         | NR               | 575       | 765                         | NR               | 705       | 281                         | NR               | 835       | 6                           | NR               | 965       | 0                           | NR               |
| 450       | 406                         | NR               | 580       | 796                         | NR               | 710       | 245                         | NR               | 840       | 5                           | NR               | 970       | 0                           | NR               |
| 455       | 313                         | NR               | 585       | 827                         | NR               | 715       | 215                         | NR               | 845       | 4                           | NR               | 975       | 0                           | NR               |
| 460       | 294                         | NR               | 590       | 861                         | NR               | 720       | 188                         | NR               | 850       | 4                           | NR               | 980       | 0                           | NR               |
| 465       | 250                         | NR               | 595       | 894                         | NR               | 725       | 162                         | NR               | 855       | 3                           | NR               | 985       | 0                           | NR               |
| 470       | 217                         | NR               | 600       | 927                         | NR               | 730       | 140                         | NR               | 860       | 3                           | NR               | 990       | 0                           | NR               |
| 475       | 228                         | NR               | 605       | 954                         | NR               | 735       | 121                         | NR               | 865       | 2                           | NR               | 995       | 0                           | NR               |
| 480       | 249                         | NR               | 610       | 976                         | NR               | 740       | 104                         | NR               | 870       | 2                           | NR               | 1000      | 0                           | NR               |
| 485       | 276                         | NR               | 615       | 992                         | NR               | 745       | 89                          | NR               | 875       | 2                           | NR               |           |                             |                  |

REPORT NUMBER: SP1-2407-184-14

### Scotopic Flux vs. Wavelength




Scotopic Lumens: NR

S/P: 1.39

| λ<br>(nm) | Power<br>W <sup>^</sup> /nm | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>W <sup>^</sup> /nm | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>W <sup>^</sup> /nm | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>W <sup>^</sup> /nm | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>W <sup>^</sup> /nm | Lumens<br>(Φ/nm) |
|-----------|-----------------------------|------------------|-----------|-----------------------------|------------------|-----------|-----------------------------|------------------|-----------|-----------------------------|------------------|-----------|-----------------------------|------------------|
| 360       | 0                           | NR               | 490       | 310                         | NR               | 620       | 998                         | NR               | 750       | 77                          | NR               | 880       | 2                           | NR               |
| 365       | 0                           | NR               | 495       | 347                         | NR               | 625       | 993                         | NR               | 755       | 66                          | NR               | 885       | 1                           | NR               |
| 370       | 0                           | NR               | 500       | 379                         | NR               | 630       | 983                         | NR               | 760       | 56                          | NR               | 890       | 1                           | NR               |
| 375       | 0                           | NR               | 505       | 412                         | NR               | 635       | 960                         | NR               | 765       | 48                          | NR               | 895       | 1                           | NR               |
| 380       | 0                           | NR               | 510       | 442                         | NR               | 640       | 930                         | NR               | 770       | 41                          | NR               | 900       | 1                           | NR               |
| 385       | 0                           | NR               | 515       | 475                         | NR               | 645       | 889                         | NR               | 775       | 35                          | NR               | 905       | 1                           | NR               |
| 390       | 0                           | NR               | 520       | 506                         | NR               | 650       | 846                         | NR               | 780       | 30                          | NR               | 910       | 1                           | NR               |
| 395       | 0                           | NR               | 525       | 535                         | NR               | 655       | 794                         | NR               | 785       | 26                          | NR               | 915       | 1                           | NR               |
| 400       | 1                           | NR               | 530       | 565                         | NR               | 660       | 740                         | NR               | 790       | 22                          | NR               | 920       | 1                           | NR               |
| 405       | 2                           | NR               | 535       | 592                         | NR               | 665       | 684                         | NR               | 795       | 19                          | NR               | 925       | 1                           | NR               |
| 410       | 6                           | NR               | 540       | 615                         | NR               | 670       | 624                         | NR               | 800       | 16                          | NR               | 930       | 0                           | NR               |
| 415       | 10                          | NR               | 545       | 638                         | NR               | 675       | 567                         | NR               | 805       | 14                          | NR               | 935       | 0                           | NR               |
| 420       | 20                          | NR               | 550       | 658                         | NR               | 680       | 513                         | NR               | 810       | 12                          | NR               | 940       | 0                           | NR               |
| 425       | 38                          | NR               | 555       | 678                         | NR               | 685       | 459                         | NR               | 815       | 10                          | NR               | 945       | 0                           | NR               |
| 430       | 70                          | NR               | 560       | 695                         | NR               | 690       | 412                         | NR               | 820       | 9                           | NR               | 950       | 0                           | NR               |
| 435       | 136                         | NR               | 565       | 716                         | NR               | 695       | 363                         | NR               | 825       | 8                           | NR               | 955       | 0                           | NR               |
| 440       | 262                         | NR               | 570       | 740                         | NR               | 700       | 320                         | NR               | 830       | 7                           | NR               | 960       | 0                           | NR               |
| 445       | 424                         | NR               | 575       | 765                         | NR               | 705       | 281                         | NR               | 835       | 6                           | NR               | 965       | 0                           | NR               |
| 450       | 406                         | NR               | 580       | 796                         | NR               | 710       | 245                         | NR               | 840       | 5                           | NR               | 970       | 0                           | NR               |
| 455       | 313                         | NR               | 585       | 827                         | NR               | 715       | 215                         | NR               | 845       | 4                           | NR               | 975       | 0                           | NR               |
| 460       | 294                         | NR               | 590       | 861                         | NR               | 720       | 188                         | NR               | 850       | 4                           | NR               | 980       | 0                           | NR               |
| 465       | 250                         | NR               | 595       | 894                         | NR               | 725       | 162                         | NR               | 855       | 3                           | NR               | 985       | 0                           | NR               |
| 470       | 217                         | NR               | 600       | 927                         | NR               | 730       | 140                         | NR               | 860       | 3                           | NR               | 990       | 0                           | NR               |
| 475       | 228                         | NR               | 605       | 954                         | NR               | 735       | 121                         | NR               | 865       | 2                           | NR               | 995       | 0                           | NR               |
| 480       | 249                         | NR               | 610       | 976                         | NR               | 740       | 104                         | NR               | 870       | 2                           | NR               | 1000      | 0                           | NR               |
| 485       | 276                         | NR               | 615       | 992                         | NR               | 745       | 89                          | NR               | 875       | 2                           | NR               |           |                             |                  |

REPORT NUMBER: SP1-2407-184-14

### Melanopic Flux vs. Wavelength


**Melanopic Lumens: NR**
**M/P: 2.69**


| $\lambda$<br>(nm) | Power<br>$\text{W}^{\wedge}/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^{\wedge}/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^{\wedge}/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^{\wedge}/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^{\wedge}/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) |
|-------------------|----------------------------------------|--------------------------------|-------------------|----------------------------------------|--------------------------------|-------------------|----------------------------------------|--------------------------------|-------------------|----------------------------------------|--------------------------------|-------------------|----------------------------------------|--------------------------------|
| 360               | 0                                      | NR                             | 490               | 310                                    | NR                             | 620               | 998                                    | NR                             | 750               | 77                                     | NR                             | 880               | 2                                      | NR                             |
| 365               | 0                                      | NR                             | 495               | 347                                    | NR                             | 625               | 993                                    | NR                             | 755               | 66                                     | NR                             | 885               | 1                                      | NR                             |
| 370               | 0                                      | NR                             | 500               | 379                                    | NR                             | 630               | 983                                    | NR                             | 760               | 56                                     | NR                             | 890               | 1                                      | NR                             |
| 375               | 0                                      | NR                             | 505               | 412                                    | NR                             | 635               | 960                                    | NR                             | 765               | 48                                     | NR                             | 895               | 1                                      | NR                             |
| 380               | 0                                      | NR                             | 510               | 442                                    | NR                             | 640               | 930                                    | NR                             | 770               | 41                                     | NR                             | 900               | 1                                      | NR                             |
| 385               | 0                                      | NR                             | 515               | 475                                    | NR                             | 645               | 889                                    | NR                             | 775               | 35                                     | NR                             | 905               | 1                                      | NR                             |
| 390               | 0                                      | NR                             | 520               | 506                                    | NR                             | 650               | 846                                    | NR                             | 780               | 30                                     | NR                             | 910               | 1                                      | NR                             |
| 395               | 0                                      | NR                             | 525               | 535                                    | NR                             | 655               | 794                                    | NR                             | 785               | 26                                     | NR                             | 915               | 1                                      | NR                             |
| 400               | 1                                      | NR                             | 530               | 565                                    | NR                             | 660               | 740                                    | NR                             | 790               | 22                                     | NR                             | 920               | 1                                      | NR                             |
| 405               | 2                                      | NR                             | 535               | 592                                    | NR                             | 665               | 684                                    | NR                             | 795               | 19                                     | NR                             | 925               | 1                                      | NR                             |
| 410               | 6                                      | NR                             | 540               | 615                                    | NR                             | 670               | 624                                    | NR                             | 800               | 16                                     | NR                             | 930               | 0                                      | NR                             |
| 415               | 10                                     | NR                             | 545               | 638                                    | NR                             | 675               | 567                                    | NR                             | 805               | 14                                     | NR                             | 935               | 0                                      | NR                             |
| 420               | 20                                     | NR                             | 550               | 658                                    | NR                             | 680               | 513                                    | NR                             | 810               | 12                                     | NR                             | 940               | 0                                      | NR                             |
| 425               | 38                                     | NR                             | 555               | 678                                    | NR                             | 685               | 459                                    | NR                             | 815               | 10                                     | NR                             | 945               | 0                                      | NR                             |
| 430               | 70                                     | NR                             | 560               | 695                                    | NR                             | 690               | 412                                    | NR                             | 820               | 9                                      | NR                             | 950               | 0                                      | NR                             |
| 435               | 136                                    | NR                             | 565               | 716                                    | NR                             | 695               | 363                                    | NR                             | 825               | 8                                      | NR                             | 955               | 0                                      | NR                             |
| 440               | 262                                    | NR                             | 570               | 740                                    | NR                             | 700               | 320                                    | NR                             | 830               | 7                                      | NR                             | 960               | 0                                      | NR                             |
| 445               | 424                                    | NR                             | 575               | 765                                    | NR                             | 705               | 281                                    | NR                             | 835               | 6                                      | NR                             | 965               | 0                                      | NR                             |
| 450               | 406                                    | NR                             | 580               | 796                                    | NR                             | 710               | 245                                    | NR                             | 840               | 5                                      | NR                             | 970               | 0                                      | NR                             |
| 455               | 313                                    | NR                             | 585               | 827                                    | NR                             | 715               | 215                                    | NR                             | 845               | 4                                      | NR                             | 975               | 0                                      | NR                             |
| 460               | 294                                    | NR                             | 590               | 861                                    | NR                             | 720               | 188                                    | NR                             | 850               | 4                                      | NR                             | 980               | 0                                      | NR                             |
| 465               | 250                                    | NR                             | 595               | 894                                    | NR                             | 725               | 162                                    | NR                             | 855               | 3                                      | NR                             | 985               | 0                                      | NR                             |
| 470               | 217                                    | NR                             | 600               | 927                                    | NR                             | 730               | 140                                    | NR                             | 860               | 3                                      | NR                             | 990               | 0                                      | NR                             |
| 475               | 228                                    | NR                             | 605               | 954                                    | NR                             | 735               | 121                                    | NR                             | 865               | 2                                      | NR                             | 995               | 0                                      | NR                             |
| 480               | 249                                    | NR                             | 610               | 976                                    | NR                             | 740               | 104                                    | NR                             | 870               | 2                                      | NR                             | 1000              | 0                                      | NR                             |
| 485               | 276                                    | NR                             | 615               | 992                                    | NR                             | 745               | 89                                     | NR                             | 875               | 2                                      | NR                             |                   |                                        |                                |

REPORT NUMBER: SP1-2407-184-14





TM-30-18

### Summary

$R_f = 92.6$   
 $R_g = 98.5$   
 $CIE R_a = 92.4$   
 $R_9 = 58.2$




### Color Vector Graphics







**Individual Sample Fidelity Index ( $R_{f,i}$ )**

|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 86 | CES26 = 94 | CES51 = 98 | CES76 = 90 |
| CES02 = 63 | CES27 = 94 | CES52 = 98 | CES77 = 91 |
| CES03 = 32 | CES28 = 97 | CES53 = 96 | CES78 = 88 |
| CES04 = 70 | CES29 = 95 | CES54 = 95 | CES79 = 94 |
| CES05 = 51 | CES30 = 97 | CES55 = 94 | CES80 = 94 |
| CES06 = 51 | CES31 = 96 | CES56 = 94 | CES81 = 84 |
| CES07 = 43 | CES32 = 91 | CES57 = 94 | CES82 = 97 |
| CES08 = 42 | CES33 = 98 | CES58 = 94 | CES83 = 97 |
| CES09 = 29 | CES34 = 96 | CES59 = 97 | CES84 = 95 |
| CES10 = 76 | CES35 = 97 | CES60 = 95 | CES85 = 85 |
| CES11 = 59 | CES36 = 87 | CES61 = 94 | CES86 = 84 |
| CES12 = 65 | CES37 = 95 | CES62 = 92 | CES87 = 92 |
| CES13 = 44 | CES38 = 93 | CES63 = 93 | CES88 = 95 |
| CES14 = 74 | CES39 = 99 | CES64 = 92 | CES89 = 86 |
| CES15 = 72 | CES40 = 98 | CES65 = 89 | CES90 = 96 |
| CES16 = 48 | CES41 = 98 | CES66 = 90 | CES91 = 82 |
| CES17 = 50 | CES42 = 97 | CES67 = 89 | CES92 = 81 |
| CES18 = 57 | CES43 = 97 | CES68 = 90 | CES93 = 89 |
| CES19 = 72 | CES44 = 99 | CES69 = 92 | CES94 = 80 |
| CES20 = 67 | CES45 = 99 | CES70 = 89 | CES95 = 86 |
| CES21 = 86 | CES46 = 96 | CES71 = 87 | CES96 = 92 |
| CES22 = 79 | CES47 = 95 | CES72 = 95 | CES97 = 96 |
| CES23 = 92 | CES48 = 93 | CES73 = 85 | CES98 = 94 |
| CES24 = 91 | CES49 = 97 | CES74 = 93 | CES99 = 91 |
| CES25 = 72 | CES50 = 98 | CES75 = 88 |            |



Color Rendition by Hue-Angle Bin



**Measure Comparisons**


(END OF REPORT)