

Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: McGRAW-EDISON

Report Number: P385683

Luminaire Tested: **GWC-SA1B-730-U-RW**

Issue Date: 3/3/2020

**Test Information**

Test Method: LM-79-08  
Report Number: P385683  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1903-205-7)  
Test Lab: INNOVATION CENTER  
Issue Date: 3/3/2020  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: McGRAW-EDISON  
Catalog Number: GWC-SA1B-730-U-RW  
Description: GALLEON WALL LUMINAIRE  
(1) 70 CRI, 3000K, 800mA LIGHTSQUARE WITH 16 LEDS AND RECTANGULAR WIDE OPTICS  
Light Source: -  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**

Lumens per Lamp: N/A  
Luminaire Lumens: 5681 lumens  
Efficiency: N/A  
Efficacy: 129.1 lumens/watt  
Luminous Opening: Rectangular (W 0.5' x L: 0.5' x H: 0')  
IES Classification: Type III - Short  
BUG Rating: B3 - U0 - G3

Input Watts (W): 44  
Input Voltage (V): NR  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 28.75 FT




REPORT NUMBER: P385683

CATALOG NUMBER: GWC-SA1B-730-U-RW

## Iso-Footcandle Lines of Horizontal Illumination

× Max cd  
 --- 1/2 Max cd




Based on 15 foot mounting height. Maximum calculated value = 3 fc  
 Type III - Short - N/A

REPORT NUMBER: P385683

CATALOG NUMBER: GWC-SA1B-730-U-RW

## Luminous Intensity Polar Plot



REPORT NUMBER: P385683

CATALOG NUMBER: GWC-SA1B-730-U-RW


**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total  |
|--------------------|-----------|----------|--------|--------|
| <b>House Side</b>  | Lumens    | 2840.5   | 0.0    | 2840.5 |
|                    | % Fixture | 50.0     | 0.0    | 50.0   |
| <b>Street Side</b> | Lumens    | 2840.5   | 0.0    | 2840.5 |
|                    | % Fixture | 50.0     | 0.0    | 50.0   |
| <b>Total</b>       | Lumens    | 5681.0   | 0.0    | 5681.0 |
|                    | % Fixture | 100.0    | 0.0    | 100.0  |

**ZONAL LUMENS:**

| Zone      | Lumens | % Fixture |
|-----------|--------|-----------|
| 0°-10°    | 57.8   | 1.0       |
| 10°-20°   | 193.6  | 3.4       |
| 20°-30°   | 377.6  | 6.6       |
| 30°-40°   | 634.3  | 11.2      |
| 40°-50°   | 999.4  | 17.6      |
| 50°-60°   | 1336.5 | 23.5      |
| 60°-70°   | 1299.3 | 22.9      |
| 70°-80°   | 710.2  | 12.5      |
| 80°-90°   | 72.2   | 1.3       |
| 90°-100°  | 0.0    | 0.0       |
| 100°-110° | 0.0    | 0.0       |
| 110°-120° | 0.0    | 0.0       |
| 120°-130° | 0.0    | 0.0       |
| 130°-140° | 0.0    | 0.0       |
| 140°-150° | 0.0    | 0.0       |
| 150°-160° | 0.0    | 0.0       |
| 160°-170° | 0.0    | 0.0       |
| 170°-180° | 0.0    | 0.0       |
| 0°-90°    | 5681.0 | 100.0     |
| 0°-180°   | 5681.0 | 100.0     |

**Coefficient of Utilization**



REPORT NUMBER: P385683


CATALOG NUMBER: GWC-SA1B-730-U-RW

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens | % Fixture | Zone Rating/Lumen Limit |      |         |
|------|-------------|--------|-----------|-------------------------|------|---------|
|      |             |        |           | B                       | U    | G       |
| FL   | (0°-30°)    | 314.5  | 5.5       |                         |      |         |
| FM   | (30°-60°)   | 1485.1 | 26.1      |                         |      |         |
| FH   | (60°-80°)   | 1004.8 | 17.7      |                         |      | G1/1800 |
| FVH  | (80°-90°)   | 36.1   | 0.6       |                         |      | G1/100  |
| BL   | (0°-30°)    | 314.5  | 5.5       | B1/500                  |      |         |
| BM   | (30°-60°)   | 1485.1 | 26.1      | B2/2500                 |      |         |
| BH   | (60°-80°)   | 1004.8 | 17.7      | B3/2500                 |      | G3/2500 |
| BVH  | (80°-90°)   | 36.1   | 0.6       |                         |      | G1/100  |
| UL   | (90°-100°)  | 0.0    | 0.0       |                         | U0/0 |         |
| UH   | (100°-180°) | 0.0    | 0.0       |                         | U0/0 |         |

**BUG Rating: B3-U0-G3**

Type III Short



REPORT NUMBER: P385683

CATALOG NUMBER: GWC-SA1B-730-U-RW

**CANDELA DISTRIBUTION (FULL):**

|       | 0°     | 5°     | 15°    | 25°    | 35°    | 45°    | 55°    | 65°    | 75°    | 85°    | 90°    |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0°    | 590.7  | 590.7  | 590.7  | 590.7  | 590.7  | 590.7  | 590.7  | 590.7  | 590.7  | 590.7  | 590.7  |
| 2.5°  | 586.5  | 586.7  | 587.6  | 588.8  | 589.7  | 592.2  | 592.8  | 593.7  | 594.1  | 595.1  | 595.1  |
| 5°    | 581.4  | 581.7  | 584.0  | 587.1  | 590.5  | 596.6  | 601.0  | 605.9  | 608.4  | 611.1  | 610.9  |
| 7.5°  | 580.8  | 581.7  | 585.0  | 589.9  | 595.6  | 605.7  | 614.9  | 624.8  | 631.5  | 637.5  | 637.2  |
| 10°   | 586.7  | 588.2  | 592.8  | 600.2  | 608.8  | 621.4  | 634.9  | 648.2  | 659.8  | 669.2  | 669.6  |
| 12.5° | 595.6  | 597.5  | 604.8  | 616.0  | 629.0  | 645.2  | 661.2  | 676.2  | 692.2  | 706.1  | 707.3  |
| 15°   | 607.5  | 609.9  | 620.8  | 637.5  | 657.4  | 676.6  | 693.7  | 709.2  | 727.6  | 746.9  | 748.8  |
| 17.5° | 625.0  | 628.4  | 642.7  | 665.4  | 691.5  | 712.6  | 730.5  | 742.1  | 757.6  | 777.4  | 781.0  |
| 20°   | 651.6  | 656.0  | 674.1  | 701.2  | 733.0  | 755.1  | 768.8  | 771.3  | 778.9  | 796.6  | 800.8  |
| 22.5° | 686.3  | 690.1  | 710.3  | 742.5  | 778.1  | 802.1  | 809.4  | 799.5  | 798.7  | 813.0  | 817.0  |
| 25°   | 725.0  | 728.4  | 751.8  | 788.0  | 826.3  | 852.8  | 852.6  | 833.4  | 820.0  | 831.1  | 835.3  |
| 27.5° | 768.4  | 773.7  | 796.2  | 834.3  | 875.3  | 901.4  | 899.8  | 870.1  | 844.8  | 847.7  | 851.3  |
| 30°   | 818.3  | 824.2  | 846.1  | 884.8  | 925.8  | 951.3  | 949.4  | 910.1  | 872.0  | 864.4  | 867.1  |
| 32.5° | 880.2  | 887.3  | 908.0  | 946.1  | 982.3  | 1005.4 | 999.8  | 953.6  | 904.8  | 888.2  | 890.7  |
| 35°   | 954.7  | 958.9  | 980.8  | 1018.3 | 1047.7 | 1063.5 | 1051.9 | 1003.8 | 946.3  | 926.3  | 926.3  |
| 37.5° | 1030.1 | 1033.4 | 1057.9 | 1094.3 | 1122.7 | 1131.1 | 1108.4 | 1058.9 | 1000.6 | 972.2  | 972.8  |
| 40°   | 1102.5 | 1111.3 | 1138.9 | 1176.2 | 1204.2 | 1206.5 | 1176.4 | 1121.8 | 1061.0 | 1031.7 | 1035.1 |
| 42.5° | 1178.1 | 1186.7 | 1219.7 | 1262.0 | 1286.7 | 1290.5 | 1255.3 | 1192.2 | 1129.2 | 1105.4 | 1109.2 |
| 45°   | 1245.6 | 1252.4 | 1290.5 | 1339.7 | 1370.5 | 1380.4 | 1338.7 | 1273.0 | 1202.9 | 1179.7 | 1180.6 |
| 47.5° | 1292.6 | 1301.6 | 1343.5 | 1401.4 | 1446.3 | 1461.6 | 1420.6 | 1351.7 | 1275.5 | 1247.3 | 1249.8 |
| 50°   | 1335.3 | 1340.1 | 1382.5 | 1445.8 | 1502.9 | 1534.3 | 1499.3 | 1429.4 | 1348.8 | 1318.9 | 1321.6 |
| 52.5° | 1359.1 | 1365.2 | 1406.3 | 1472.2 | 1539.9 | 1590.5 | 1569.2 | 1499.3 | 1419.7 | 1390.5 | 1393.8 |
| 55°   | 1342.5 | 1347.1 | 1396.4 | 1478.2 | 1562.7 | 1625.2 | 1628.4 | 1567.7 | 1489.2 | 1463.7 | 1472.8 |
| 57.5° | 1267.1 | 1272.8 | 1333.0 | 1440.1 | 1565.6 | 1648.6 | 1673.0 | 1631.1 | 1554.2 | 1533.4 | 1538.7 |
| 60°   | 1149.2 | 1152.8 | 1217.0 | 1337.4 | 1510.0 | 1658.4 | 1701.4 | 1682.9 | 1617.8 | 1597.0 | 1604.3 |
| 62.5° | 939.1  | 944.4  | 1021.2 | 1182.5 | 1392.4 | 1629.6 | 1728.8 | 1725.8 | 1677.0 | 1658.0 | 1664.4 |
| 65°   | 641.9  | 651.3  | 736.2  | 940.2  | 1211.3 | 1541.6 | 1753.8 | 1775.7 | 1729.4 | 1705.4 | 1714.0 |
| 67.5° | 387.6  | 394.5  | 456.0  | 620.8  | 926.9  | 1364.1 | 1728.1 | 1832.5 | 1766.4 | 1727.7 | 1734.7 |
| 68°   | 346.5  | 352.8  | 404.2  | 560.2  | 857.4  | 1314.0 | 1704.6 | 1838.9 | 1770.4 | 1727.3 | 1733.6 |
| 70°   | 209.3  | 213.5  | 248.0  | 346.3  | 571.6  | 1042.3 | 1544.8 | 1833.6 | 1795.9 | 1732.6 | 1736.3 |
| 72.5° | 136.4  | 137.7  | 143.4  | 177.7  | 292.0  | 582.9  | 1159.5 | 1708.6 | 1834.2 | 1763.7 | 1763.1 |
| 75°   | 113.3  | 112.6  | 113.1  | 117.1  | 144.0  | 255.6  | 677.6  | 1349.8 | 1748.5 | 1714.7 | 1702.7 |
| 77.5° | 95.8   | 95.2   | 95.1   | 95.2   | 96.4   | 123.4  | 294.1  | 840.8  | 1338.0 | 1516.8 | 1527.5 |
| 80°   | 77.5   | 76.8   | 79.2   | 78.1   | 74.7   | 76.8   | 123.2  | 349.7  | 630.7  | 678.5  | 635.8  |
| 82.5° | 56.4   | 53.5   | 64.2   | 61.1   | 58.3   | 54.1   | 68.0   | 113.0  | 150.5  | 103.2  | 72.6   |
| 85°   | 43.4   | 40.4   | 48.8   | 46.9   | 40.0   | 27.6   | 40.4   | 55.2   | 61.0   | 34.9   | 27.4   |
| 87.5° | 17.7   | 18.7   | 35.2   | 27.8   | 23.4   | 13.3   | 16.6   | 22.1   | 29.7   | 14.9   | 11.4   |
| 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

Report Prepared for

Cooper Lighting Solutions

(formerly Eaton)

INVUE

Report Number: SP1-2012-088-7

Luminaire Tested: WIS-SA-730-2A-U-SL3-HSS

Test Date: 01/20/2021




### Test Information

Test Method: LM-79-08  
 Report Number: SP1-2012-088-7  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1  
 Measurement Geometry:  $4\pi$   
 Issue Date: 01/20/2021  
 Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
 Product Line: INVUE  
 Catalog Number: **WIS-SA-730-2A-U-SL3-HSS**  
 Description: INVUE WALL PACK

SHIELD

### Spectral Parameters

|                           |        |           |      |      |       |
|---------------------------|--------|-----------|------|------|-------|
| CCT (K):                  | 2978   | CRI (Ra): | 72.4 |      |       |
| CIE u':                   | 0.2511 | R1:       | 68.2 | R9:  | -36.8 |
| CIE v':                   | 0.5225 | R2:       | 83.1 | R10: | 63.2  |
| Duv:                      | 0.0005 | R3:       | 94.9 | R11: | 65.5  |
| CIE x:                    | 0.4391 | R4:       | 68.7 | R12: | 58.5  |
| CIE y:                    | 0.4060 | R5:       | 68.6 | R13: | 71.0  |
| CIE z:                    | 0.1549 | R6:       | 78.2 | R14: | 97.4  |
| Peak Wavelength (nm):     | 596    | R7:       | 76.3 |      |       |
| Dominant Wavelength (nm): | 582    | R8:       | 41.2 |      |       |
| Purity:                   | 54     |           |      |      |       |
|                           |        |           |      |      |       |
| Rf:                       | 76.2   |           |      |      |       |
| Rg:                       | 94.2   |           |      |      |       |



### Test Conditions


Stabilization Time: 82M  
 Operation Time: 12H  
 Room Temperature (°C) / RH%: 25.6/28%  
 Sphere Temperature (°C): 25.5

REPORT NUMBER: SP1-2012-088-7


| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 7/29/2020        | 1/29/2021            |
| Power Meter                    | IN0071                | 12/1/2020        | 12/1/2021            |
| AC Power Source                | IN0063                | 12/1/2020        | 12/1/2021            |
| DC Power Source                | IN0208                | 12/1/2020        | 12/1/2021            |
| Sphere Thermometer             | IN0085                | 12/1/2020        | 12/1/2021            |
| Room Thermometer               | IN0046                | 12/1/2020        | 12/1/2021            |

REPORT NUMBER: SP1-2012-088-7

**CIE 1931 Chromaticity Diagram**




**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



Point lies inside the ANSI 3000K 4-step quadrangle

REPORT NUMBER: SP1-2012-088-7

### Photopic Flux vs. Wavelength




#####

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 1195             | 0.0              | 490       | 13880            | 2.0              | 620       | 66879            | 17.4             | 750       | 2571             | 0.0              | 880       | 1235             | 0.0              |
| 365       | 985              | 0.0              | 495       | 17408            | 3.2              | 625       | 62111            | 13.7             | 755       | 2394             | 0.0              | 885       | 1368             | 0.0              |
| 370       | 1066             | 0.0              | 500       | 21285            | 4.7              | 630       | 56551            | 10.2             | 760       | 2199             | 0.0              | 890       | 1027             | 0.0              |
| 375       | 1227             | 0.0              | 505       | 24779            | 6.9              | 635       | 50866            | 7.6              | 765       | 2031             | 0.0              | 895       | 822              | 0.0              |
| 380       | 1176             | 0.0              | 510       | 27951            | 9.6              | 640       | 45859            | 5.5              | 770       | 1735             | 0.0              | 900       | 1068             | 0.0              |
| 385       | 1115             | 0.0              | 515       | 30815            | 12.8             | 645       | 40924            | 3.9              | 775       | 1538             | 0.0              | 905       | 823              | 0.0              |
| 390       | 1039             | 0.0              | 520       | 33040            | 16.0             | 650       | 36434            | 2.7              | 780       | 1455             | 0.0              | 910       | 531              | 0.0              |
| 395       | 908              | 0.0              | 525       | 35159            | 18.9             | 655       | 32132            | 1.8              | 785       | 1506             | 0.0              | 915       | 1184             | 0.0              |
| 400       | 903              | 0.0              | 530       | 37292            | 22.0             | 660       | 27953            | 1.2              | 790       | 1154             | 0.0              | 920       | 1320             | 0.0              |
| 405       | 911              | 0.0              | 535       | 39123            | 24.3             | 665       | 24284            | 0.8              | 795       | 1232             | 0.0              | 925       | 1757             | 0.0              |
| 410       | 1264             | 0.0              | 540       | 41391            | 27.0             | 670       | 20822            | 0.5              | 800       | 1247             | 0.0              | 930       | 1279             | 0.0              |
| 415       | 2142             | 0.0              | 545       | 44515            | 29.6             | 675       | 17848            | 0.3              | 805       | 1043             | 0.0              | 935       | 1399             | 0.0              |
| 420       | 4052             | 0.0              | 550       | 47864            | 32.5             | 680       | 15278            | 0.2              | 810       | 1235             | 0.0              | 940       | 1325             | 0.0              |
| 425       | 7647             | 0.0              | 555       | 52101            | 35.6             | 685       | 13213            | 0.1              | 815       | 1173             | 0.0              | 945       | 612              | 0.0              |
| 430       | 13366            | 0.1              | 560       | 56892            | 38.7             | 690       | 11304            | 0.1              | 820       | 948              | 0.0              | 950       | 1094             | 0.0              |
| 435       | 22367            | 0.3              | 565       | 62242            | 41.4             | 695       | 9794             | 0.0              | 825       | 846              | 0.0              | 955       | 1493             | 0.0              |
| 440       | 34007            | 0.5              | 570       | 67731            | 44.0             | 700       | 8390             | 0.0              | 830       | 987              | 0.0              | 960       | 385              | 0.0              |
| 445       | 41889            | 0.9              | 575       | 72883            | 45.3             | 705       | 7303             | 0.0              | 835       | 1395             | 0.0              | 965       | 585              | 0.0              |
| 450       | 36090            | 0.9              | 580       | 77104            | 45.8             | 710       | 6501             | 0.0              | 840       | 1079             | 0.0              | 970       | 1360             | 0.0              |
| 455       | 23459            | 0.8              | 585       | 80305            | 44.6             | 715       | 5811             | 0.0              | 845       | 1430             | 0.0              | 975       | 805              | 0.0              |
| 460       | 17429            | 0.7              | 590       | 82039            | 42.4             | 720       | 5196             | 0.0              | 850       | 984              | 0.0              | 980       | 813              | 0.0              |
| 465       | 13265            | 0.7              | 595       | 82883            | 39.3             | 725       | 4576             | 0.0              | 855       | 1315             | 0.0              | 985       | 214              | 0.0              |
| 470       | 9887             | 0.6              | 600       | 82307            | 35.5             | 730       | 4031             | 0.0              | 860       | 1245             | 0.0              | 990       | 1247             | 0.0              |
| 475       | 8912             | 0.7              | 605       | 79818            | 30.9             | 735       | 3393             | 0.0              | 865       | 1445             | 0.0              | 995       | 597              | 0.0              |
| 480       | 9543             | 0.9              | 610       | 76405            | 26.2             | 740       | 3117             | 0.0              | 870       | 998              | 0.0              | 1000      | 1691             | 0.0              |
| 485       | 11169            | 1.3              | 615       | 71967            | 21.7             | 745       | 2946             | 0.0              | 875       | 1326             | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2012-088-7


### Scotopic Flux vs. Wavelength


**Scotopic Lumens: 1728.4**
**S/P: 0.45**

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 1195             | 0.0              | 490       | 13880            | 21.4             | 620       | 66879            | 0.8              | 750       | 2571             | 0.0              | 880       | 1235             | 0.0              |
| 365       | 985              | 0.0              | 495       | 17408            | 28.1             | 625       | 62111            | 0.5              | 755       | 2394             | 0.0              | 885       | 1368             | 0.0              |
| 370       | 1066             | 0.0              | 500       | 21285            | 35.6             | 630       | 56551            | 0.3              | 760       | 2199             | 0.0              | 890       | 1027             | 0.0              |
| 375       | 1227             | 0.0              | 505       | 24779            | 42.1             | 635       | 50866            | 0.2              | 765       | 2031             | 0.0              | 895       | 822              | 0.0              |
| 380       | 1176             | 0.0              | 510       | 27951            | 47.4             | 640       | 45859            | 0.1              | 770       | 1735             | 0.0              | 900       | 1068             | 0.0              |
| 385       | 1115             | 0.0              | 515       | 30815            | 51.1             | 645       | 40924            | 0.1              | 775       | 1538             | 0.0              | 905       | 823              | 0.0              |
| 390       | 1039             | 0.0              | 520       | 33040            | 52.5             | 650       | 36434            | 0.0              | 780       | 1455             | 0.0              | 910       | 531              | 0.0              |
| 395       | 908              | 0.0              | 525       | 35159            | 52.6             | 655       | 32132            | 0.0              | 785       | 1506             | 0.0              | 915       | 1184             | 0.0              |
| 400       | 903              | 0.0              | 530       | 37292            | 51.4             | 660       | 27953            | 0.0              | 790       | 1154             | 0.0              | 920       | 1320             | 0.0              |
| 405       | 911              | 0.0              | 535       | 39123            | 48.8             | 665       | 24284            | 0.0              | 795       | 1232             | 0.0              | 925       | 1757             | 0.0              |
| 410       | 1264             | 0.1              | 540       | 41391            | 45.7             | 670       | 20822            | 0.0              | 800       | 1247             | 0.0              | 930       | 1279             | 0.0              |
| 415       | 2142             | 0.2              | 545       | 44515            | 42.7             | 675       | 17848            | 0.0              | 805       | 1043             | 0.0              | 935       | 1399             | 0.0              |
| 420       | 4052             | 0.7              | 550       | 47864            | 39.1             | 680       | 15278            | 0.0              | 810       | 1235             | 0.0              | 940       | 1325             | 0.0              |
| 425       | 7647             | 1.9              | 555       | 52101            | 35.6             | 685       | 13213            | 0.0              | 815       | 1173             | 0.0              | 945       | 612              | 0.0              |
| 430       | 13366            | 4.5              | 560       | 56892            | 31.8             | 690       | 11304            | 0.0              | 820       | 948              | 0.0              | 950       | 1094             | 0.0              |
| 435       | 22367            | 10.0             | 565       | 62242            | 27.9             | 695       | 9794             | 0.0              | 825       | 846              | 0.0              | 955       | 1493             | 0.0              |
| 440       | 34007            | 19.0             | 570       | 67731            | 23.9             | 700       | 8390             | 0.0              | 830       | 987              | 0.0              | 960       | 385              | 0.0              |
| 445       | 41889            | 28.0             | 575       | 72883            | 19.8             | 705       | 7303             | 0.0              | 835       | 1395             | 0.0              | 965       | 585              | 0.0              |
| 450       | 36090            | 28.0             | 580       | 77104            | 15.9             | 710       | 6501             | 0.0              | 840       | 1079             | 0.0              | 970       | 1360             | 0.0              |
| 455       | 23459            | 20.5             | 585       | 80305            | 12.3             | 715       | 5811             | 0.0              | 845       | 1430             | 0.0              | 975       | 805              | 0.0              |
| 460       | 17429            | 16.8             | 590       | 82039            | 9.1              | 720       | 5196             | 0.0              | 850       | 984              | 0.0              | 980       | 813              | 0.0              |
| 465       | 13265            | 14.0             | 595       | 82883            | 6.6              | 725       | 4576             | 0.0              | 855       | 1315             | 0.0              | 985       | 214              | 0.0              |
| 470       | 9887             | 11.4             | 600       | 82307            | 4.6              | 730       | 4031             | 0.0              | 860       | 1245             | 0.0              | 990       | 1247             | 0.0              |
| 475       | 8912             | 11.1             | 605       | 79818            | 3.1              | 735       | 3393             | 0.0              | 865       | 1445             | 0.0              | 995       | 597              | 0.0              |
| 480       | 9543             | 12.9             | 610       | 76405            | 2.1              | 740       | 3117             | 0.0              | 870       | 998              | 0.0              | 1000      | 1691             | 0.0              |
| 485       | 11169            | 16.2             | 615       | 71967            | 1.3              | 745       | 2946             | 0.0              | 875       | 1326             | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2012-088-7

### Melanopic Flux vs. Wavelength


**Melanopic Lumens: 4752**
**S/P: 1.23**


| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 1195             | 0.0              | 490       | 13880            | 11.5             | 620       | 66879            | 0.1              | 750       | 2571             | 0.0              | 880       | 1235             | 0.0              |
| 365       | 985              | 0.0              | 495       | 17408            | 14.4             | 625       | 62111            | 0.0              | 755       | 2394             | 0.0              | 885       | 1368             | 0.0              |
| 370       | 1066             | 0.0              | 500       | 21285            | 17.1             | 630       | 56551            | 0.0              | 760       | 2199             | 0.0              | 890       | 1027             | 0.0              |
| 375       | 1227             | 0.0              | 505       | 24779            | 19.0             | 635       | 50866            | 0.0              | 765       | 2031             | 0.0              | 895       | 822              | 0.0              |
| 380       | 1176             | 0.0              | 510       | 27951            | 20.1             | 640       | 45859            | 0.0              | 770       | 1735             | 0.0              | 900       | 1068             | 0.0              |
| 385       | 1115             | 0.0              | 515       | 30815            | 20.1             | 645       | 40924            | 0.0              | 775       | 1538             | 0.0              | 905       | 823              | 0.0              |
| 390       | 1039             | 0.0              | 520       | 33040            | 19.2             | 650       | 36434            | 0.0              | 780       | 1455             | 0.0              | 910       | 531              | 0.0              |
| 395       | 908              | 0.0              | 525       | 35159            | 17.8             | 655       | 32132            | 0.0              | 785       | 1506             | 0.0              | 915       | 1184             | 0.0              |
| 400       | 903              | 0.0              | 530       | 37292            | 16.1             | 660       | 27953            | 0.0              | 790       | 1154             | 0.0              | 920       | 1320             | 0.0              |
| 405       | 911              | 0.0              | 535       | 39123            | 14.1             | 665       | 24284            | 0.0              | 795       | 1232             | 0.0              | 925       | 1757             | 0.0              |
| 410       | 1264             | 0.0              | 540       | 41391            | 12.1             | 670       | 20822            | 0.0              | 800       | 1247             | 0.0              | 930       | 1279             | 0.0              |
| 415       | 2142             | 0.1              | 545       | 44515            | 10.3             | 675       | 17848            | 0.0              | 805       | 1043             | 0.0              | 935       | 1399             | 0.0              |
| 420       | 4052             | 0.5              | 550       | 47864            | 8.6              | 680       | 15278            | 0.0              | 810       | 1235             | 0.0              | 940       | 1325             | 0.0              |
| 425       | 7647             | 1.2              | 555       | 52101            | 7.0              | 685       | 13213            | 0.0              | 815       | 1173             | 0.0              | 945       | 612              | 0.0              |
| 430       | 13366            | 2.8              | 560       | 56892            | 5.6              | 690       | 11304            | 0.0              | 820       | 948              | 0.0              | 950       | 1094             | 0.0              |
| 435       | 22367            | 6.0              | 565       | 62242            | 4.4              | 695       | 9794             | 0.0              | 825       | 846              | 0.0              | 955       | 1493             | 0.0              |
| 440       | 34007            | 11.4             | 570       | 67731            | 3.3              | 700       | 8390             | 0.0              | 830       | 987              | 0.0              | 960       | 385              | 0.0              |
| 445       | 41889            | 16.5             | 575       | 72883            | 2.4              | 705       | 7303             | 0.0              | 835       | 1395             | 0.0              | 965       | 585              | 0.0              |
| 450       | 36090            | 16.6             | 580       | 77104            | 1.7              | 710       | 6501             | 0.0              | 840       | 1079             | 0.0              | 970       | 1360             | 0.0              |
| 455       | 23459            | 12.3             | 585       | 80305            | 1.2              | 715       | 5811             | 0.0              | 845       | 1430             | 0.0              | 975       | 805              | 0.0              |
| 460       | 17429            | 10.3             | 590       | 82039            | 0.8              | 720       | 5196             | 0.0              | 850       | 984              | 0.0              | 980       | 813              | 0.0              |
| 465       | 13265            | 8.7              | 595       | 82883            | 0.5              | 725       | 4576             | 0.0              | 855       | 1315             | 0.0              | 985       | 214              | 0.0              |
| 470       | 9887             | 7.1              | 600       | 82307            | 0.3              | 730       | 4031             | 0.0              | 860       | 1245             | 0.0              | 990       | 1247             | 0.0              |
| 475       | 8912             | 6.8              | 605       | 79818            | 0.2              | 735       | 3393             | 0.0              | 865       | 1445             | 0.0              | 995       | 597              | 0.0              |
| 480       | 9543             | 7.7              | 610       | 76405            | 0.1              | 740       | 3117             | 0.0              | 870       | 998              | 0.0              | 1000      | 1691             | 0.0              |
| 485       | 11169            | 9.2              | 615       | 71967            | 0.1              | 745       | 2946             | 0.0              | 875       | 1326             | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2012-088-7





TM-30-18

### Summary

$R_f = 76.2$   
 $R_g = 94.2$   
 CIE  $R_a = 72.4$   
 $R_g = -36.8$




### Color Vector Graphics






**Individual Sample Fidelity Index ( $R_{f,i}$ )**

|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 86 | CES26 = 68 | CES51 = 88 | CES76 = 65 |
| CES02 = 63 | CES27 = 88 | CES52 = 87 | CES77 = 81 |
| CES03 = 31 | CES28 = 88 | CES53 = 79 | CES78 = 67 |
| CES04 = 71 | CES29 = 66 | CES54 = 85 | CES79 = 87 |
| CES05 = 49 | CES30 = 73 | CES55 = 84 | CES80 = 87 |
| CES06 = 51 | CES31 = 70 | CES56 = 76 | CES81 = 70 |
| CES07 = 41 | CES32 = 66 | CES57 = 75 | CES82 = 94 |
| CES08 = 40 | CES33 = 73 | CES58 = 77 | CES83 = 90 |
| CES09 = 29 | CES34 = 80 | CES59 = 86 | CES84 = 89 |
| CES10 = 76 | CES35 = 90 | CES60 = 93 | CES85 = 77 |
| CES11 = 59 | CES36 = 97 | CES61 = 85 | CES86 = 61 |
| CES12 = 65 | CES37 = 88 | CES62 = 90 | CES87 = 78 |
| CES13 = 43 | CES38 = 81 | CES63 = 77 | CES88 = 78 |
| CES14 = 74 | CES39 = 95 | CES64 = 73 | CES89 = 67 |
| CES15 = 71 | CES40 = 91 | CES65 = 69 | CES90 = 76 |
| CES16 = 47 | CES41 = 88 | CES66 = 71 | CES91 = 89 |
| CES17 = 50 | CES42 = 89 | CES67 = 69 | CES92 = 58 |
| CES18 = 56 | CES43 = 80 | CES68 = 73 | CES93 = 75 |
| CES19 = 73 | CES44 = 99 | CES69 = 82 | CES94 = 49 |
| CES20 = 66 | CES45 = 85 | CES70 = 67 | CES95 = 69 |
| CES21 = 87 | CES46 = 81 | CES71 = 68 | CES96 = 77 |
| CES22 = 79 | CES47 = 81 | CES72 = 88 | CES97 = 83 |
| CES23 = 92 | CES48 = 69 | CES73 = 60 | CES98 = 75 |
| CES24 = 91 | CES49 = 80 | CES74 = 95 | CES99 = 63 |
| CES25 = 73 | CES50 = 87 | CES75 = 69 |            |







Color Rendition by Hue-Angle Bin



**Measure Comparisons**



(END OF REPORT)