

Signify Classified - Internal  
Cooper Lighting Solutions Photometric Lab  
1121 Highway 74 South  
Peachtree City, GA 30269



Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: McGRAW-EDISON

Report Number: P386575

Luminaire Tested: **GWC-SA2B-730-U-5NQ**

Issue Date: 3/3/2020

**Test Information**

Test Method: LM-79-08  
Report Number: P386575  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1903-205-5)  
Test Lab: INNOVATION CENTER  
Issue Date: 3/3/2020  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: MCGRAW-EDISON  
Catalog Number: GWC-SA2B-730-U-5NQ  
Description: GALLEON WALL LUMINAIRE  
(2) 70 CRI, 3000K, 800mA LIGHTSQUARES WITH 16 LEDS EACH AND TYPE V NARROW OPTICS  
Light Source: -  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**

Lumens per Lamp: N/A  
Luminaire Lumens: 11203 lumens  
Efficiency: N/A  
Efficacy: 130.3 lumens/watt  
Luminous Opening: Rectangular (W 1' x L: 0.5' x H: 0')  
IES Classification: Type V - Short  
BUG Rating: B3 - U0 - G1

Input Watts (W): 86  
Input Voltage (V): NR  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 28.75 FT




REPORT NUMBER: P386575

CATALOG NUMBER: GWC-SA2B-730-U-5NQ

## Iso-Footcandle Lines of Horizontal Illumination

✕ Max cd

--- 1/2 Max cd




Based on 15 foot mounting height. Maximum calculated value = 6.1 fc  
 Type V - Short - N/A

REPORT NUMBER: P386575

CATALOG NUMBER: GWC-SA2B-730-U-5NQ

## Luminous Intensity Polar Plot



REPORT NUMBER: P386575

CATALOG NUMBER: GWC-SA2B-730-U-5NQ


**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total   |
|--------------------|-----------|----------|--------|---------|
| <b>House Side</b>  | Lumens    | 5601.5   | 0.0    | 5601.5  |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Street Side</b> | Lumens    | 5601.5   | 0.0    | 5601.5  |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Total</b>       | Lumens    | 11203.0  | 0.0    | 11203.0 |
|                    | % Fixture | 100.0    | 0.0    | 100.0   |

**ZONAL LUMENS:**

| Zone      | Lumens  | % Fixture |
|-----------|---------|-----------|
| 0°-10°    | 132.7   | 1.2       |
| 10°-20°   | 426.7   | 3.8       |
| 20°-30°   | 800.5   | 7.1       |
| 30°-40°   | 1323.8  | 11.8      |
| 40°-50°   | 2050.5  | 18.3      |
| 50°-60°   | 3144.8  | 28.1      |
| 60°-70°   | 2934.5  | 26.2      |
| 70°-80°   | 341.5   | 3.0       |
| 80°-90°   | 48.0    | 0.4       |
| 90°-100°  | 0.0     | 0.0       |
| 100°-110° | 0.0     | 0.0       |
| 110°-120° | 0.0     | 0.0       |
| 120°-130° | 0.0     | 0.0       |
| 130°-140° | 0.0     | 0.0       |
| 140°-150° | 0.0     | 0.0       |
| 150°-160° | 0.0     | 0.0       |
| 160°-170° | 0.0     | 0.0       |
| 170°-180° | 0.0     | 0.0       |
| 0°-90°    | 11203.0 | 100.0     |
| 0°-180°   | 11203.0 | 100.0     |

**Coefficient of Utilization**



REPORT NUMBER: P386575


CATALOG NUMBER: GWC-SA2B-730-U-5NQ

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens | % Fixture | Zone Rating/Lumen Limit |      |         |
|------|-------------|--------|-----------|-------------------------|------|---------|
|      |             |        |           | B                       | U    | G       |
| FL   | (0°-30°)    | 679.9  | 6.1       |                         |      |         |
| FM   | (30°-60°)   | 3259.6 | 29.1      |                         |      |         |
| FH   | (60°-80°)   | 1638.0 | 14.6      |                         |      | G1/1800 |
| FVH  | (80°-90°)   | 24.0   | 0.2       |                         |      | G1/100  |
| BL   | (0°-30°)    | 679.9  | 6.1       | B2/1000                 |      |         |
| BM   | (30°-60°)   | 3259.6 | 29.1      | B3/5000                 |      |         |
| BH   | (60°-80°)   | 1638.0 | 14.6      | B3/2500                 |      | G1/1800 |
| BVH  | (80°-90°)   | 24.0   | 0.2       |                         |      | G1/100  |
| UL   | (90°-100°)  | 0.0    | 0.0       |                         | U0/0 |         |
| UH   | (100°-180°) | 0.0    | 0.0       |                         | U0/0 |         |

**BUG Rating: B3-U0-G1**

Type V Short





REPORT NUMBER: P386575

CATALOG NUMBER: GWC-SA2B-730-U-5NQ

**CANDELA DISTRIBUTION (FULL):**

|       | 0°     | 5°     | 15°    | 25°    | 35°    | 45°    | 55°    | 65°    | 75°    | 85°    | 90°    |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0°    | 1352.9 | 1352.9 | 1352.9 | 1352.9 | 1352.9 | 1352.9 | 1352.9 | 1352.9 | 1352.9 | 1352.9 | 1352.9 |
| 2.5°  | 1357.4 | 1356.6 | 1357.4 | 1357.7 | 1355.5 | 1356.6 | 1356.3 | 1358.1 | 1358.9 | 1358.1 | 1358.1 |
| 5°    | 1373.0 | 1371.9 | 1373.4 | 1375.2 | 1372.2 | 1373.0 | 1371.9 | 1374.1 | 1374.8 | 1373.4 | 1374.5 |
| 7.5°  | 1394.6 | 1394.9 | 1396.4 | 1399.8 | 1397.9 | 1399.4 | 1397.2 | 1397.5 | 1397.2 | 1394.9 | 1395.3 |
| 10°   | 1418.0 | 1418.4 | 1421.0 | 1425.4 | 1426.2 | 1426.2 | 1424.7 | 1423.6 | 1422.1 | 1420.6 | 1421.0 |
| 12.5° | 1446.2 | 1448.1 | 1450.0 | 1455.5 | 1455.5 | 1458.5 | 1457.8 | 1454.8 | 1452.2 | 1450.0 | 1450.0 |
| 15°   | 1484.6 | 1484.2 | 1486.4 | 1492.0 | 1494.6 | 1499.4 | 1499.4 | 1495.3 | 1492.0 | 1489.8 | 1489.0 |
| 17.5° | 1524.7 | 1525.8 | 1527.3 | 1534.0 | 1538.1 | 1543.7 | 1544.4 | 1541.1 | 1538.8 | 1535.9 | 1534.0 |
| 20°   | 1571.6 | 1573.4 | 1579.4 | 1582.0 | 1585.7 | 1590.9 | 1592.8 | 1592.0 | 1589.8 | 1588.3 | 1588.7 |
| 22.5° | 1626.2 | 1631.1 | 1634.8 | 1638.5 | 1643.0 | 1646.7 | 1648.5 | 1651.2 | 1648.9 | 1647.8 | 1647.1 |
| 25°   | 1692.4 | 1695.8 | 1703.2 | 1709.9 | 1712.9 | 1714.0 | 1716.2 | 1720.0 | 1719.6 | 1717.0 | 1717.0 |
| 27.5° | 1767.6 | 1773.9 | 1783.2 | 1792.8 | 1792.8 | 1789.1 | 1796.6 | 1802.9 | 1800.6 | 1797.3 | 1792.8 |
| 30°   | 1858.7 | 1864.6 | 1875.4 | 1888.8 | 1882.1 | 1879.5 | 1889.5 | 1901.1 | 1897.7 | 1892.1 | 1891.4 |
| 32.5° | 1956.8 | 1962.4 | 1976.5 | 1991.1 | 1982.5 | 1978.8 | 1989.6 | 2006.3 | 2000.3 | 1989.2 | 1982.5 |
| 35°   | 2063.2 | 2068.8 | 2088.9 | 2106.3 | 2091.8 | 2085.5 | 2094.4 | 2112.7 | 2102.2 | 2081.4 | 2076.2 |
| 37.5° | 2178.9 | 2181.8 | 2207.9 | 2225.7 | 2215.7 | 2198.9 | 2210.1 | 2223.5 | 2214.6 | 2189.3 | 2179.2 |
| 40°   | 2299.0 | 2309.8 | 2339.9 | 2360.7 | 2343.2 | 2316.8 | 2335.4 | 2354.0 | 2340.6 | 2308.3 | 2291.2 |
| 42.5° | 2439.2 | 2447.4 | 2487.5 | 2506.1 | 2477.8 | 2440.7 | 2465.9 | 2491.2 | 2477.8 | 2446.6 | 2431.7 |
| 45°   | 2584.9 | 2597.6 | 2645.6 | 2664.2 | 2623.3 | 2576.0 | 2606.9 | 2651.1 | 2650.0 | 2605.0 | 2589.4 |
| 47.5° | 2743.7 | 2756.4 | 2813.7 | 2838.2 | 2793.9 | 2730.7 | 2774.2 | 2836.7 | 2832.2 | 2782.8 | 2770.1 |
| 50°   | 2927.1 | 2940.5 | 3011.9 | 3042.7 | 3001.5 | 2927.8 | 2993.3 | 3048.3 | 3040.1 | 2979.1 | 2980.3 |
| 52.5° | 3157.3 | 3156.5 | 3245.4 | 3299.0 | 3256.6 | 3191.5 | 3251.7 | 3305.3 | 3271.4 | 3187.0 | 3184.4 |
| 55°   | 3358.8 | 3371.1 | 3481.2 | 3582.7 | 3580.1 | 3555.2 | 3579.4 | 3581.6 | 3484.9 | 3372.6 | 3358.8 |
| 57.5° | 3491.2 | 3514.7 | 3669.7 | 3853.4 | 3991.0 | 4024.1 | 3977.3 | 3835.2 | 3608.7 | 3429.1 | 3407.2 |
| 60°   | 3409.8 | 3445.5 | 3689.1 | 4063.5 | 4468.9 | 4663.4 | 4399.0 | 3958.3 | 3512.4 | 3262.1 | 3232.4 |
| 62.5° | 2860.1 | 2920.4 | 3277.0 | 3962.0 | 4880.2 | 5448.8 | 4704.7 | 3760.8 | 3129.4 | 2784.6 | 2733.7 |
| 65°   | 1741.9 | 1805.5 | 2235.4 | 3261.0 | 4813.6 | 6070.6 | 4565.2 | 3121.6 | 2284.1 | 1855.3 | 1800.3 |
| 67.5° | 580.5  | 599.1  | 852.4  | 1802.5 | 3783.1 | 5454.4 | 3789.5 | 1868.7 | 994.0  | 659.0  | 639.6  |
| 70°   | 227.2  | 229.1  | 270.4  | 522.5  | 1786.5 | 3746.3 | 1971.3 | 531.8  | 282.6  | 223.5  | 228.3  |
| 72.5° | 167.0  | 167.7  | 179.2  | 218.3  | 465.6  | 1650.4 | 482.3  | 219.4  | 174.4  | 156.6  | 156.6  |
| 75°   | 134.2  | 134.2  | 142.4  | 159.2  | 208.6  | 378.6  | 211.6  | 157.3  | 136.5  | 125.0  | 123.5  |
| 77.5° | 106.0  | 108.2  | 114.5  | 125.3  | 141.3  | 182.2  | 146.5  | 124.6  | 110.1  | 99.3   | 97.1   |
| 80°   | 78.8   | 81.1   | 91.5   | 96.7   | 101.5  | 126.4  | 108.2  | 97.4   | 87.0   | 74.4   | 72.1   |
| 82.5° | 51.7   | 53.9   | 66.9   | 69.9   | 68.8   | 82.6   | 72.9   | 71.8   | 64.0   | 48.0   | 45.7   |
| 85°   | 33.8   | 34.6   | 44.6   | 46.5   | 42.8   | 37.6   | 46.5   | 49.1   | 44.6   | 31.2   | 30.1   |
| 87.5° | 16.0   | 16.0   | 22.7   | 21.2   | 19.3   | 15.6   | 21.2   | 24.9   | 25.3   | 15.2   | 14.9   |
| 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

Report Prepared for

Cooper Lighting Solutions

(formerly Eaton)

INVUE

Report Number: SP1-2012-088-7

Luminaire Tested: WIS-SA-730-2A-U-SL3-HSS

Test Date: 01/20/2021




### Test Information

Test Method: LM-79-08  
 Report Number: SP1-2012-088-7  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1  
 Measurement Geometry:  $4\pi$   
 Issue Date: 01/20/2021  
 Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
 Product Line: INVUE  
 Catalog Number: **WIS-SA-730-2A-U-SL3-HSS**  
 Description: INVUE WALL PACK

SHIELD

### Spectral Parameters

|                           |        |           |      |      |       |
|---------------------------|--------|-----------|------|------|-------|
| CCT (K):                  | 2978   | CRI (Ra): | 72.4 |      |       |
| CIE u':                   | 0.2511 | R1:       | 68.2 | R9:  | -36.8 |
| CIE v':                   | 0.5225 | R2:       | 83.1 | R10: | 63.2  |
| Duv:                      | 0.0005 | R3:       | 94.9 | R11: | 65.5  |
| CIE x:                    | 0.4391 | R4:       | 68.7 | R12: | 58.5  |
| CIE y:                    | 0.4060 | R5:       | 68.6 | R13: | 71.0  |
| CIE z:                    | 0.1549 | R6:       | 78.2 | R14: | 97.4  |
| Peak Wavelength (nm):     | 596    | R7:       | 76.3 |      |       |
| Dominant Wavelength (nm): | 582    | R8:       | 41.2 |      |       |
| Purity:                   | 54     |           |      |      |       |
|                           |        |           |      |      |       |
| Rf:                       | 76.2   |           |      |      |       |
| Rg:                       | 94.2   |           |      |      |       |



### Test Conditions


Stabilization Time: 82M  
 Operation Time: 12H  
 Room Temperature (°C) / RH%: 25.6/28%  
 Sphere Temperature (°C): 25.5

REPORT NUMBER: SP1-2012-088-7


| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 7/29/2020        | 1/29/2021            |
| Power Meter                    | IN0071                | 12/1/2020        | 12/1/2021            |
| AC Power Source                | IN0063                | 12/1/2020        | 12/1/2021            |
| DC Power Source                | IN0208                | 12/1/2020        | 12/1/2021            |
| Sphere Thermometer             | IN0085                | 12/1/2020        | 12/1/2021            |
| Room Thermometer               | IN0046                | 12/1/2020        | 12/1/2021            |

REPORT NUMBER: SP1-2012-088-7

**CIE 1931 Chromaticity Diagram**




**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



Point lies inside the ANSI 3000K 4-step quadrangle

REPORT NUMBER: SP1-2012-088-7

### Photopic Flux vs. Wavelength




#####

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 1195             | 0.0              | 490       | 13880            | 2.0              | 620       | 66879            | 17.4             | 750       | 2571             | 0.0              | 880       | 1235             | 0.0              |
| 365       | 985              | 0.0              | 495       | 17408            | 3.2              | 625       | 62111            | 13.7             | 755       | 2394             | 0.0              | 885       | 1368             | 0.0              |
| 370       | 1066             | 0.0              | 500       | 21285            | 4.7              | 630       | 56551            | 10.2             | 760       | 2199             | 0.0              | 890       | 1027             | 0.0              |
| 375       | 1227             | 0.0              | 505       | 24779            | 6.9              | 635       | 50866            | 7.6              | 765       | 2031             | 0.0              | 895       | 822              | 0.0              |
| 380       | 1176             | 0.0              | 510       | 27951            | 9.6              | 640       | 45859            | 5.5              | 770       | 1735             | 0.0              | 900       | 1068             | 0.0              |
| 385       | 1115             | 0.0              | 515       | 30815            | 12.8             | 645       | 40924            | 3.9              | 775       | 1538             | 0.0              | 905       | 823              | 0.0              |
| 390       | 1039             | 0.0              | 520       | 33040            | 16.0             | 650       | 36434            | 2.7              | 780       | 1455             | 0.0              | 910       | 531              | 0.0              |
| 395       | 908              | 0.0              | 525       | 35159            | 18.9             | 655       | 32132            | 1.8              | 785       | 1506             | 0.0              | 915       | 1184             | 0.0              |
| 400       | 903              | 0.0              | 530       | 37292            | 22.0             | 660       | 27953            | 1.2              | 790       | 1154             | 0.0              | 920       | 1320             | 0.0              |
| 405       | 911              | 0.0              | 535       | 39123            | 24.3             | 665       | 24284            | 0.8              | 795       | 1232             | 0.0              | 925       | 1757             | 0.0              |
| 410       | 1264             | 0.0              | 540       | 41391            | 27.0             | 670       | 20822            | 0.5              | 800       | 1247             | 0.0              | 930       | 1279             | 0.0              |
| 415       | 2142             | 0.0              | 545       | 44515            | 29.6             | 675       | 17848            | 0.3              | 805       | 1043             | 0.0              | 935       | 1399             | 0.0              |
| 420       | 4052             | 0.0              | 550       | 47864            | 32.5             | 680       | 15278            | 0.2              | 810       | 1235             | 0.0              | 940       | 1325             | 0.0              |
| 425       | 7647             | 0.0              | 555       | 52101            | 35.6             | 685       | 13213            | 0.1              | 815       | 1173             | 0.0              | 945       | 612              | 0.0              |
| 430       | 13366            | 0.1              | 560       | 56892            | 38.7             | 690       | 11304            | 0.1              | 820       | 948              | 0.0              | 950       | 1094             | 0.0              |
| 435       | 22367            | 0.3              | 565       | 62242            | 41.4             | 695       | 9794             | 0.0              | 825       | 846              | 0.0              | 955       | 1493             | 0.0              |
| 440       | 34007            | 0.5              | 570       | 67731            | 44.0             | 700       | 8390             | 0.0              | 830       | 987              | 0.0              | 960       | 385              | 0.0              |
| 445       | 41889            | 0.9              | 575       | 72883            | 45.3             | 705       | 7303             | 0.0              | 835       | 1395             | 0.0              | 965       | 585              | 0.0              |
| 450       | 36090            | 0.9              | 580       | 77104            | 45.8             | 710       | 6501             | 0.0              | 840       | 1079             | 0.0              | 970       | 1360             | 0.0              |
| 455       | 23459            | 0.8              | 585       | 80305            | 44.6             | 715       | 5811             | 0.0              | 845       | 1430             | 0.0              | 975       | 805              | 0.0              |
| 460       | 17429            | 0.7              | 590       | 82039            | 42.4             | 720       | 5196             | 0.0              | 850       | 984              | 0.0              | 980       | 813              | 0.0              |
| 465       | 13265            | 0.7              | 595       | 82883            | 39.3             | 725       | 4576             | 0.0              | 855       | 1315             | 0.0              | 985       | 214              | 0.0              |
| 470       | 9887             | 0.6              | 600       | 82307            | 35.5             | 730       | 4031             | 0.0              | 860       | 1245             | 0.0              | 990       | 1247             | 0.0              |
| 475       | 8912             | 0.7              | 605       | 79818            | 30.9             | 735       | 3393             | 0.0              | 865       | 1445             | 0.0              | 995       | 597              | 0.0              |
| 480       | 9543             | 0.9              | 610       | 76405            | 26.2             | 740       | 3117             | 0.0              | 870       | 998              | 0.0              | 1000      | 1691             | 0.0              |
| 485       | 11169            | 1.3              | 615       | 71967            | 21.7             | 745       | 2946             | 0.0              | 875       | 1326             | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2012-088-7


### Scotopic Flux vs. Wavelength


**Scotopic Lumens: 1728.4**
**S/P: 0.45**

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 1195             | 0.0              | 490       | 13880            | 21.4             | 620       | 66879            | 0.8              | 750       | 2571             | 0.0              | 880       | 1235             | 0.0              |
| 365       | 985              | 0.0              | 495       | 17408            | 28.1             | 625       | 62111            | 0.5              | 755       | 2394             | 0.0              | 885       | 1368             | 0.0              |
| 370       | 1066             | 0.0              | 500       | 21285            | 35.6             | 630       | 56551            | 0.3              | 760       | 2199             | 0.0              | 890       | 1027             | 0.0              |
| 375       | 1227             | 0.0              | 505       | 24779            | 42.1             | 635       | 50866            | 0.2              | 765       | 2031             | 0.0              | 895       | 822              | 0.0              |
| 380       | 1176             | 0.0              | 510       | 27951            | 47.4             | 640       | 45859            | 0.1              | 770       | 1735             | 0.0              | 900       | 1068             | 0.0              |
| 385       | 1115             | 0.0              | 515       | 30815            | 51.1             | 645       | 40924            | 0.1              | 775       | 1538             | 0.0              | 905       | 823              | 0.0              |
| 390       | 1039             | 0.0              | 520       | 33040            | 52.5             | 650       | 36434            | 0.0              | 780       | 1455             | 0.0              | 910       | 531              | 0.0              |
| 395       | 908              | 0.0              | 525       | 35159            | 52.6             | 655       | 32132            | 0.0              | 785       | 1506             | 0.0              | 915       | 1184             | 0.0              |
| 400       | 903              | 0.0              | 530       | 37292            | 51.4             | 660       | 27953            | 0.0              | 790       | 1154             | 0.0              | 920       | 1320             | 0.0              |
| 405       | 911              | 0.0              | 535       | 39123            | 48.8             | 665       | 24284            | 0.0              | 795       | 1232             | 0.0              | 925       | 1757             | 0.0              |
| 410       | 1264             | 0.1              | 540       | 41391            | 45.7             | 670       | 20822            | 0.0              | 800       | 1247             | 0.0              | 930       | 1279             | 0.0              |
| 415       | 2142             | 0.2              | 545       | 44515            | 42.7             | 675       | 17848            | 0.0              | 805       | 1043             | 0.0              | 935       | 1399             | 0.0              |
| 420       | 4052             | 0.7              | 550       | 47864            | 39.1             | 680       | 15278            | 0.0              | 810       | 1235             | 0.0              | 940       | 1325             | 0.0              |
| 425       | 7647             | 1.9              | 555       | 52101            | 35.6             | 685       | 13213            | 0.0              | 815       | 1173             | 0.0              | 945       | 612              | 0.0              |
| 430       | 13366            | 4.5              | 560       | 56892            | 31.8             | 690       | 11304            | 0.0              | 820       | 948              | 0.0              | 950       | 1094             | 0.0              |
| 435       | 22367            | 10.0             | 565       | 62242            | 27.9             | 695       | 9794             | 0.0              | 825       | 846              | 0.0              | 955       | 1493             | 0.0              |
| 440       | 34007            | 19.0             | 570       | 67731            | 23.9             | 700       | 8390             | 0.0              | 830       | 987              | 0.0              | 960       | 385              | 0.0              |
| 445       | 41889            | 28.0             | 575       | 72883            | 19.8             | 705       | 7303             | 0.0              | 835       | 1395             | 0.0              | 965       | 585              | 0.0              |
| 450       | 36090            | 28.0             | 580       | 77104            | 15.9             | 710       | 6501             | 0.0              | 840       | 1079             | 0.0              | 970       | 1360             | 0.0              |
| 455       | 23459            | 20.5             | 585       | 80305            | 12.3             | 715       | 5811             | 0.0              | 845       | 1430             | 0.0              | 975       | 805              | 0.0              |
| 460       | 17429            | 16.8             | 590       | 82039            | 9.1              | 720       | 5196             | 0.0              | 850       | 984              | 0.0              | 980       | 813              | 0.0              |
| 465       | 13265            | 14.0             | 595       | 82883            | 6.6              | 725       | 4576             | 0.0              | 855       | 1315             | 0.0              | 985       | 214              | 0.0              |
| 470       | 9887             | 11.4             | 600       | 82307            | 4.6              | 730       | 4031             | 0.0              | 860       | 1245             | 0.0              | 990       | 1247             | 0.0              |
| 475       | 8912             | 11.1             | 605       | 79818            | 3.1              | 735       | 3393             | 0.0              | 865       | 1445             | 0.0              | 995       | 597              | 0.0              |
| 480       | 9543             | 12.9             | 610       | 76405            | 2.1              | 740       | 3117             | 0.0              | 870       | 998              | 0.0              | 1000      | 1691             | 0.0              |
| 485       | 11169            | 16.2             | 615       | 71967            | 1.3              | 745       | 2946             | 0.0              | 875       | 1326             | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2012-088-7

### Melanopic Flux vs. Wavelength


**Melanopic Lumens: 4752**
**S/P: 1.23**


| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 1195             | 0.0              | 490       | 13880            | 11.5             | 620       | 66879            | 0.1              | 750       | 2571             | 0.0              | 880       | 1235             | 0.0              |
| 365       | 985              | 0.0              | 495       | 17408            | 14.4             | 625       | 62111            | 0.0              | 755       | 2394             | 0.0              | 885       | 1368             | 0.0              |
| 370       | 1066             | 0.0              | 500       | 21285            | 17.1             | 630       | 56551            | 0.0              | 760       | 2199             | 0.0              | 890       | 1027             | 0.0              |
| 375       | 1227             | 0.0              | 505       | 24779            | 19.0             | 635       | 50866            | 0.0              | 765       | 2031             | 0.0              | 895       | 822              | 0.0              |
| 380       | 1176             | 0.0              | 510       | 27951            | 20.1             | 640       | 45859            | 0.0              | 770       | 1735             | 0.0              | 900       | 1068             | 0.0              |
| 385       | 1115             | 0.0              | 515       | 30815            | 20.1             | 645       | 40924            | 0.0              | 775       | 1538             | 0.0              | 905       | 823              | 0.0              |
| 390       | 1039             | 0.0              | 520       | 33040            | 19.2             | 650       | 36434            | 0.0              | 780       | 1455             | 0.0              | 910       | 531              | 0.0              |
| 395       | 908              | 0.0              | 525       | 35159            | 17.8             | 655       | 32132            | 0.0              | 785       | 1506             | 0.0              | 915       | 1184             | 0.0              |
| 400       | 903              | 0.0              | 530       | 37292            | 16.1             | 660       | 27953            | 0.0              | 790       | 1154             | 0.0              | 920       | 1320             | 0.0              |
| 405       | 911              | 0.0              | 535       | 39123            | 14.1             | 665       | 24284            | 0.0              | 795       | 1232             | 0.0              | 925       | 1757             | 0.0              |
| 410       | 1264             | 0.0              | 540       | 41391            | 12.1             | 670       | 20822            | 0.0              | 800       | 1247             | 0.0              | 930       | 1279             | 0.0              |
| 415       | 2142             | 0.1              | 545       | 44515            | 10.3             | 675       | 17848            | 0.0              | 805       | 1043             | 0.0              | 935       | 1399             | 0.0              |
| 420       | 4052             | 0.5              | 550       | 47864            | 8.6              | 680       | 15278            | 0.0              | 810       | 1235             | 0.0              | 940       | 1325             | 0.0              |
| 425       | 7647             | 1.2              | 555       | 52101            | 7.0              | 685       | 13213            | 0.0              | 815       | 1173             | 0.0              | 945       | 612              | 0.0              |
| 430       | 13366            | 2.8              | 560       | 56892            | 5.6              | 690       | 11304            | 0.0              | 820       | 948              | 0.0              | 950       | 1094             | 0.0              |
| 435       | 22367            | 6.0              | 565       | 62242            | 4.4              | 695       | 9794             | 0.0              | 825       | 846              | 0.0              | 955       | 1493             | 0.0              |
| 440       | 34007            | 11.4             | 570       | 67731            | 3.3              | 700       | 8390             | 0.0              | 830       | 987              | 0.0              | 960       | 385              | 0.0              |
| 445       | 41889            | 16.5             | 575       | 72883            | 2.4              | 705       | 7303             | 0.0              | 835       | 1395             | 0.0              | 965       | 585              | 0.0              |
| 450       | 36090            | 16.6             | 580       | 77104            | 1.7              | 710       | 6501             | 0.0              | 840       | 1079             | 0.0              | 970       | 1360             | 0.0              |
| 455       | 23459            | 12.3             | 585       | 80305            | 1.2              | 715       | 5811             | 0.0              | 845       | 1430             | 0.0              | 975       | 805              | 0.0              |
| 460       | 17429            | 10.3             | 590       | 82039            | 0.8              | 720       | 5196             | 0.0              | 850       | 984              | 0.0              | 980       | 813              | 0.0              |
| 465       | 13265            | 8.7              | 595       | 82883            | 0.5              | 725       | 4576             | 0.0              | 855       | 1315             | 0.0              | 985       | 214              | 0.0              |
| 470       | 9887             | 7.1              | 600       | 82307            | 0.3              | 730       | 4031             | 0.0              | 860       | 1245             | 0.0              | 990       | 1247             | 0.0              |
| 475       | 8912             | 6.8              | 605       | 79818            | 0.2              | 735       | 3393             | 0.0              | 865       | 1445             | 0.0              | 995       | 597              | 0.0              |
| 480       | 9543             | 7.7              | 610       | 76405            | 0.1              | 740       | 3117             | 0.0              | 870       | 998              | 0.0              | 1000      | 1691             | 0.0              |
| 485       | 11169            | 9.2              | 615       | 71967            | 0.1              | 745       | 2946             | 0.0              | 875       | 1326             | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2012-088-7





TM-30-18

### Summary

$R_f = 76.2$   
 $R_g = 94.2$   
 CIE  $R_a = 72.4$   
 $R_g = -36.8$




### Color Vector Graphics






**Individual Sample Fidelity Index ( $R_{f,i}$ )**

|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 86 | CES26 = 68 | CES51 = 88 | CES76 = 65 |
| CES02 = 63 | CES27 = 88 | CES52 = 87 | CES77 = 81 |
| CES03 = 31 | CES28 = 88 | CES53 = 79 | CES78 = 67 |
| CES04 = 71 | CES29 = 66 | CES54 = 85 | CES79 = 87 |
| CES05 = 49 | CES30 = 73 | CES55 = 84 | CES80 = 87 |
| CES06 = 51 | CES31 = 70 | CES56 = 76 | CES81 = 70 |
| CES07 = 41 | CES32 = 66 | CES57 = 75 | CES82 = 94 |
| CES08 = 40 | CES33 = 73 | CES58 = 77 | CES83 = 90 |
| CES09 = 29 | CES34 = 80 | CES59 = 86 | CES84 = 89 |
| CES10 = 76 | CES35 = 90 | CES60 = 93 | CES85 = 77 |
| CES11 = 59 | CES36 = 97 | CES61 = 85 | CES86 = 61 |
| CES12 = 65 | CES37 = 88 | CES62 = 90 | CES87 = 78 |
| CES13 = 43 | CES38 = 81 | CES63 = 77 | CES88 = 78 |
| CES14 = 74 | CES39 = 95 | CES64 = 73 | CES89 = 67 |
| CES15 = 71 | CES40 = 91 | CES65 = 69 | CES90 = 76 |
| CES16 = 47 | CES41 = 88 | CES66 = 71 | CES91 = 89 |
| CES17 = 50 | CES42 = 89 | CES67 = 69 | CES92 = 58 |
| CES18 = 56 | CES43 = 80 | CES68 = 73 | CES93 = 75 |
| CES19 = 73 | CES44 = 99 | CES69 = 82 | CES94 = 49 |
| CES20 = 66 | CES45 = 85 | CES70 = 67 | CES95 = 69 |
| CES21 = 87 | CES46 = 81 | CES71 = 68 | CES96 = 77 |
| CES22 = 79 | CES47 = 81 | CES72 = 88 | CES97 = 83 |
| CES23 = 92 | CES48 = 69 | CES73 = 60 | CES98 = 75 |
| CES24 = 91 | CES49 = 80 | CES74 = 95 | CES99 = 63 |
| CES25 = 73 | CES50 = 87 | CES75 = 69 |            |







Color Rendition by Hue-Angle Bin



**Measure Comparisons**



(END OF REPORT)