

Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: McGRAW-EDISON

Report Number: P386831

Luminaire Tested: **GWC-SA2C-740-U-RW**

Issue Date: 3/3/2020

**Test Information**

Test Method: LM-79-08  
Report Number: P386831  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1903-205-7)  
Test Lab: INNOVATION CENTER  
Issue Date: 3/3/2020  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: McGRAW-EDISON  
Catalog Number: GWC-SA2C-740-U-RW  
Description: GALLEON WALL LUMINAIRE  
(2) 70 CRI, 4000K, 1050mA LIGHTSQUARES WITH 16 LEDS EACH AND RECTANGULAR  
WIDE OPTICS  
Light Source: -  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**

Lumens per Lamp: N/A  
Luminaire Lumens: 15088 lumens  
Efficiency: N/A  
Efficacy: 133.5 lumens/watt  
Luminous Opening: Rectangular (W 1' x L: 0.5' x H: 0')  
IES Classification: Type III - Short  
BUG Rating: B4 - U0 - G4

Input Watts (W): 113  
Input Voltage (V): NR  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 28.75 FT




REPORT NUMBER: P386831

CATALOG NUMBER: GWC-SA2C-740-U-RW

## Iso-Footcandle Lines of Horizontal Illumination

× Max cd  
 - - - 1/2 Max cd




Based on 15 foot mounting height. Maximum calculated value = 7.9 fc  
 Type III - Short - N/A

REPORT NUMBER: P386831

CATALOG NUMBER: GWC-SA2C-740-U-RW

## Luminous Intensity Polar Plot



REPORT NUMBER: P386831

CATALOG NUMBER: GWC-SA2C-740-U-RW


**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total   |
|--------------------|-----------|----------|--------|---------|
| <b>House Side</b>  | Lumens    | 7544.0   | 0.0    | 7544.0  |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Street Side</b> | Lumens    | 7544.0   | 0.0    | 7544.0  |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Total</b>       | Lumens    | 15088.0  | 0.0    | 15088.0 |
|                    | % Fixture | 100.0    | 0.0    | 100.0   |

**ZONAL LUMENS:**

| Zone      | Lumens  | % Fixture |
|-----------|---------|-----------|
| 0°-10°    | 153.6   | 1.0       |
| 10°-20°   | 514.3   | 3.4       |
| 20°-30°   | 1002.8  | 6.6       |
| 30°-40°   | 1684.6  | 11.2      |
| 40°-50°   | 2654.3  | 17.6      |
| 50°-60°   | 3549.6  | 23.5      |
| 60°-70°   | 3450.7  | 22.9      |
| 70°-80°   | 1886.3  | 12.5      |
| 80°-90°   | 191.9   | 1.3       |
| 90°-100°  | 0.0     | 0.0       |
| 100°-110° | 0.0     | 0.0       |
| 110°-120° | 0.0     | 0.0       |
| 120°-130° | 0.0     | 0.0       |
| 130°-140° | 0.0     | 0.0       |
| 140°-150° | 0.0     | 0.0       |
| 150°-160° | 0.0     | 0.0       |
| 160°-170° | 0.0     | 0.0       |
| 170°-180° | 0.0     | 0.0       |
| 0°-90°    | 15088.0 | 100.0     |
| 0°-180°   | 15088.0 | 100.0     |

**Coefficient of Utilization**



REPORT NUMBER: P386831


CATALOG NUMBER: GWC-SA2C-740-U-RW

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens | % Fixture | Zone Rating/Lumen Limit |      |         |
|------|-------------|--------|-----------|-------------------------|------|---------|
|      |             |        |           | B                       | U    | G       |
| FL   | (0°-30°)    | 835.3  | 5.5       |                         |      |         |
| FM   | (30°-60°)   | 3944.2 | 26.1      |                         |      |         |
| FH   | (60°-80°)   | 2668.5 | 17.7      |                         |      | G2/5000 |
| FVH  | (80°-90°)   | 95.9   | 0.6       |                         |      | G1/100  |
| BL   | (0°-30°)    | 835.3  | 5.5       | B2/1000                 |      |         |
| BM   | (30°-60°)   | 3944.2 | 26.1      | B3/5000                 |      |         |
| BH   | (60°-80°)   | 2668.5 | 17.7      | B4/5000                 |      | G4/5000 |
| BVH  | (80°-90°)   | 95.9   | 0.6       |                         |      | G1/100  |
| UL   | (90°-100°)  | 0.0    | 0.0       |                         | U0/0 |         |
| UH   | (100°-180°) | 0.0    | 0.0       |                         | U0/0 |         |

**BUG Rating: B4-U0-G4**

Type III Short



REPORT NUMBER: P386831

CATALOG NUMBER: GWC-SA2C-740-U-RW

**CANDELA DISTRIBUTION (FULL):**

|       | 0°     | 5°     | 15°    | 25°    | 35°    | 45°    | 55°    | 65°    | 75°    | 85°    | 90°    |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0°    | 1568.8 | 1568.8 | 1568.8 | 1568.8 | 1568.8 | 1568.8 | 1568.8 | 1568.8 | 1568.8 | 1568.8 | 1568.8 |
| 2.5°  | 1557.7 | 1558.2 | 1560.7 | 1563.7 | 1566.3 | 1572.8 | 1574.4 | 1576.9 | 1577.9 | 1580.4 | 1580.4 |
| 5°    | 1544.0 | 1545.0 | 1551.1 | 1559.2 | 1568.3 | 1584.5 | 1596.1 | 1609.3 | 1615.8 | 1622.9 | 1622.4 |
| 7.5°  | 1542.5 | 1545.0 | 1553.6 | 1566.8 | 1582.0 | 1608.8 | 1633.0 | 1659.4 | 1677.1 | 1693.2 | 1692.2 |
| 10°   | 1558.2 | 1562.2 | 1574.4 | 1594.1 | 1616.9 | 1650.2 | 1686.2 | 1721.6 | 1752.4 | 1777.2 | 1778.2 |
| 12.5° | 1582.0 | 1587.0 | 1606.2 | 1636.1 | 1670.5 | 1713.5 | 1756.0 | 1795.9 | 1838.4 | 1875.4 | 1878.4 |
| 15°   | 1613.3 | 1619.9 | 1648.7 | 1693.2 | 1745.9 | 1797.0 | 1842.5 | 1883.5 | 1932.5 | 1983.6 | 1988.7 |
| 17.5° | 1659.9 | 1669.0 | 1706.9 | 1767.1 | 1836.4 | 1892.6 | 1940.1 | 1971.0 | 2012.0 | 2064.6 | 2074.2 |
| 20°   | 1730.7 | 1742.3 | 1790.4 | 1862.2 | 1946.7 | 2005.4 | 2041.8 | 2048.4 | 2068.6 | 2115.7 | 2126.8 |
| 22.5° | 1822.8 | 1832.9 | 1886.5 | 1972.0 | 2066.6 | 2130.3 | 2149.6 | 2123.3 | 2121.2 | 2159.2 | 2169.8 |
| 25°   | 1925.5 | 1934.6 | 1996.8 | 2092.9 | 2194.6 | 2264.9 | 2264.4 | 2213.3 | 2177.9 | 2207.2 | 2218.4 |
| 27.5° | 2040.8 | 2055.0 | 2114.7 | 2215.8 | 2324.6 | 2393.9 | 2389.9 | 2311.0 | 2243.7 | 2251.3 | 2260.9 |
| 30°   | 2173.3 | 2189.0 | 2247.2 | 2349.9 | 2458.7 | 2526.5 | 2521.4 | 2417.2 | 2316.0 | 2295.8 | 2302.9 |
| 32.5° | 2337.8 | 2356.5 | 2411.6 | 2512.8 | 2608.9 | 2670.1 | 2655.5 | 2532.5 | 2403.0 | 2359.0 | 2365.6 |
| 35°   | 2535.6 | 2546.7 | 2604.9 | 2704.5 | 2782.5 | 2824.4 | 2793.6 | 2666.1 | 2513.3 | 2460.2 | 2460.2 |
| 37.5° | 2735.9 | 2744.5 | 2809.8 | 2906.4 | 2981.8 | 3004.0 | 2943.8 | 2812.3 | 2657.5 | 2582.1 | 2583.6 |
| 40°   | 2928.2 | 2951.4 | 3024.8 | 3123.9 | 3198.3 | 3204.4 | 3124.4 | 2979.2 | 2817.9 | 2740.0 | 2749.1 |
| 42.5° | 3129.0 | 3151.8 | 3239.3 | 3351.6 | 3417.4 | 3427.5 | 3333.9 | 3166.4 | 2999.0 | 2935.7 | 2945.9 |
| 45°   | 3308.1 | 3326.3 | 3427.5 | 3558.0 | 3640.0 | 3666.3 | 3555.5 | 3380.9 | 3194.8 | 3133.0 | 3135.6 |
| 47.5° | 3433.0 | 3456.8 | 3568.1 | 3721.9 | 3841.3 | 3881.8 | 3773.0 | 3589.9 | 3387.5 | 3312.6 | 3319.2 |
| 50°   | 3546.4 | 3559.0 | 3671.8 | 3839.8 | 3991.6 | 4075.0 | 3981.9 | 3796.3 | 3582.3 | 3502.9 | 3509.9 |
| 52.5° | 3609.6 | 3625.8 | 3735.1 | 3910.1 | 4089.7 | 4224.3 | 4167.6 | 3981.9 | 3770.5 | 3693.1 | 3701.7 |
| 55°   | 3565.6 | 3577.7 | 3708.8 | 3925.8 | 4150.4 | 4316.3 | 4324.9 | 4163.6 | 3955.1 | 3887.3 | 3911.6 |
| 57.5° | 3365.2 | 3380.4 | 3540.3 | 3824.6 | 4158.0 | 4378.6 | 4443.3 | 4332.0 | 4127.6 | 4072.5 | 4086.7 |
| 60°   | 3052.1 | 3061.7 | 3232.2 | 3551.9 | 4010.3 | 4404.4 | 4518.7 | 4469.6 | 4296.6 | 4241.5 | 4260.7 |
| 62.5° | 2494.1 | 2508.3 | 2712.1 | 3140.6 | 3698.1 | 4328.0 | 4591.6 | 4583.5 | 4453.9 | 4403.4 | 4420.6 |
| 65°   | 1704.9 | 1729.7 | 1955.3 | 2497.1 | 3217.0 | 4094.3 | 4657.8 | 4716.0 | 4593.1 | 4529.3 | 4552.1 |
| 67.5° | 1029.5 | 1047.7 | 1211.1 | 1648.7 | 2461.7 | 3622.8 | 4589.5 | 4866.8 | 4691.2 | 4588.5 | 4607.2 |
| 68°   | 920.2  | 936.9  | 1073.5 | 1487.9 | 2277.1 | 3489.7 | 4527.3 | 4884.0 | 4701.8 | 4587.5 | 4604.2 |
| 70°   | 556.0  | 567.1  | 658.7  | 919.7  | 1518.2 | 2768.3 | 4102.9 | 4869.8 | 4769.6 | 4601.7 | 4611.3 |
| 72.5° | 362.2  | 365.8  | 380.9  | 472.0  | 775.5  | 1548.1 | 3079.4 | 4537.9 | 4871.3 | 4684.1 | 4682.6 |
| 75°   | 301.0  | 299.0  | 300.5  | 311.1  | 382.5  | 678.9  | 1799.5 | 3584.8 | 4643.7 | 4554.1 | 4522.2 |
| 77.5° | 254.5  | 253.0  | 252.4  | 253.0  | 256.0  | 327.8  | 781.1  | 2233.0 | 3553.4 | 4028.5 | 4056.8 |
| 80°   | 205.9  | 203.9  | 210.5  | 207.4  | 198.3  | 203.9  | 327.3  | 928.8  | 1675.0 | 1802.0 | 1688.7 |
| 82.5° | 149.7  | 142.2  | 170.5  | 162.4  | 154.8  | 143.7  | 180.6  | 300.0  | 399.7  | 274.2  | 192.7  |
| 85°   | 115.3  | 107.3  | 129.5  | 124.5  | 106.2  | 73.4   | 107.3  | 146.7  | 161.9  | 92.6   | 72.8   |
| 87.5° | 47.0   | 49.6   | 93.6   | 73.9   | 62.2   | 35.4   | 44.0   | 58.7   | 78.9   | 39.5   | 30.4   |
| 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

Report Prepared for

Cooper Lighting Solutions

(formerly Eaton)

INVUE

Report Number: SP1-2104-224-3

Luminaire Tested: CCW-SA-2A-740-U-SL4

Test Date: 04/26/2021

### Test Information

Test Method: LM-79-08  
 Report Number: SP1-2104-224-3  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1  
 Measurement Geometry:  $4\pi$   
 Issue Date: 04/26/2021  
 Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
 Product Line: INVUE  
 Catalog Number: **CCW-SA-2A-740-U-SL4**  
 Description: INVUE WALL PACK ClearCurve Light Square

### Spectral Parameters

|                           |        |           |      |      |       |
|---------------------------|--------|-----------|------|------|-------|
| CCT (K):                  | 3829   | CRI (Ra): | 69.8 |      |       |
| CIE u':                   | 0.2271 | R1:       | 67.2 | R9:  | -35.1 |
| CIE v':                   | 0.5076 | R2:       | 75.2 | R10: | 43.1  |
| Duv:                      | 0.0022 | R3:       | 83.2 | R11: | 69.0  |
| CIE x:                    | 0.3900 | R4:       | 71.0 | R12: | 44.3  |
| CIE y:                    | 0.3873 | R5:       | 67.4 | R13: | 67.6  |
| CIE z:                    | 0.2227 | R6:       | 66.8 | R14: | 90.3  |
| Peak Wavelength (nm):     | 440    | R7:       | 77.6 |      |       |
| Dominant Wavelength (nm): | 578    | R8:       | 50.3 |      |       |
| Purity:                   | 33.4   |           |      |      |       |
| Rf:                       | 70.6   |           |      |      |       |
| Rg:                       | 96.7   |           |      |      |       |



### Test Conditions

Stabilization Time: 62M  
 Operation Time: 12H  
 Room Temperature (°C) / RH%: 24.8/39%  
 Sphere Temperature (°C): 24.2

REPORT NUMBER: SP1-2104-224-3

| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 1/31/2021        | 7/31/2021            |
| Power Meter                    | IN0071                | 12/1/2020        | 12/1/2021            |
| AC Power Source                | IN0063                | 12/1/2020        | 12/1/2021            |
| DC Power Source                | IN0208                | 12/1/2020        | 12/1/2021            |
| Sphere Thermometer             | IN0085                | 12/1/2020        | 12/1/2021            |
| Room Thermometer               | IN0046                | 12/1/2020        | 12/1/2021            |

REPORT NUMBER: SP1-2104-224-3

**CIE 1931 Chromaticity Diagram**




**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



Point lies inside the ANSI 4000K 7-step quadrangle

REPORT NUMBER: SP1-2104-224-3

### Photopic Flux vs. Wavelength



#####

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 1901             | 0.0              | 490       | 14057            | 2.0              | 620       | 73853            | 19.2             | 750       | 3678             | 0.0              | 880       | 2528             | 0.0              |
| 365       | 1585             | 0.0              | 495       | 20304            | 3.7              | 625       | 68653            | 15.1             | 755       | 3385             | 0.0              | 885       | 2638             | 0.0              |
| 370       | 1604             | 0.0              | 500       | 28346            | 6.3              | 630       | 62254            | 11.3             | 760       | 2963             | 0.0              | 890       | 2417             | 0.0              |
| 375       | 1905             | 0.0              | 505       | 37228            | 10.4             | 635       | 56177            | 8.4              | 765       | 2782             | 0.0              | 895       | 1902             | 0.0              |
| 380       | 1882             | 0.0              | 510       | 46037            | 15.8             | 640       | 50521            | 6.0              | 770       | 2657             | 0.0              | 900       | 2330             | 0.0              |
| 385       | 1693             | 0.0              | 515       | 53619            | 22.2             | 645       | 45727            | 4.4              | 775       | 2259             | 0.0              | 905       | 2456             | 0.0              |
| 390       | 1640             | 0.0              | 520       | 59890            | 29.0             | 650       | 40814            | 3.0              | 780       | 2169             | 0.0              | 910       | 2205             | 0.0              |
| 395       | 1513             | 0.0              | 525       | 64946            | 34.9             | 655       | 35925            | 2.1              | 785       | 2065             | 0.0              | 915       | 2002             | 0.0              |
| 400       | 1481             | 0.0              | 530       | 69048            | 40.7             | 660       | 31824            | 1.3              | 790       | 2054             | 0.0              | 920       | 2125             | 0.0              |
| 405       | 2044             | 0.0              | 535       | 72246            | 44.8             | 665       | 27860            | 0.9              | 795       | 1908             | 0.0              | 925       | 2266             | 0.0              |
| 410       | 3966             | 0.0              | 540       | 74621            | 48.6             | 670       | 24069            | 0.5              | 800       | 2026             | 0.0              | 930       | 2159             | 0.0              |
| 415       | 8943             | 0.0              | 545       | 77288            | 51.4             | 675       | 20926            | 0.4              | 805       | 1766             | 0.0              | 935       | 2581             | 0.0              |
| 420       | 19566            | 0.1              | 550       | 80334            | 54.6             | 680       | 18170            | 0.2              | 810       | 1913             | 0.0              | 940       | 2052             | 0.0              |
| 425       | 39243            | 0.2              | 555       | 83561            | 57.1             | 685       | 15785            | 0.1              | 815       | 2019             | 0.0              | 945       | 1631             | 0.0              |
| 430       | 66113            | 0.5              | 560       | 86964            | 59.1             | 690       | 13770            | 0.1              | 820       | 1876             | 0.0              | 950       | 2301             | 0.0              |
| 435       | 92550            | 1.1              | 565       | 90264            | 60.0             | 695       | 11953            | 0.1              | 825       | 1869             | 0.0              | 955       | 3077             | 0.0              |
| 440       | 106034           | 1.7              | 570       | 93519            | 60.8             | 700       | 10452            | 0.0              | 830       | 1862             | 0.0              | 960       | 2911             | 0.0              |
| 445       | 86383            | 1.8              | 575       | 95920            | 59.7             | 705       | 9162             | 0.0              | 835       | 1663             | 0.0              | 965       | 3163             | 0.0              |
| 450       | 49216            | 1.3              | 580       | 97650            | 58.0             | 710       | 8266             | 0.0              | 840       | 1843             | 0.0              | 970       | 1995             | 0.0              |
| 455       | 27376            | 0.9              | 585       | 98486            | 54.7             | 715       | 7583             | 0.0              | 845       | 1921             | 0.0              | 975       | 2418             | 0.0              |
| 460       | 17830            | 0.7              | 590       | 98332            | 50.8             | 720       | 6750             | 0.0              | 850       | 2105             | 0.0              | 980       | 2674             | 0.0              |
| 465       | 11374            | 0.6              | 595       | 96023            | 45.5             | 725       | 5965             | 0.0              | 855       | 2096             | 0.0              | 985       | 2850             | 0.0              |
| 470       | 8344             | 0.5              | 600       | 93650            | 40.4             | 730       | 5310             | 0.0              | 860       | 2601             | 0.0              | 990       | 1972             | 0.0              |
| 475       | 7639             | 0.6              | 605       | 90313            | 35.0             | 735       | 4838             | 0.0              | 865       | 2199             | 0.0              | 995       | 2443             | 0.0              |
| 480       | 7991             | 0.8              | 610       | 85305            | 29.3             | 740       | 4280             | 0.0              | 870       | 2491             | 0.0              | 1000      | 1979             | 0.0              |
| 485       | 9994             | 1.2              | 615       | 79870            | 24.1             | 745       | 3928             | 0.0              | 875       | 2370             | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2104-224-3

### Scotopic Flux vs. Wavelength




Scotopic Lumens: 7682.8

S/P: 1.42

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 1901             | 0.0              | 490       | 14057            | 21.6             | 620       | 73853            | 0.9              | 750       | 3678             | 0.0              | 880       | 2528             | 0.0              |
| 365       | 1585             | 0.0              | 495       | 20304            | 32.8             | 625       | 68653            | 0.6              | 755       | 3385             | 0.0              | 885       | 2638             | 0.0              |
| 370       | 1604             | 0.0              | 500       | 28346            | 47.4             | 630       | 62254            | 0.4              | 760       | 2963             | 0.0              | 890       | 2417             | 0.0              |
| 375       | 1905             | 0.0              | 505       | 37228            | 63.3             | 635       | 56177            | 0.2              | 765       | 2782             | 0.0              | 895       | 1902             | 0.0              |
| 380       | 1882             | 0.0              | 510       | 46037            | 78.0             | 640       | 50521            | 0.1              | 770       | 2657             | 0.0              | 900       | 2330             | 0.0              |
| 385       | 1693             | 0.0              | 515       | 53619            | 88.9             | 645       | 45727            | 0.1              | 775       | 2259             | 0.0              | 905       | 2456             | 0.0              |
| 390       | 1640             | 0.0              | 520       | 59890            | 95.2             | 650       | 40814            | 0.0              | 780       | 2169             | 0.0              | 910       | 2205             | 0.0              |
| 395       | 1513             | 0.0              | 525       | 64946            | 97.2             | 655       | 35925            | 0.0              | 785       | 2065             | 0.0              | 915       | 2002             | 0.0              |
| 400       | 1481             | 0.0              | 530       | 69048            | 95.2             | 660       | 31824            | 0.0              | 790       | 2054             | 0.0              | 920       | 2125             | 0.0              |
| 405       | 2044             | 0.1              | 535       | 72246            | 90.0             | 665       | 27860            | 0.0              | 795       | 1908             | 0.0              | 925       | 2266             | 0.0              |
| 410       | 3966             | 0.2              | 540       | 74621            | 82.5             | 670       | 24069            | 0.0              | 800       | 2026             | 0.0              | 930       | 2159             | 0.0              |
| 415       | 8943             | 0.9              | 545       | 77288            | 74.1             | 675       | 20926            | 0.0              | 805       | 1766             | 0.0              | 935       | 2581             | 0.0              |
| 420       | 19566            | 3.2              | 550       | 80334            | 65.7             | 680       | 18170            | 0.0              | 810       | 1913             | 0.0              | 940       | 2052             | 0.0              |
| 425       | 39243            | 9.6              | 555       | 83561            | 57.1             | 685       | 15785            | 0.0              | 815       | 2019             | 0.0              | 945       | 1631             | 0.0              |
| 430       | 66113            | 22.5             | 560       | 86964            | 48.6             | 690       | 13770            | 0.0              | 820       | 1876             | 0.0              | 950       | 2301             | 0.0              |
| 435       | 92550            | 41.4             | 565       | 90264            | 40.5             | 695       | 11953            | 0.0              | 825       | 1869             | 0.0              | 955       | 3077             | 0.0              |
| 440       | 106034           | 59.3             | 570       | 93519            | 33.0             | 700       | 10452            | 0.0              | 830       | 1862             | 0.0              | 960       | 2911             | 0.0              |
| 445       | 86383            | 57.8             | 575       | 95920            | 26.1             | 705       | 9162             | 0.0              | 835       | 1663             | 0.0              | 965       | 3163             | 0.0              |
| 450       | 49216            | 38.1             | 580       | 97650            | 20.1             | 710       | 8266             | 0.0              | 840       | 1843             | 0.0              | 970       | 1995             | 0.0              |
| 455       | 27376            | 23.9             | 585       | 98486            | 15.1             | 715       | 7583             | 0.0              | 845       | 1921             | 0.0              | 975       | 2418             | 0.0              |
| 460       | 17830            | 17.2             | 590       | 98332            | 10.9             | 720       | 6750             | 0.0              | 850       | 2105             | 0.0              | 980       | 2674             | 0.0              |
| 465       | 11374            | 12.0             | 595       | 96023            | 7.7              | 725       | 5965             | 0.0              | 855       | 2096             | 0.0              | 985       | 2850             | 0.0              |
| 470       | 8344             | 9.6              | 600       | 93650            | 5.3              | 730       | 5310             | 0.0              | 860       | 2601             | 0.0              | 990       | 1972             | 0.0              |
| 475       | 7639             | 9.6              | 605       | 90313            | 3.5              | 735       | 4838             | 0.0              | 865       | 2199             | 0.0              | 995       | 2443             | 0.0              |
| 480       | 7991             | 10.8             | 610       | 85305            | 2.3              | 740       | 4280             | 0.0              | 870       | 2491             | 0.0              | 1000      | 1979             | 0.0              |
| 485       | 9994             | 14.5             | 615       | 79870            | 1.5              | 745       | 3928             | 0.0              | 875       | 2370             | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2104-224-3

### Melanopic Flux vs. Wavelength



**Melanopic Lumens: 2823**

**M/P: 0.52**


| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 1901             | 0.0              | 490       | 14057            | 11.7             | 620       | 73853            | 0.1              | 750       | 3678             | 0.0              | 880       | 2528             | 0.0              |
| 365       | 1585             | 0.0              | 495       | 20304            | 16.8             | 625       | 68653            | 0.0              | 755       | 3385             | 0.0              | 885       | 2638             | 0.0              |
| 370       | 1604             | 0.0              | 500       | 28346            | 22.8             | 630       | 62254            | 0.0              | 760       | 2963             | 0.0              | 890       | 2417             | 0.0              |
| 375       | 1905             | 0.0              | 505       | 37228            | 28.6             | 635       | 56177            | 0.0              | 765       | 2782             | 0.0              | 895       | 1902             | 0.0              |
| 380       | 1882             | 0.0              | 510       | 46037            | 33.1             | 640       | 50521            | 0.0              | 770       | 2657             | 0.0              | 900       | 2330             | 0.0              |
| 385       | 1693             | 0.0              | 515       | 53619            | 35.0             | 645       | 45727            | 0.0              | 775       | 2259             | 0.0              | 905       | 2456             | 0.0              |
| 390       | 1640             | 0.0              | 520       | 59890            | 34.9             | 650       | 40814            | 0.0              | 780       | 2169             | 0.0              | 910       | 2205             | 0.0              |
| 395       | 1513             | 0.0              | 525       | 64946            | 32.9             | 655       | 35925            | 0.0              | 785       | 2065             | 0.0              | 915       | 2002             | 0.0              |
| 400       | 1481             | 0.0              | 530       | 69048            | 29.8             | 660       | 31824            | 0.0              | 790       | 2054             | 0.0              | 920       | 2125             | 0.0              |
| 405       | 2044             | 0.0              | 535       | 72246            | 26.0             | 665       | 27860            | 0.0              | 795       | 1908             | 0.0              | 925       | 2266             | 0.0              |
| 410       | 3966             | 0.2              | 540       | 74621            | 21.8             | 670       | 24069            | 0.0              | 800       | 2026             | 0.0              | 930       | 2159             | 0.0              |
| 415       | 8943             | 0.6              | 545       | 77288            | 18.0             | 675       | 20926            | 0.0              | 805       | 1766             | 0.0              | 935       | 2581             | 0.0              |
| 420       | 19566            | 2.2              | 550       | 80334            | 14.4             | 680       | 18170            | 0.0              | 810       | 1913             | 0.0              | 940       | 2052             | 0.0              |
| 425       | 39243            | 6.1              | 555       | 83561            | 11.3             | 685       | 15785            | 0.0              | 815       | 2019             | 0.0              | 945       | 1631             | 0.0              |
| 430       | 66113            | 14.0             | 560       | 86964            | 8.6              | 690       | 13770            | 0.0              | 820       | 1876             | 0.0              | 950       | 2301             | 0.0              |
| 435       | 92550            | 24.7             | 565       | 90264            | 6.3              | 695       | 11953            | 0.0              | 825       | 1869             | 0.0              | 955       | 3077             | 0.0              |
| 440       | 106034           | 35.4             | 570       | 93519            | 4.6              | 700       | 10452            | 0.0              | 830       | 1862             | 0.0              | 960       | 2911             | 0.0              |
| 445       | 86383            | 34.1             | 575       | 95920            | 3.2              | 705       | 9162             | 0.0              | 835       | 1663             | 0.0              | 965       | 3163             | 0.0              |
| 450       | 49216            | 22.7             | 580       | 97650            | 2.2              | 710       | 8266             | 0.0              | 840       | 1843             | 0.0              | 970       | 1995             | 0.0              |
| 455       | 27376            | 14.3             | 585       | 98486            | 1.5              | 715       | 7583             | 0.0              | 845       | 1921             | 0.0              | 975       | 2418             | 0.0              |
| 460       | 17830            | 10.5             | 590       | 98332            | 1.0              | 720       | 6750             | 0.0              | 850       | 2105             | 0.0              | 980       | 2674             | 0.0              |
| 465       | 11374            | 7.4              | 595       | 96023            | 0.6              | 725       | 5965             | 0.0              | 855       | 2096             | 0.0              | 985       | 2850             | 0.0              |
| 470       | 8344             | 6.0              | 600       | 93650            | 0.4              | 730       | 5310             | 0.0              | 860       | 2601             | 0.0              | 990       | 1972             | 0.0              |
| 475       | 7639             | 5.8              | 605       | 90313            | 0.2              | 735       | 4838             | 0.0              | 865       | 2199             | 0.0              | 995       | 2443             | 0.0              |
| 480       | 7991             | 6.4              | 610       | 85305            | 0.2              | 740       | 4280             | 0.0              | 870       | 2491             | 0.0              | 1000      | 1979             | 0.0              |
| 485       | 9994             | 8.2              | 615       | 79870            | 0.1              | 745       | 3928             | 0.0              | 875       | 2370             | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2104-224-3

TM-30-18

### Summary

$R_f = 70.6$   
 $R_g = 96.7$   
 CIE  $R_a = 69.8$   
 $R_g = -35.1$







### Color Vector Graphics



**Individual Sample Fidelity Index ( $R_{f,i}$ )**

|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 85 | CES26 = 54 | CES51 = 84 | CES76 = 46 |
| CES02 = 61 | CES27 = 76 | CES52 = 86 | CES77 = 70 |
| CES03 = 30 | CES28 = 78 | CES53 = 71 | CES78 = 50 |
| CES04 = 70 | CES29 = 46 | CES54 = 77 | CES79 = 77 |
| CES05 = 47 | CES30 = 49 | CES55 = 76 | CES80 = 75 |
| CES06 = 50 | CES31 = 52 | CES56 = 65 | CES81 = 74 |
| CES07 = 40 | CES32 = 51 | CES57 = 62 | CES82 = 90 |
| CES08 = 39 | CES33 = 57 | CES58 = 65 | CES83 = 84 |
| CES09 = 29 | CES34 = 65 | CES59 = 86 | CES84 = 89 |
| CES10 = 74 | CES35 = 81 | CES60 = 90 | CES85 = 87 |
| CES11 = 57 | CES36 = 82 | CES61 = 87 | CES86 = 71 |
| CES12 = 63 | CES37 = 74 | CES62 = 73 | CES87 = 77 |
| CES13 = 42 | CES38 = 58 | CES63 = 72 | CES88 = 75 |
| CES14 = 74 | CES39 = 91 | CES64 = 70 | CES89 = 72 |
| CES15 = 71 | CES40 = 84 | CES65 = 63 | CES90 = 71 |
| CES16 = 46 | CES41 = 79 | CES66 = 65 | CES91 = 95 |
| CES17 = 49 | CES42 = 74 | CES67 = 63 | CES92 = 68 |
| CES18 = 56 | CES43 = 69 | CES68 = 70 | CES93 = 82 |
| CES19 = 72 | CES44 = 98 | CES69 = 81 | CES94 = 56 |
| CES20 = 65 | CES45 = 79 | CES70 = 59 | CES95 = 74 |
| CES21 = 86 | CES46 = 75 | CES71 = 57 | CES96 = 78 |
| CES22 = 78 | CES47 = 69 | CES72 = 85 | CES97 = 82 |
| CES23 = 92 | CES48 = 58 | CES73 = 50 | CES98 = 71 |
| CES24 = 91 | CES49 = 74 | CES74 = 91 | CES99 = 59 |
| CES25 = 72 | CES50 = 83 | CES75 = 54 |            |



**Color Rendition by Hue-Angle Bin**


**Measure Comparisons**



(END OF REPORT)