

Signify Classified - Internal  
Cooper Lighting Solutions Photometric Lab  
1121 Highway 74 South  
Peachtree City, GA 30269



Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: STREETWORKS

Report Number: P1064843

Luminaire Tested: **GLAN-SA9C-835-U-RBC**

Issue Date: 08/07/2025

**Test Information**

Test Method: LM-79-08  
Report Number: P1064843  
Test Lab: INNOVATION CENTER(G3)  
Issue Date: 08/07/2025  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: STREETWORKS  
Catalog Number: GLAN-SA9C-835-U-RBC  
Description: GALLEON II AREA AND ROADWAY LUMINAIRE 1050mA 9xLight Square PACKAGE  
80CRI 3500K FIXTURE w/ RIGHT CORNER BACKLIGHT CONTROL  
Light Source: (126) 3500K CCT, 80 CRI LEDS  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**

Lumens per Lamp: N/A  
Luminaire Lumens: 40424.5 lumens  
Efficiency: N/A  
Efficacy: 96.9 lumens/watt  
Luminous Opening: Rectangular (W 1.5' x L: 1.5' x H: 0')  
IES Classification: Type III - Short  
BUG Rating: B0 - U0 - G5


Input Watts (W): 417.1  
Input Voltage (V): 120  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: 0.97  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 28.75 FT

REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

## Iso-Footcandle Lines of Horizontal Illumination


× Max cd  
 - - - 1/2 Max cd



Based on 20 foot mounting height. Maximum calculated value = 6 fc  
 Type III - Short - N/A

REPORT NUMBER: P1064843  
CATALOG NUMBER: GLAN-SA9C-835-U-RBC

## Luminous Intensity Polar Plot



REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC


**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total   |
|--------------------|-----------|----------|--------|---------|
| <b>House Side</b>  | Lumens    | 202.4    | 0.0    | 202.4   |
|                    | % Fixture | 0.5      | 0.0    | 0.5     |
| <b>Street Side</b> | Lumens    | 40222.1  | 0.0    | 40222.1 |
|                    | % Fixture | 99.5     | 0.0    | 99.5    |
| <b>Total</b>       | Lumens    | 40424.5  | 0.0    | 40424.5 |
|                    | % Fixture | 100.0    | 0.0    | 100.0   |

**Coefficient of Utilization**

**ZONAL LUMENS:**

| Zone      | Lumens  | % Fixture |
|-----------|---------|-----------|
| 0°-10°    | 15.8    | 0.0       |
| 10°-20°   | 88.8    | 0.2       |
| 20°-30°   | 958.0   | 2.4       |
| 30°-40°   | 2833.0  | 7.0       |
| 40°-50°   | 8443.1  | 20.9      |
| 50°-60°   | 13387.6 | 33.1      |
| 60°-70°   | 11175.4 | 27.6      |
| 70°-80°   | 3446.1  | 8.5       |
| 80°-90°   | 76.6    | 0.2       |
| 90°-100°  | 0.0     | 0.0       |
| 100°-110° | 0.0     | 0.0       |
| 110°-120° | 0.0     | 0.0       |
| 120°-130° | 0.0     | 0.0       |
| 130°-140° | 0.0     | 0.0       |
| 140°-150° | 0.0     | 0.0       |
| 150°-160° | 0.0     | 0.0       |
| 160°-170° | 0.0     | 0.0       |
| 170°-180° | 0.0     | 0.0       |
| 0°-90°    | 40424.5 | 100.0     |
| 0°-180°   | 40424.5 | 100.0     |



REPORT NUMBER: P1064843


CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens  | % Fixture | Zone Rating/Lumen Limit |      |        |
|------|-------------|---------|-----------|-------------------------|------|--------|
|      |             |         |           | B                       | U    | G      |
| FL   | (0°-30°)    | 1025.5  | 2.5       |                         |      |        |
| FM   | (30°-60°)   | 24591.4 | 60.8      |                         |      |        |
| FH   | (60°-80°)   | 14546.0 | 36.0      |                         |      | G5     |
| FVH  | (80°-90°)   | 59.2    | 0.1       |                         |      | G1/100 |
| BL   | (0°-30°)    | 37.2    | 0.1       | B0/110                  |      |        |
| BM   | (30°-60°)   | 72.4    | 0.2       | B0/220                  |      |        |
| BH   | (60°-80°)   | 75.5    | 0.2       | B0/110                  |      | G0/110 |
| BVH  | (80°-90°)   | 17.4    | 0.0       |                         |      | G1/100 |
| UL   | (90°-100°)  | 0.0     | 0.0       |                         | U0/0 |        |
| UH   | (100°-180°) | 0.0     | 0.0       |                         | U0/0 |        |

**BUG Rating: B0-U0-G5**

Type III Short



REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (FULL):**

|        | 0°     | 2.5°   | 5°     | 7.5°   | 10°   | 12.5° | 15°   | 17.5° | 20°   | 22.5° |
|--------|--------|--------|--------|--------|-------|-------|-------|-------|-------|-------|
| 0°     | 177.2  | 177.2  | 177.2  | 177.2  | 177.2 | 177.2 | 177.2 | 177.2 | 177.2 | 177.2 |
| 2.5°   | 161.9  | 161.9  | 161.9  | 161.9  | 158.9 | 158.9 | 155.8 | 155.8 | 152.7 | 152.7 |
| 5°     | 171.1  | 171.1  | 168.0  | 165.0  | 165.0 | 161.9 | 158.9 | 155.8 | 155.8 | 152.7 |
| 7.5°   | 186.3  | 183.3  | 180.2  | 177.2  | 171.1 | 168.0 | 161.9 | 158.9 | 155.8 | 149.7 |
| 10°    | 204.7  | 198.6  | 192.5  | 186.3  | 180.2 | 174.1 | 168.0 | 165.0 | 158.9 | 155.8 |
| 12.5°  | 229.1  | 219.9  | 207.7  | 198.6  | 192.5 | 183.3 | 177.2 | 171.1 | 161.9 | 155.8 |
| 15°    | 250.5  | 238.3  | 223.0  | 210.8  | 201.6 | 189.4 | 180.2 | 171.1 | 165.0 | 155.8 |
| 17.5°  | 281.0  | 259.7  | 235.2  | 219.9  | 207.7 | 192.5 | 177.2 | 168.0 | 158.9 | 146.6 |
| 20°    | 333.0  | 290.2  | 244.4  | 226.1  | 207.7 | 189.4 | 171.1 | 158.9 | 149.7 | 137.5 |
| 22.5°  | 415.5  | 342.1  | 268.8  | 241.3  | 216.9 | 189.4 | 165.0 | 152.7 | 140.5 | 128.3 |
| 25°    | 574.3  | 443.0  | 311.6  | 274.9  | 238.3 | 201.6 | 165.0 | 149.7 | 137.5 | 122.2 |
| 27.5°  | 763.7  | 568.2  | 369.6  | 317.7  | 268.8 | 216.9 | 165.0 | 146.6 | 131.4 | 113.0 |
| 30°    | 956.2  | 696.5  | 433.8  | 366.6  | 299.4 | 232.2 | 165.0 | 143.6 | 125.2 | 103.9 |
| 32.5°  | 1139.5 | 815.6  | 488.8  | 409.3  | 329.9 | 247.4 | 168.0 | 143.6 | 119.1 | 94.7  |
| 35°    | 1325.8 | 913.4  | 497.9  | 415.5  | 333.0 | 247.4 | 165.0 | 137.5 | 113.0 | 85.5  |
| 37.5°  | 1564.1 | 1023.4 | 479.6  | 397.1  | 317.7 | 235.2 | 155.8 | 131.4 | 106.9 | 79.4  |
| 40°    | 1924.6 | 1206.7 | 488.8  | 403.2  | 317.7 | 232.2 | 146.6 | 122.2 | 100.8 | 76.4  |
| 42.5°  | 2590.5 | 1561.0 | 528.5  | 430.7  | 333.0 | 232.2 | 134.4 | 113.0 | 94.7  | 73.3  |
| 45°    | 4478.4 | 2593.6 | 708.7  | 562.1  | 415.5 | 268.8 | 122.2 | 103.9 | 88.6  | 70.3  |
| 47.5°  | 7408.0 | 4340.9 | 1273.9 | 983.7  | 696.5 | 406.3 | 119.1 | 103.9 | 88.6  | 70.3  |
| 50°    | 9454.7 | 5529.3 | 1603.8 | 1234.2 | 864.5 | 494.9 | 125.2 | 106.9 | 91.6  | 73.3  |
| 52.5°  | 9439.5 | 5614.8 | 1787.1 | 1371.6 | 959.2 | 543.8 | 131.4 | 113.0 | 97.8  | 79.4  |
| 55°    | 8391.7 | 5107.7 | 1820.7 | 1399.1 | 980.6 | 559.0 | 140.5 | 122.2 | 103.9 | 85.5  |
| 57.5°  | 7013.9 | 4337.9 | 1661.8 | 1286.1 | 913.4 | 537.7 | 161.9 | 140.5 | 122.2 | 100.8 |
| 60°    | 5547.6 | 3421.4 | 1295.3 | 1023.4 | 754.5 | 482.7 | 213.8 | 186.3 | 161.9 | 134.4 |
| 62.5°  | 3830.8 | 2480.5 | 1130.3 | 907.3  | 687.3 | 464.3 | 244.4 | 216.9 | 192.5 | 165.0 |
| 65°    | 2709.6 | 1866.5 | 1020.3 | 830.9  | 644.6 | 455.2 | 265.8 | 235.2 | 207.7 | 177.2 |
| 67.5°  | 2025.4 | 1484.7 | 940.9  | 779.0  | 617.1 | 455.2 | 293.3 | 256.6 | 223.0 | 186.3 |
| 70°    | 1551.9 | 1218.9 | 882.9  | 751.5  | 623.2 | 491.8 | 360.5 | 308.5 | 259.7 | 207.7 |
| 72.5°  | 1264.7 | 1041.7 | 815.6  | 720.9  | 626.2 | 531.5 | 436.8 | 369.6 | 302.4 | 232.2 |
| 75°    | 1047.8 | 892.0  | 736.2  | 656.8  | 580.4 | 501.0 | 421.6 | 360.5 | 302.4 | 241.3 |
| 77.5°  | 696.5  | 635.4  | 571.3  | 525.4  | 479.6 | 430.7 | 384.9 | 333.0 | 284.1 | 232.2 |
| 80°    | 244.4  | 235.2  | 226.1  | 244.4  | 262.7 | 281.0 | 299.4 | 262.7 | 229.1 | 192.5 |
| 82.5°  | 36.7   | 33.6   | 30.5   | 33.6   | 36.7  | 39.7  | 42.8  | 45.8  | 48.9  | 51.9  |
| 85°    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 87.5°  | 0.0    | 0.0    | 0.0    | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 90°    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 92.5°  | 0.0    | 0.0    | 0.0    | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 95°    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 97.5°  | 0.0    | 0.0    | 0.0    | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 100°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 102.5° | 0.0    | 0.0    | 0.0    | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 105°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 107.5° | 0.0    | 0.0    | 0.0    | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 110°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |



REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]



REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 25° |        | 27.5° | 30°   | 32.5° | 35°   | 37.5° | 40°   | 42.5° | 45°   | 47.5° | 50°   |
|-----|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0.0 | 0°     | 177.2 | 177.2 | 177.2 | 177.2 | 177.2 | 177.2 | 177.2 | 177.2 | 177.2 | 177.2 |
| 0.0 | 2.5°   | 149.7 | 149.7 | 146.6 | 146.6 | 146.6 | 143.6 | 143.6 | 140.5 | 140.5 | 140.5 |
| 0.0 | 5°     | 146.6 | 146.6 | 143.6 | 140.5 | 137.5 | 137.5 | 134.4 | 131.4 | 131.4 | 128.3 |
| 0.0 | 7.5°   | 143.6 | 140.5 | 137.5 | 134.4 | 131.4 | 128.3 | 125.2 | 122.2 | 122.2 | 119.1 |
| 0.0 | 10°    | 146.6 | 140.5 | 137.5 | 131.4 | 128.3 | 125.2 | 119.1 | 116.1 | 113.0 | 113.0 |
| 0.0 | 12.5°  | 140.5 | 137.5 | 131.4 | 125.2 | 122.2 | 116.1 | 113.0 | 106.9 | 103.9 | 103.9 |
| 0.0 | 15°    | 140.5 | 134.4 | 125.2 | 119.1 | 113.0 | 110.0 | 103.9 | 97.8  | 94.7  | 91.6  |
| 0.0 | 17.5°  | 131.4 | 125.2 | 116.1 | 110.0 | 103.9 | 97.8  | 91.6  | 85.5  | 82.5  | 79.4  |
| 0.0 | 20°    | 119.1 | 113.0 | 103.9 | 94.7  | 88.6  | 82.5  | 76.4  | 70.3  | 67.2  | 64.2  |
| 0.0 | 22.5°  | 106.9 | 100.8 | 91.6  | 82.5  | 76.4  | 70.3  | 61.1  | 55.0  | 51.9  | 45.8  |
| 0.0 | 25°    | 100.8 | 91.6  | 82.5  | 73.3  | 64.2  | 58.0  | 48.9  | 39.7  | 33.6  | 27.5  |
| 0.0 | 27.5°  | 85.5  | 76.4  | 67.2  | 58.0  | 48.9  | 39.7  | 30.5  | 21.4  | 15.3  | 12.2  |
| 0.0 | 30°    | 73.3  | 64.2  | 55.0  | 45.8  | 33.6  | 24.4  | 15.3  | 3.1   | 3.1   | 3.1   |
| 0.0 | 32.5°  | 61.1  | 51.9  | 39.7  | 30.5  | 24.4  | 15.3  | 9.2   | 0.0   | 0.0   | 0.0   |
| 0.0 | 35°    | 48.9  | 39.7  | 27.5  | 18.3  | 15.3  | 9.2   | 6.1   | 0.0   | 0.0   | 0.0   |
| 0.0 | 37.5°  | 42.8  | 33.6  | 21.4  | 9.2   | 6.1   | 6.1   | 3.1   | 0.0   | 0.0   | 0.0   |
| 0.0 | 40°    | 39.7  | 27.5  | 15.3  | 3.1   | 3.1   | 3.1   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0 | 42.5°  | 39.7  | 27.5  | 12.2  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0 | 45°    | 39.7  | 27.5  | 12.2  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0 | 47.5°  | 39.7  | 27.5  | 12.2  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0 | 50°    | 42.8  | 30.5  | 15.3  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0 | 52.5°  | 48.9  | 36.7  | 24.4  | 12.2  | 9.2   | 6.1   | 3.1   | 0.0   | 0.0   | 0.0   |
| 0.0 | 55°    | 61.1  | 55.0  | 45.8  | 39.7  | 30.5  | 21.4  | 9.2   | 0.0   | 0.0   | 0.0   |
| 0.0 | 57.5°  | 79.4  | 79.4  | 76.4  | 73.3  | 55.0  | 36.7  | 18.3  | 0.0   | 0.0   | 0.0   |
| 0.0 | 60°    | 106.9 | 106.9 | 106.9 | 106.9 | 79.4  | 55.0  | 27.5  | 0.0   | 0.0   | 0.0   |
| 0.0 | 62.5°  | 131.4 | 125.2 | 116.1 | 110.0 | 82.5  | 55.0  | 27.5  | 0.0   | 0.0   | 0.0   |
| 0.0 | 65°    | 131.4 | 119.1 | 103.9 | 88.6  | 67.2  | 45.8  | 21.4  | 0.0   | 0.0   | 0.0   |
| 0.0 | 67.5°  | 122.2 | 97.8  | 70.3  | 45.8  | 33.6  | 24.4  | 12.2  | 0.0   | 0.0   | 0.0   |
|     | 70°    | 122.2 | 85.5  | 48.9  | 12.2  | 9.2   | 6.1   | 3.1   | 0.0   | 0.0   | 0.0   |
|     | 72.5°  | 122.2 | 82.5  | 39.7  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
|     | 75°    | 134.4 | 91.6  | 45.8  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
|     | 77.5°  | 134.4 | 91.6  | 45.8  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
|     | 80°    | 119.1 | 79.4  | 39.7  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
|     | 82.5°  | 39.7  | 27.5  | 12.2  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
|     | 85°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
|     | 87.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
|     | 90°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
|     | 92.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
|     | 95°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
|     | 97.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
|     | 100°   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
|     | 102.5° | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
|     | 105°   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
|     | 107.5° | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
|     | 110°   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

[illegible]

REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 52.5° |        | 55°   | 57.5° | 60°   | 62.5° | 65°   | 67.5° | 70°   | 72.5° | 75°   | 77.5° |
|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0.0   | 0°     | 177.2 | 177.2 | 177.2 | 177.2 | 177.2 | 177.2 | 177.2 | 177.2 | 177.2 | 177.2 |
| 0.0   | 2.5°   | 137.5 | 137.5 | 137.5 | 134.4 | 134.4 | 134.4 | 134.4 | 131.4 | 131.4 | 131.4 |
| 0.0   | 5°     | 125.2 | 125.2 | 122.2 | 122.2 | 119.1 | 119.1 | 116.1 | 116.1 | 113.0 | 113.0 |
| 0.0   | 7.5°   | 116.1 | 113.0 | 113.0 | 110.0 | 106.9 | 106.9 | 103.9 | 103.9 | 100.8 | 97.8  |
| 0.0   | 10°    | 106.9 | 103.9 | 103.9 | 100.8 | 97.8  | 94.7  | 94.7  | 91.6  | 88.6  | 85.5  |
| 0.0   | 12.5°  | 97.8  | 94.7  | 91.6  | 88.6  | 85.5  | 82.5  | 82.5  | 79.4  | 76.4  | 73.3  |
| 0.0   | 15°    | 85.5  | 82.5  | 79.4  | 76.4  | 73.3  | 70.3  | 70.3  | 67.2  | 64.2  | 61.1  |
| 0.0   | 17.5°  | 73.3  | 70.3  | 70.3  | 67.2  | 64.2  | 61.1  | 58.0  | 51.9  | 48.9  | 45.8  |
| 0.0   | 20°    | 55.0  | 51.9  | 48.9  | 45.8  | 42.8  | 36.7  | 33.6  | 27.5  | 21.4  | 18.3  |
| 0.0   | 22.5°  | 36.7  | 30.5  | 27.5  | 21.4  | 15.3  | 12.2  | 9.2   | 3.1   | 0.0   | 0.0   |
| 0.0   | 25°    | 12.2  | 9.2   | 6.1   | 3.1   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 27.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 30°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 32.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 35°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 37.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 40°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 42.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 45°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 47.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 50°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 52.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 55°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 57.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 60°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 62.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 65°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 67.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 70°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 72.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 75°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 77.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 80°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 82.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 85°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 87.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 90°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 92.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 95°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 97.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 100°   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 102.5° | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 105°   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 107.5° | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |
| 0.0   | 110°   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |



REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]

REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 80° |        | 82.5° | 85°   | 87.5° | 90°   | 92.5° | 95°   | 97.5° | 100°  | 102.5° | 105°  |
|-----|--------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|
| 0.0 | 0°     | 177.2 | 177.2 | 177.2 | 177.2 | 177.2 | 177.2 | 177.2 | 177.2 | 177.2  | 177.2 |
| 0.0 | 2.5°   | 128.3 | 128.3 | 128.3 | 125.2 | 125.2 | 125.2 | 125.2 | 125.2 | 125.2  | 125.2 |
| 0.0 | 5°     | 110.0 | 110.0 | 110.0 | 106.9 | 106.9 | 103.9 | 103.9 | 103.9 | 100.8  | 100.8 |
| 0.0 | 7.5°   | 94.7  | 91.6  | 91.6  | 88.6  | 88.6  | 85.5  | 85.5  | 85.5  | 82.5   | 82.5  |
| 0.0 | 10°    | 79.4  | 76.4  | 76.4  | 73.3  | 73.3  | 70.3  | 70.3  | 67.2  | 67.2   | 64.2  |
| 0.0 | 12.5°  | 70.3  | 67.2  | 64.2  | 61.1  | 61.1  | 58.0  | 55.0  | 55.0  | 51.9   | 48.9  |
| 0.0 | 15°    | 55.0  | 51.9  | 48.9  | 45.8  | 42.8  | 39.7  | 36.7  | 36.7  | 33.6   | 30.5  |
| 0.0 | 17.5°  | 36.7  | 30.5  | 27.5  | 24.4  | 24.4  | 21.4  | 18.3  | 15.3  | 12.2   | 9.2   |
| 0.0 | 20°    | 9.2   | 6.1   | 3.1   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
| 0.0 | 22.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
| 0.0 | 25°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
| 0.0 | 27.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
| 0.0 | 30°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
| 0.0 | 32.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
| 0.0 | 35°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
| 0.0 | 37.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
| 0.0 | 40°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
| 0.0 | 42.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
| 0.0 | 45°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
| 0.0 | 47.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
| 0.0 | 50°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
| 0.0 | 52.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
| 0.0 | 55°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
| 0.0 | 57.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
| 0.0 | 60°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
| 0.0 | 62.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
| 0.0 | 65°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
| 0.0 | 67.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
|     | 70°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
|     | 72.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
|     | 75°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
|     | 77.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
|     | 80°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
|     | 82.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
|     | 85°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
|     | 87.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
|     | 90°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
|     | 92.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
|     | 95°    | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
|     | 97.5°  | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
|     | 100°   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
|     | 102.5° | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
|     | 105°   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
|     | 107.5° | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |
|     | 110°   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0    | 0.0   |



REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]

REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 107.5° |        | 110°  | 112.5° | 115°  | 117.5° | 120°  | 122.5° | 125°  | 127.5° | 130°  | 132.5° |
|--------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| 0.0    | 0°     | 177.2 | 177.2  | 177.2 | 177.2  | 177.2 | 177.2  | 177.2 | 177.2  | 177.2 | 177.2  |
| 0.0    | 2.5°   | 125.2 | 122.2  | 122.2 | 122.2  | 125.2 | 125.2  | 125.2 | 125.2  | 125.2 | 125.2  |
| 0.0    | 5°     | 100.8 | 97.8   | 97.8  | 97.8   | 97.8  | 97.8   | 97.8  | 97.8   | 97.8  | 97.8   |
| 0.0    | 7.5°   | 82.5  | 79.4   | 79.4  | 79.4   | 79.4  | 76.4   | 76.4  | 76.4   | 76.4  | 76.4   |
| 0.0    | 10°    | 64.2  | 61.1   | 61.1  | 61.1   | 61.1  | 58.0   | 58.0  | 58.0   | 58.0  | 58.0   |
| 0.0    | 12.5°  | 45.8  | 45.8   | 42.8  | 42.8   | 42.8  | 39.7   | 39.7  | 39.7   | 39.7  | 36.7   |
| 0.0    | 15°    | 27.5  | 24.4   | 21.4  | 21.4   | 21.4  | 18.3   | 18.3  | 18.3   | 18.3  | 15.3   |
| 0.0    | 17.5°  | 6.1   | 6.1    | 3.1   | 3.1    | 3.1   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 20°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 22.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 25°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 27.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 30°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 32.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 35°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 37.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 40°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 42.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 45°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 47.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 50°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 52.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 55°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 57.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 60°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 62.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 65°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 67.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 70°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 72.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 75°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 77.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 80°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 82.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 85°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 87.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 90°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 92.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 95°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 97.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 100°   | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 102.5° | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 105°   | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 107.5° | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 110°   | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |



REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]



REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 135° |        | 137.5° | 140°  | 142.5° | 145°  | 147.5° | 150°  | 152.5° | 155°  | 157.5° | 160°  |
|------|--------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
| 0.0  | 0°     | 177.2  | 177.2 | 177.2  | 177.2 | 177.2  | 177.2 | 177.2  | 177.2 | 177.2  | 177.2 |
| 0.0  | 2.5°   | 128.3  | 128.3 | 131.4  | 131.4 | 134.4  | 140.5 | 143.6  | 146.6 | 152.7  | 158.9 |
| 0.0  | 5°     | 100.8  | 103.9 | 103.9  | 106.9 | 110.0  | 113.0 | 116.1  | 119.1 | 125.2  | 131.4 |
| 0.0  | 7.5°   | 79.4   | 79.4  | 82.5   | 82.5  | 85.5   | 91.6  | 94.7   | 97.8  | 103.9  | 113.0 |
| 0.0  | 10°    | 61.1   | 61.1  | 64.2   | 64.2  | 67.2   | 73.3  | 76.4   | 79.4  | 85.5   | 94.7  |
| 0.0  | 12.5°  | 39.7   | 42.8  | 42.8   | 45.8  | 48.9   | 55.0  | 58.0   | 61.1  | 67.2   | 73.3  |
| 0.0  | 15°    | 18.3   | 21.4  | 21.4   | 24.4  | 27.5   | 33.6  | 36.7   | 39.7  | 45.8   | 55.0  |
| 0.0  | 17.5°  | 3.1    | 3.1   | 6.1    | 6.1   | 9.2    | 12.2  | 15.3   | 18.3  | 27.5   | 33.6  |
| 0.0  | 20°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 6.1    | 12.2  |
| 0.0  | 22.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 3.1   |
| 0.0  | 25°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 27.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 30°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 32.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 35°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 37.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 40°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 42.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 45°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 47.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 50°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 52.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 55°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 57.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 60°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 62.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 65°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 67.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 70°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 72.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 75°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 77.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 80°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 82.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 85°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 87.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 90°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 92.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 95°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 97.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 100°   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 102.5° | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 105°   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 107.5° | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 110°   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |



REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]

REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 162.5° |        | 165°  | 167.5° | 170°  | 172.5° | 175°  | 177.5° | 180°  | 182.5° | 185°  | 187.5° |
|--------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| 0.0    | 0°     | 177.2 | 177.2  | 177.2 | 177.2  | 177.2 | 177.2  | 177.2 | 177.2  | 177.2 | 177.2  |
| 0.0    | 2.5°   | 168.0 | 174.1  | 180.2 | 186.3  | 192.5 | 198.6  | 201.6 | 207.7  | 210.8 | 213.8  |
| 0.0    | 5°     | 143.6 | 149.7  | 158.9 | 165.0  | 171.1 | 177.2  | 183.3 | 186.3  | 189.4 | 192.5  |
| 0.0    | 7.5°   | 125.2 | 131.4  | 140.5 | 146.6  | 152.7 | 158.9  | 165.0 | 171.1  | 174.1 | 177.2  |
| 0.0    | 10°    | 106.9 | 116.1  | 122.2 | 131.4  | 137.5 | 143.6  | 149.7 | 155.8  | 161.9 | 165.0  |
| 0.0    | 12.5°  | 85.5  | 94.7   | 103.9 | 110.0  | 119.1 | 128.3  | 134.4 | 140.5  | 146.6 | 152.7  |
| 0.0    | 15°    | 67.2  | 76.4   | 85.5  | 91.6   | 100.8 | 110.0  | 119.1 | 125.2  | 131.4 | 137.5  |
| 0.0    | 17.5°  | 48.9  | 58.0   | 67.2  | 73.3   | 82.5  | 91.6   | 97.8  | 106.9  | 113.0 | 119.1  |
| 0.0    | 20°    | 24.4  | 33.6   | 42.8  | 51.9   | 61.1  | 70.3   | 76.4  | 85.5   | 91.6  | 97.8   |
| 0.0    | 22.5°  | 3.1   | 12.2   | 21.4  | 27.5   | 36.7  | 45.8   | 51.9  | 61.1   | 67.2  | 73.3   |
| 0.0    | 25°    | 0.0   | 3.1    | 9.2   | 12.2   | 15.3  | 21.4   | 27.5  | 33.6   | 39.7  | 45.8   |
| 0.0    | 27.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 3.1    | 6.1   | 12.2   | 18.3  | 24.4   |
| 0.0    | 30°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 6.1    |
| 0.0    | 32.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 35°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 37.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 40°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 42.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 45°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 47.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 50°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 52.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 55°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 57.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 60°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 62.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 65°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
| 0.0    | 67.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 70°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 72.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 75°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 77.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 80°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 3.1    |
|        | 82.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 3.1    | 3.1   | 6.1    |
|        | 85°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 6.1    | 9.2   | 15.3   | 18.3  | 21.4   |
|        | 87.5°  | 0.0   | 3.1    | 6.1   | 9.2    | 12.2  | 18.3   | 24.4  | 30.5   | 33.6  | 36.7   |
|        | 90°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 92.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 95°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 97.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 100°   | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 102.5° | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 105°   | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 107.5° | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 110°   | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |



REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 190°  |        | 165° | 167.5° | 170° | 172.5° | 175° | 177.5° | 180° | 182.5° | 185° | 187.5° |
|-------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 177.2 | 112.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 213.8 | 115°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 195.5 | 117.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 180.2 | 120°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 171.1 | 122.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 155.8 | 125°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 143.6 | 127.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 128.3 | 130°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 103.9 | 132.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 79.4  | 135°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 55.0  | 137.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 30.5  | 140°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 9.2   | 142.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0   | 145°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0   | 147.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0   | 150°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0   | 152.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0   | 155°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0   | 157.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0   | 160°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0   | 162.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0   | 165°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0   | 167.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0   | 170°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0   | 172.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0   | 175°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0   | 177.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0   | 180°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 3.1   |        |      |        |      |        |      |        |      |        |      |        |
| 12.2  |        |      |        |      |        |      |        |      |        |      |        |
| 27.5  |        |      |        |      |        |      |        |      |        |      |        |
| 39.7  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |

REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 190° |        | 192.5° | 195°  | 197.5° | 200°  | 202.5° | 205°  | 207.5° | 210°  | 212.5° | 215°  |
|------|--------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|
| 0.0  | 0°     | 177.2  | 177.2 | 177.2  | 177.2 | 177.2  | 177.2 | 177.2  | 177.2 | 177.2  | 177.2 |
| 0.0  | 2.5°   | 216.9  | 216.9 | 216.9  | 216.9 | 213.8  | 213.8 | 213.8  | 210.8 | 210.8  | 207.7 |
| 0.0  | 5°     | 198.6  | 201.6 | 201.6  | 201.6 | 201.6  | 201.6 | 201.6  | 201.6 | 198.6  | 198.6 |
| 0.0  | 7.5°   | 183.3  | 186.3 | 189.4  | 189.4 | 192.5  | 192.5 | 192.5  | 189.4 | 189.4  | 186.3 |
| 0.0  | 10°    | 174.1  | 177.2 | 177.2  | 180.2 | 180.2  | 180.2 | 180.2  | 180.2 | 180.2  | 180.2 |
| 0.0  | 12.5°  | 161.9  | 165.0 | 168.0  | 168.0 | 171.1  | 171.1 | 171.1  | 171.1 | 168.0  | 168.0 |
| 0.0  | 15°    | 146.6  | 152.7 | 155.8  | 158.9 | 158.9  | 161.9 | 161.9  | 161.9 | 161.9  | 161.9 |
| 0.0  | 17.5°  | 134.4  | 140.5 | 143.6  | 146.6 | 146.6  | 149.7 | 149.7  | 152.7 | 152.7  | 152.7 |
| 0.0  | 20°    | 110.0  | 116.1 | 119.1  | 125.2 | 128.3  | 131.4 | 134.4  | 137.5 | 137.5  | 140.5 |
| 0.0  | 22.5°  | 85.5   | 91.6  | 94.7   | 100.8 | 103.9  | 106.9 | 110.0  | 113.0 | 116.1  | 119.1 |
| 0.0  | 25°    | 61.1   | 67.2  | 70.3   | 76.4  | 79.4   | 82.5  | 85.5   | 88.6  | 88.6   | 91.6  |
| 0.0  | 27.5°  | 33.6   | 39.7  | 45.8   | 48.9  | 55.0   | 58.0  | 61.1   | 64.2  | 67.2   | 70.3  |
| 0.0  | 30°    | 15.3   | 18.3  | 21.4   | 27.5  | 30.5   | 33.6  | 36.7   | 42.8  | 45.8   | 48.9  |
| 0.0  | 32.5°  | 0.0    | 0.0   | 3.1    | 9.2   | 12.2   | 15.3  | 18.3   | 21.4  | 21.4   | 24.4  |
| 0.0  | 35°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 3.1    | 6.1   | 9.2    | 12.2  |
| 0.0  | 37.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 40°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 42.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 45°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 47.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 50°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 52.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 55°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 57.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 60°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 62.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 65°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
| 0.0  | 67.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 70°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 72.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 75°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 77.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 80°    | 6.1    | 6.1   | 6.1    | 9.2   | 9.2    | 9.2   | 9.2    | 9.2   | 9.2    | 9.2   |
|      | 82.5°  | 15.3   | 18.3  | 21.4   | 21.4  | 24.4   | 24.4  | 24.4   | 24.4  | 21.4   | 21.4  |
|      | 85°    | 30.5   | 33.6  | 36.7   | 36.7  | 39.7   | 39.7  | 39.7   | 39.7  | 39.7   | 39.7  |
|      | 87.5°  | 42.8   | 45.8  | 48.9   | 48.9  | 51.9   | 51.9  | 51.9   | 51.9  | 51.9   | 51.9  |
|      | 90°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 92.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 95°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 97.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 100°   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 102.5° | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 105°   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 107.5° | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |
|      | 110°   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   |

REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 217.5° | 192.5° | 195° | 197.5° | 200° | 202.5° | 205° | 207.5° | 210° | 212.5° | 215° |
|--------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 177.2  | 112.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 207.7  | 115°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 198.6  | 117.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 186.3  | 120°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 180.2  | 122.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 168.0  | 125°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 161.9  | 127.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 152.7  | 130°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 137.5  | 132.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 119.1  | 135°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 94.7   | 137.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 73.3   | 140°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 51.9   | 142.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 30.5   | 145°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 18.3   | 147.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 6.1    | 150°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 6.1    | 152.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 3.1    | 155°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 3.1    | 157.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 3.1    | 160°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 3.1    | 162.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 3.1    | 165°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0    | 167.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0    | 170°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0    | 172.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0    | 175°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0    | 177.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0    | 180°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 0.0    |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |      |        |      |        |      |        |      |        |      |
| 9.2    |        |      |        |      |        |      |        |      |        |      |
| 21.4   |        |      |        |      |        |      |        |      |        |      |
| 39.7   |        |      |        |      |        |      |        |      |        |      |
| 51.9   |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |      |        |      |        |      |        |      |        |      |

REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 217.5° |        | 220°  | 222.5° | 225°  | 227.5° | 230°  | 232.5° | 235°  | 237.5° | 240°  | 242.5° |
|--------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| 0.0    | 0°     | 177.2 | 177.2  | 177.2 | 177.2  | 177.2 | 177.2  | 177.2 | 177.2  | 177.2 | 177.2  |
| 0.0    | 2.5°   | 204.7 | 204.7  | 201.6 | 201.6  | 201.6 | 201.6  | 201.6 | 204.7  | 207.7 | 207.7  |
| 0.0    | 5°     | 195.5 | 195.5  | 192.5 | 192.5  | 192.5 | 195.5  | 195.5 | 198.6  | 201.6 | 204.7  |
| 0.0    | 7.5°   | 186.3 | 183.3  | 183.3 | 186.3  | 186.3 | 189.4  | 189.4 | 192.5  | 195.5 | 198.6  |
| 0.0    | 10°    | 180.2 | 177.2  | 177.2 | 177.2  | 180.2 | 180.2  | 183.3 | 186.3  | 189.4 | 192.5  |
| 0.0    | 12.5°  | 168.0 | 168.0  | 168.0 | 168.0  | 171.1 | 171.1  | 174.1 | 177.2  | 183.3 | 186.3  |
| 0.0    | 15°    | 161.9 | 158.9  | 158.9 | 158.9  | 158.9 | 161.9  | 161.9 | 168.0  | 174.1 | 177.2  |
| 0.0    | 17.5°  | 149.7 | 149.7  | 146.6 | 146.6  | 149.7 | 149.7  | 152.7 | 158.9  | 165.0 | 168.0  |
| 0.0    | 20°    | 137.5 | 134.4  | 131.4 | 131.4  | 134.4 | 134.4  | 137.5 | 143.6  | 149.7 | 152.7  |
| 0.0    | 22.5°  | 119.1 | 116.1  | 116.1 | 116.1  | 116.1 | 119.1  | 119.1 | 125.2  | 134.4 | 140.5  |
| 0.0    | 25°    | 94.7  | 97.8   | 97.8  | 100.8  | 100.8 | 103.9  | 106.9 | 113.0  | 122.2 | 128.3  |
| 0.0    | 27.5°  | 73.3  | 76.4   | 76.4  | 82.5   | 85.5  | 88.6   | 91.6  | 100.8  | 110.0 | 116.1  |
| 0.0    | 30°    | 55.0  | 58.0   | 61.1  | 64.2   | 70.3  | 76.4   | 82.5  | 91.6   | 100.8 | 106.9  |
| 0.0    | 32.5°  | 33.6  | 39.7   | 42.8  | 48.9   | 55.0  | 61.1   | 67.2  | 76.4   | 88.6  | 97.8   |
| 0.0    | 35°    | 24.4  | 27.5   | 33.6  | 36.7   | 42.8  | 48.9   | 55.0  | 67.2   | 76.4  | 88.6   |
| 0.0    | 37.5°  | 12.2  | 18.3   | 24.4  | 30.5   | 36.7  | 42.8   | 48.9  | 61.1   | 73.3  | 82.5   |
| 0.0    | 40°    | 9.2   | 15.3   | 18.3  | 24.4   | 33.6  | 39.7   | 45.8  | 58.0   | 70.3  | 82.5   |
| 0.0    | 42.5°  | 6.1   | 9.2    | 12.2  | 21.4   | 27.5  | 36.7   | 45.8  | 58.0   | 70.3  | 82.5   |
| 0.0    | 45°    | 6.1   | 6.1    | 9.2   | 18.3   | 27.5  | 39.7   | 48.9  | 61.1   | 70.3  | 82.5   |
| 0.0    | 47.5°  | 6.1   | 9.2    | 12.2  | 24.4   | 30.5  | 39.7   | 48.9  | 58.0   | 70.3  | 79.4   |
| 0.0    | 50°    | 9.2   | 12.2   | 15.3  | 27.5   | 33.6  | 42.8   | 48.9  | 61.1   | 70.3  | 82.5   |
| 0.0    | 52.5°  | 6.1   | 9.2    | 12.2  | 24.4   | 33.6  | 45.8   | 55.0  | 67.2   | 79.4  | 88.6   |
| 0.0    | 55°    | 3.1   | 3.1    | 3.1   | 18.3   | 36.7  | 51.9   | 70.3  | 79.4   | 91.6  | 100.8  |
| 0.0    | 57.5°  | 0.0   | 0.0    | 0.0   | 12.2   | 36.7  | 58.0   | 79.4  | 91.6   | 103.9 | 113.0  |
| 0.0    | 60°    | 0.0   | 0.0    | 0.0   | 12.2   | 36.7  | 58.0   | 79.4  | 94.7   | 110.0 | 125.2  |
| 0.0    | 62.5°  | 0.0   | 0.0    | 0.0   | 12.2   | 30.5  | 48.9   | 67.2  | 91.6   | 119.1 | 143.6  |
| 0.0    | 65°    | 0.0   | 0.0    | 0.0   | 9.2    | 24.4  | 39.7   | 55.0  | 91.6   | 128.3 | 161.9  |
| 0.0    | 67.5°  | 0.0   | 0.0    | 0.0   | 9.2    | 24.4  | 36.7   | 51.9  | 91.6   | 128.3 | 168.0  |
|        | 70°    | 0.0   | 0.0    | 0.0   | 9.2    | 24.4  | 39.7   | 55.0  | 91.6   | 128.3 | 165.0  |
|        | 72.5°  | 0.0   | 0.0    | 0.0   | 9.2    | 27.5  | 42.8   | 61.1  | 91.6   | 122.2 | 152.7  |
|        | 75°    | 0.0   | 0.0    | 0.0   | 12.2   | 27.5  | 45.8   | 64.2  | 91.6   | 119.1 | 143.6  |
|        | 77.5°  | 0.0   | 0.0    | 0.0   | 9.2    | 27.5  | 42.8   | 61.1  | 88.6   | 116.1 | 140.5  |
|        | 80°    | 9.2   | 6.1    | 6.1   | 15.3   | 27.5  | 39.7   | 51.9  | 79.4   | 110.0 | 137.5  |
|        | 82.5°  | 18.3  | 18.3   | 15.3  | 21.4   | 27.5  | 36.7   | 45.8  | 70.3   | 97.8  | 122.2  |
|        | 85°    | 36.7  | 36.7   | 33.6  | 36.7   | 36.7  | 39.7   | 42.8  | 55.0   | 67.2  | 79.4   |
|        | 87.5°  | 48.9  | 48.9   | 45.8  | 45.8   | 45.8  | 42.8   | 42.8  | 42.8   | 42.8  | 39.7   |
|        | 90°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 92.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 95°    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 97.5°  | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 100°   | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 102.5° | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 105°   | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 107.5° | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |
|        | 110°   | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    |

REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 245°  |        | 220° | 222.5° | 225° | 227.5° | 230° | 232.5° | 235° | 237.5° | 240° | 242.5° |
|-------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 177.2 | 112.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 210.8 | 115°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 207.7 | 117.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 201.6 | 120°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 195.5 | 122.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 189.4 | 125°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 183.3 | 127.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 174.1 | 130°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 158.9 | 132.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 146.6 | 135°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 134.4 | 137.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 125.2 | 140°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 116.1 | 142.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 106.9 | 145°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 97.8  | 147.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 94.7  | 150°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 94.7  | 152.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 94.7  | 155°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 91.6  | 157.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 88.6  | 160°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 91.6  | 162.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 100.8 | 165°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 110.0 | 167.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 125.2 | 170°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 140.5 | 172.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 168.0 | 175°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 198.6 | 177.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 204.7 | 180°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 201.6 |        |      |        |      |        |      |        |      |        |      |        |
| 183.3 |        |      |        |      |        |      |        |      |        |      |        |
| 171.1 |        |      |        |      |        |      |        |      |        |      |        |
| 168.0 |        |      |        |      |        |      |        |      |        |      |        |
| 165.0 |        |      |        |      |        |      |        |      |        |      |        |
| 146.6 |        |      |        |      |        |      |        |      |        |      |        |
| 91.6  |        |      |        |      |        |      |        |      |        |      |        |
| 39.7  |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |
| 0.0   |        |      |        |      |        |      |        |      |        |      |        |



REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 245° |        | 247.5° | 250°  | 252.5° | 255°  | 257.5° | 260°  | 262.5° | 265°  | 267.5° | 270°   |
|------|--------|--------|-------|--------|-------|--------|-------|--------|-------|--------|--------|
| 0.0  | 0°     | 177.2  | 177.2 | 177.2  | 177.2 | 177.2  | 177.2 | 177.2  | 177.2 | 177.2  | 177.2  |
| 0.0  | 2.5°   | 213.8  | 216.9 | 216.9  | 219.9 | 223.0  | 226.1 | 226.1  | 229.1 | 229.1  | 229.1  |
| 0.0  | 5°     | 210.8  | 216.9 | 219.9  | 223.0 | 226.1  | 229.1 | 232.2  | 235.2 | 238.3  | 238.3  |
| 0.0  | 7.5°   | 207.7  | 210.8 | 216.9  | 219.9 | 226.1  | 229.1 | 235.2  | 238.3 | 241.3  | 244.4  |
| 0.0  | 10°    | 201.6  | 207.7 | 213.8  | 219.9 | 226.1  | 232.2 | 238.3  | 244.4 | 250.5  | 253.6  |
| 0.0  | 12.5°  | 195.5  | 204.7 | 210.8  | 216.9 | 226.1  | 235.2 | 241.3  | 250.5 | 256.6  | 262.7  |
| 0.0  | 15°    | 192.5  | 198.6 | 207.7  | 213.8 | 226.1  | 238.3 | 247.4  | 259.7 | 271.9  | 281.0  |
| 0.0  | 17.5°  | 183.3  | 195.5 | 204.7  | 213.8 | 226.1  | 241.3 | 253.6  | 265.8 | 284.1  | 302.4  |
| 0.0  | 20°    | 171.1  | 180.2 | 192.5  | 201.6 | 219.9  | 235.2 | 253.6  | 268.8 | 296.3  | 323.8  |
| 0.0  | 22.5°  | 158.9  | 171.1 | 180.2  | 192.5 | 213.8  | 232.2 | 253.6  | 271.9 | 317.7  | 360.5  |
| 0.0  | 25°    | 146.6  | 161.9 | 174.1  | 186.3 | 210.8  | 235.2 | 259.7  | 284.1 | 360.5  | 436.8  |
| 0.0  | 27.5°  | 140.5  | 152.7 | 168.0  | 180.2 | 210.8  | 244.4 | 274.9  | 305.5 | 427.7  | 546.8  |
| 0.0  | 30°    | 131.4  | 146.6 | 158.9  | 174.1 | 213.8  | 253.6 | 293.3  | 333.0 | 519.3  | 705.7  |
| 0.0  | 32.5°  | 122.2  | 137.5 | 152.7  | 168.0 | 219.9  | 271.9 | 320.8  | 372.7 | 617.1  | 858.4  |
| 0.0  | 35°    | 113.0  | 131.4 | 146.6  | 161.9 | 229.1  | 299.4 | 366.6  | 433.8 | 705.7  | 974.5  |
| 0.0  | 37.5°  | 110.0  | 128.3 | 143.6  | 158.9 | 232.2  | 302.4 | 375.7  | 446.0 | 714.8  | 983.7  |
| 0.0  | 40°    | 113.0  | 128.3 | 146.6  | 161.9 | 223.0  | 284.1 | 342.1  | 403.2 | 684.3  | 962.3  |
| 0.0  | 42.5°  | 113.0  | 131.4 | 149.7  | 168.0 | 216.9  | 265.8 | 314.6  | 363.5 | 675.1  | 986.7  |
| 0.0  | 45°    | 110.0  | 128.3 | 146.6  | 165.0 | 210.8  | 253.6 | 299.4  | 342.1 | 730.1  | 1115.0 |
| 0.0  | 47.5°  | 106.9  | 125.2 | 143.6  | 161.9 | 207.7  | 253.6 | 299.4  | 345.2 | 943.9  | 1539.6 |
| 0.0  | 50°    | 106.9  | 125.2 | 140.5  | 155.8 | 210.8  | 268.8 | 323.8  | 378.8 | 1374.7 | 2367.5 |
| 0.0  | 52.5°  | 113.0  | 128.3 | 140.5  | 152.7 | 216.9  | 284.1 | 348.3  | 412.4 | 1747.4 | 3079.3 |
| 0.0  | 55°    | 122.2  | 131.4 | 143.6  | 152.7 | 232.2  | 308.5 | 388.0  | 464.3 | 1860.4 | 3256.5 |
| 0.0  | 57.5°  | 134.4  | 143.6 | 152.7  | 161.9 | 259.7  | 357.4 | 452.1  | 549.9 | 1869.6 | 3186.2 |
| 0.0  | 60°    | 149.7  | 161.9 | 171.1  | 180.2 | 284.1  | 391.0 | 494.9  | 598.7 | 1692.4 | 2783.0 |
| 0.0  | 62.5°  | 183.3  | 198.6 | 210.8  | 226.1 | 326.9  | 424.6 | 525.4  | 623.2 | 1405.2 | 2187.3 |
| 0.0  | 65°    | 210.8  | 223.0 | 235.2  | 247.4 | 345.2  | 446.0 | 543.8  | 641.5 | 1191.4 | 1741.3 |
| 0.0  | 67.5°  | 216.9  | 229.1 | 238.3  | 250.5 | 351.3  | 452.1 | 549.9  | 650.7 | 1020.3 | 1386.9 |
|      | 70°    | 219.9  | 235.2 | 253.6  | 268.8 | 372.7  | 476.6 | 577.4  | 681.2 | 904.2  | 1127.2 |
|      | 72.5°  | 210.8  | 241.3 | 268.8  | 296.3 | 394.1  | 488.8 | 586.5  | 681.2 | 840.1  | 998.9  |
|      | 75°    | 210.8  | 253.6 | 293.3  | 333.0 | 406.3  | 476.6 | 549.9  | 620.1 | 742.3  | 864.5  |
|      | 77.5°  | 223.0  | 278.0 | 333.0  | 388.0 | 430.7  | 470.4 | 513.2  | 552.9 | 632.4  | 711.8  |
|      | 80°    | 223.0  | 281.0 | 336.0  | 394.1 | 412.4  | 433.8 | 452.1  | 470.4 | 479.6  | 488.8  |
|      | 82.5°  | 192.5  | 238.3 | 284.1  | 329.9 | 308.5  | 287.2 | 265.8  | 244.4 | 229.1  | 210.8  |
|      | 85°    | 97.8   | 106.9 | 113.0  | 119.1 | 110.0  | 100.8 | 91.6   | 82.5  | 76.4   | 67.2   |
|      | 87.5°  | 39.7   | 39.7  | 36.7   | 36.7  | 36.7   | 36.7  | 33.6   | 33.6  | 33.6   | 33.6   |
|      | 90°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0    |
|      | 92.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0    |
|      | 95°    | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0    |
|      | 97.5°  | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0    |
|      | 100°   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0    |
|      | 102.5° | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0    |
|      | 105°   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0    |
|      | 107.5° | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0    |
|      | 110°   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0   | 0.0    | 0.0    |

REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 272.5° |        | 247.5° | 250° | 252.5° | 255° | 257.5° | 260° | 262.5° | 265° | 267.5° | 270° |
|--------|--------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 177.2  | 112.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 229.1  | 115°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 238.3  | 117.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 247.4  | 120°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 259.7  | 122.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 271.9  | 125°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 296.3  | 127.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 326.9  | 130°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 375.7  | 132.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 479.6  | 135°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 650.7  | 137.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 904.2  | 140°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 1225.0 | 142.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 1530.5 | 145°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 1738.2 | 147.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 1894.0 | 150°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 2049.8 | 152.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 2355.3 | 155°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 2966.3 | 157.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 4521.2 | 160°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 6925.3 | 162.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 8718.5 | 165°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 8917.1 | 167.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 8046.5 | 170°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 6879.5 | 172.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 5376.5 | 175°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 4062.9 | 177.5° | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 2999.9 | 180°   | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  |
| 2123.1 |        |        |      |        |      |        |      |        |      |        |      |
| 1579.4 |        |        |      |        |      |        |      |        |      |        |      |
| 1148.6 |        |        |      |        |      |        |      |        |      |        |      |
| 864.5  |        |        |      |        |      |        |      |        |      |        |      |
| 485.7  |        |        |      |        |      |        |      |        |      |        |      |
| 219.9  |        |        |      |        |      |        |      |        |      |        |      |
| 64.2   |        |        |      |        |      |        |      |        |      |        |      |
| 30.5   |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |
| 0.0    |        |        |      |        |      |        |      |        |      |        |      |

REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 272.5° |        | 275°    | 277.5°  | 280°    | 282.5°  | 285°    | 287.5°  | 290°    | 292.5°  | 295°    | 297.5°  |
|--------|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0.0    | 0°     | 177.2   | 177.2   | 177.2   | 177.2   | 177.2   | 177.2   | 177.2   | 177.2   | 177.2   | 177.2   |
| 0.0    | 2.5°   | 229.1   | 226.1   | 226.1   | 223.0   | 219.9   | 216.9   | 213.8   | 210.8   | 207.7   | 204.7   |
| 0.0    | 5°     | 238.3   | 238.3   | 238.3   | 235.2   | 235.2   | 232.2   | 232.2   | 229.1   | 226.1   | 223.0   |
| 0.0    | 7.5°   | 247.4   | 250.5   | 250.5   | 253.6   | 253.6   | 253.6   | 253.6   | 250.5   | 250.5   | 250.5   |
| 0.0    | 10°    | 262.7   | 265.8   | 268.8   | 271.9   | 274.9   | 278.0   | 278.0   | 281.0   | 281.0   | 281.0   |
| 0.0    | 12.5°  | 281.0   | 290.2   | 296.3   | 305.5   | 311.6   | 320.8   | 326.9   | 336.0   | 342.1   | 348.3   |
| 0.0    | 15°    | 308.5   | 323.8   | 342.1   | 357.4   | 372.7   | 394.1   | 418.5   | 439.9   | 461.3   | 494.9   |
| 0.0    | 17.5°  | 348.3   | 397.1   | 446.0   | 491.8   | 540.7   | 647.6   | 754.5   | 858.4   | 965.3   | 1121.1  |
| 0.0    | 20°    | 424.6   | 571.3   | 714.8   | 861.5   | 1005.0  | 1380.8  | 1753.5  | 2129.2  | 2501.9  | 2902.1  |
| 0.0    | 22.5°  | 595.7   | 956.2   | 1316.6  | 1677.1  | 2037.6  | 2822.7  | 3604.7  | 4389.8  | 5171.9  | 6091.4  |
| 0.0    | 25°    | 864.5   | 1527.4  | 2190.3  | 2850.2  | 3513.1  | 4741.1  | 5972.2  | 7200.3  | 8428.3  | 9622.8  |
| 0.0    | 27.5°  | 1258.6  | 2272.8  | 3287.0  | 4298.2  | 5312.4  | 6977.3  | 8645.2  | 10310.1 | 11975.0 | 13325.2 |
| 0.0    | 30°    | 1744.3  | 3119.0  | 4493.7  | 5868.4  | 7243.0  | 9137.0  | 11031.0 | 12922.0 | 14816.0 | 16291.5 |
| 0.0    | 32.5°  | 2202.5  | 3885.8  | 5569.0  | 7249.1  | 8932.4  | 11089.1 | 13248.9 | 15405.6 | 17562.3 | 19175.3 |
| 0.0    | 35°    | 2501.9  | 4536.4  | 6574.0  | 8608.6  | 10643.1 | 12977.0 | 15310.9 | 17641.7 | 19975.6 | 21817.7 |
| 0.0    | 37.5°  | 2801.3  | 5150.5  | 7496.6  | 9845.8  | 12191.9 | 14754.9 | 17317.9 | 19880.9 | 22444.0 | 24719.8 |
| 0.0    | 40°    | 3137.3  | 5892.8  | 8645.2  | 11400.7 | 14153.1 | 17189.6 | 20223.1 | 23259.6 | 26293.1 | 29503.7 |
| 0.0    | 42.5°  | 3720.8  | 7123.9  | 10530.1 | 13933.2 | 17336.3 | 21353.4 | 25370.5 | 29384.6 | 33401.7 | 37984.0 |
| 0.0    | 45°    | 4817.5  | 9613.6  | 14412.8 | 19208.9 | 24005.0 | 29326.5 | 34651.1 | 39972.7 | 45294.2 | 51391.7 |
| 0.0    | 47.5°  | 7502.7  | 14101.2 | 20696.6 | 27295.1 | 33890.5 | 39636.6 | 45379.7 | 51125.9 | 56869.0 | 62942.1 |
| 0.0    | 50°    | 11480.1 | 19160.0 | 26839.9 | 34516.7 | 42196.6 | 47395.9 | 52592.2 | 57791.6 | 62987.9 | 68764.6 |
| 0.0    | 52.5°  | 14357.8 | 22358.4 | 30362.1 | 38362.8 | 46363.4 | 51055.6 | 55750.9 | 60443.2 | 65135.4 | 70533.3 |
| 0.0    | 55°    | 14574.7 | 22529.5 | 30487.4 | 38442.2 | 46397.0 | 51110.6 | 55824.3 | 60537.9 | 65251.5 | 70973.2 |
| 0.0    | 57.5°  | 12903.7 | 20794.3 | 28682.0 | 36572.6 | 44460.2 | 49827.6 | 55191.9 | 60559.3 | 65923.6 | 72109.6 |
| 0.0    | 60°    | 10976.1 | 18869.8 | 26760.5 | 34654.2 | 42544.8 | 48727.9 | 54913.9 | 61096.9 | 67279.9 | 73075.0 |
| 0.0    | 62.5°  | 8562.7  | 16682.5 | 24805.4 | 32925.1 | 41044.9 | 47322.6 | 53600.3 | 59875.0 | 66152.7 | 70499.7 |
| 0.0    | 65°    | 6381.6  | 14266.1 | 22150.7 | 30032.2 | 37916.8 | 42945.0 | 47973.3 | 52998.5 | 58026.8 | 60718.1 |
| 0.0    | 67.5°  | 4612.8  | 11412.9 | 18209.9 | 25010.0 | 31807.1 | 35405.7 | 39004.3 | 42599.8 | 46198.4 | 48257.4 |
|        | 70°    | 3119.0  | 7829.6  | 12537.1 | 17247.7 | 21955.2 | 24912.3 | 27872.4 | 30829.5 | 33786.6 | 36566.5 |
|        | 72.5°  | 2159.8  | 4805.3  | 7453.8  | 10099.3 | 12744.8 | 15720.2 | 18692.6 | 21668.0 | 24640.4 | 27582.2 |
|        | 75°    | 1432.7  | 2636.3  | 3843.0  | 5046.6  | 6250.2  | 8452.8  | 10658.4 | 12860.9 | 15063.4 | 16816.9 |
|        | 77.5°  | 1017.3  | 1377.7  | 1741.3  | 2101.7  | 2462.2  | 2874.6  | 3290.1  | 3702.5  | 4114.9  | 4741.1  |
|        | 80°    | 482.7   | 528.5   | 574.3   | 617.1   | 662.9   | 812.6   | 962.3   | 1112.0  | 1261.7  | 1420.5  |
|        | 82.5°  | 229.1   | 247.4   | 265.8   | 281.0   | 299.4   | 314.6   | 329.9   | 345.2   | 360.5   | 345.2   |
|        | 85°    | 61.1    | 61.1    | 64.2    | 64.2    | 64.2    | 64.2    | 64.2    | 64.2    | 64.2    | 61.1    |
|        | 87.5°  | 27.5    | 27.5    | 27.5    | 27.5    | 27.5    | 27.5    | 27.5    | 24.4    | 24.4    | 21.4    |
|        | 90°    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|        | 92.5°  | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|        | 95°    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|        | 97.5°  | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|        | 100°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|        | 102.5° | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|        | 105°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|        | 107.5° | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|        | 110°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |

REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 300°    |        | 275° | 277.5° | 280° | 282.5° | 285° | 287.5° | 290° | 292.5° | 295° | 297.5° |
|---------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|
| 177.2   | 112.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 201.6   | 115°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 219.9   | 117.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 247.4   | 120°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 284.1   | 122.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 351.3   | 125°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 531.5   | 127.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 1273.9  | 130°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 3305.3  | 132.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 7010.9  | 135°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 10817.2 | 137.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 14675.5 | 140°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 17770.0 | 142.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 20791.3 | 145°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 23659.8 | 147.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 26998.7 | 150°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 32714.3 | 152.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 42566.2 | 155°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 57489.2 | 157.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 69015.1 | 160°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 74541.3 | 162.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 75931.3 | 165°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 76698.0 | 167.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 78295.7 | 170°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 78867.0 | 172.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 74849.8 | 175°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 63412.5 | 177.5° | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 50319.4 | 180°   | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    | 0.0  | 0.0    |
| 39343.4 |        |      |        |      |        |      |        |      |        |      |        |
| 30524.0 |        |      |        |      |        |      |        |      |        |      |        |
| 18570.4 |        |      |        |      |        |      |        |      |        |      |        |
| 5367.4  |        |      |        |      |        |      |        |      |        |      |        |
| 1579.4  |        |      |        |      |        |      |        |      |        |      |        |
| 326.9   |        |      |        |      |        |      |        |      |        |      |        |
| 58.0    |        |      |        |      |        |      |        |      |        |      |        |
| 21.4    |        |      |        |      |        |      |        |      |        |      |        |
| 0.0     |        |      |        |      |        |      |        |      |        |      |        |
| 0.0     |        |      |        |      |        |      |        |      |        |      |        |
| 0.0     |        |      |        |      |        |      |        |      |        |      |        |
| 0.0     |        |      |        |      |        |      |        |      |        |      |        |
| 0.0     |        |      |        |      |        |      |        |      |        |      |        |
| 0.0     |        |      |        |      |        |      |        |      |        |      |        |
| 0.0     |        |      |        |      |        |      |        |      |        |      |        |
| 0.0     |        |      |        |      |        |      |        |      |        |      |        |
| 0.0     |        |      |        |      |        |      |        |      |        |      |        |
| 0.0     |        |      |        |      |        |      |        |      |        |      |        |
| 0.0     |        |      |        |      |        |      |        |      |        |      |        |

REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 300° |        | 302.5°  | 305°    | 307.5°  | 310°    | 312.5°   | 315°     | 317.5°   | 320°    | 322.5°  |
|------|--------|---------|---------|---------|---------|----------|----------|----------|---------|---------|
| 0.0  | 0°     | 177.2   | 177.2   | 177.2   | 177.2   | 177.2    | 177.2    | 177.2    | 177.2   | 177.2   |
| 0.0  | 2.5°   | 198.6   | 195.5   | 192.5   | 189.4   | 186.3    | 180.2    | 180.2    | 177.2   | 177.2   |
| 0.0  | 5°     | 216.9   | 213.8   | 210.8   | 207.7   | 207.7    | 204.7    | 201.6    | 201.6   | 198.6   |
| 0.0  | 7.5°   | 247.4   | 244.4   | 241.3   | 238.3   | 238.3    | 235.2    | 235.2    | 232.2   | 232.2   |
| 0.0  | 10°    | 284.1   | 284.1   | 284.1   | 284.1   | 284.1    | 281.0    | 281.0    | 281.0   | 278.0   |
| 0.0  | 12.5°  | 357.4   | 360.5   | 366.6   | 372.7   | 381.9    | 381.9    | 381.9    | 378.8   | 378.8   |
| 0.0  | 15°    | 565.1   | 598.7   | 623.2   | 647.6   | 669.0    | 717.9    | 711.8    | 702.6   | 696.5   |
| 0.0  | 17.5°  | 1429.7  | 1582.4  | 1664.9  | 1744.3  | 1826.8   | 2052.9   | 2016.2   | 1979.5  | 1945.9  |
| 0.0  | 20°    | 3705.5  | 4105.7  | 4371.5  | 4637.3  | 4906.1   | 5330.7   | 5226.8   | 5123.0  | 5019.1  |
| 0.0  | 22.5°  | 7927.3  | 8846.8  | 9247.0  | 9647.2  | 10044.3  | 10557.5  | 10224.6  | 9891.6  | 9561.7  |
| 0.0  | 25°    | 12008.6 | 13203.0 | 13878.2 | 14553.3 | 15225.4  | 15518.6  | 15084.8  | 14648.0 | 14214.2 |
| 0.0  | 27.5°  | 16025.7 | 17376.0 | 17971.7 | 18564.3 | 19160.0  | 19774.0  | 19236.4  | 18695.7 | 18158.0 |
| 0.0  | 30°    | 19245.5 | 20721.0 | 21365.6 | 22007.1 | 22651.7  | 23079.4  | 22523.4  | 21964.3 | 21408.4 |
| 0.0  | 32.5°  | 22404.2 | 24017.2 | 24722.9 | 25428.5 | 26131.2  | 26745.2  | 26060.9  | 25373.6 | 24689.3 |
| 0.0  | 35°    | 25498.8 | 27340.9 | 28312.3 | 29283.8 | 30255.2  | 30826.5  | 30013.9  | 29198.2 | 28385.6 |
| 0.0  | 37.5°  | 29274.6 | 31550.5 | 32638.0 | 33725.5 | 34813.0  | 35854.7  | 34959.7  | 34061.5 | 33166.5 |
| 0.0  | 40°    | 35925.0 | 39135.6 | 40803.6 | 42474.6 | 44142.5  | 45486.7  | 44356.4  | 43226.1 | 42095.8 |
| 0.0  | 42.5°  | 47148.5 | 51730.8 | 54128.8 | 56523.8 | 58921.9  | 61020.6  | 59832.2  | 58643.9 | 57455.5 |
| 0.0  | 45°    | 63586.6 | 69684.1 | 72607.6 | 75528.0 | 78451.5  | 79985.0  | 78274.3  | 76560.6 | 74849.8 |
| 0.0  | 47.5°  | 75085.1 | 81158.1 | 83760.8 | 86363.6 | 88966.3  | 90716.7  | 88624.1  | 86531.6 | 84442.1 |
| 0.0  | 50°    | 80315.0 | 86091.7 | 88703.6 | 91312.4 | 93924.3  | 95314.3  | 92897.9  | 90478.4 | 88062.1 |
| 0.0  | 52.5°  | 81326.1 | 86724.0 | 89840.0 | 92959.0 | 96074.9  | 97932.3  | 95079.0  | 92222.8 | 89369.5 |
| 0.0  | 55°    | 82419.7 | 88141.5 | 91755.4 | 95372.3 | 98986.2  | 101558.4 | 98332.4  | 95103.5 | 91877.6 |
| 0.0  | 57.5°  | 84478.7 | 90664.8 | 94269.5 | 97871.2 | 101475.9 | 103660.1 | 100425.0 | 97186.9 | 93951.8 |
| 0.0  | 60°    | 84662.0 | 90454.0 | 93551.6 | 96652.3 | 99749.9  | 101124.6 | 98030.0  | 94932.4 | 91837.8 |
| 0.0  | 62.5°  | 79196.9 | 83543.9 | 85694.5 | 87845.2 | 89995.8  | 91489.6  | 88260.6  | 85028.6 | 81799.6 |
| 0.0  | 65°    | 66103.8 | 68795.1 | 70508.9 | 72222.7 | 73936.4  | 75717.4  | 72760.3  | 69803.2 | 66846.1 |
| 0.0  | 67.5°  | 52378.4 | 54437.4 | 56694.9 | 58952.4 | 61210.0  | 63113.1  | 60745.6  | 58375.1 | 56007.5 |
|      | 70°    | 42123.3 | 44900.1 | 47438.7 | 49977.3 | 52515.9  | 54073.8  | 51697.2  | 49317.4 | 46940.8 |
|      | 72.5°  | 33465.8 | 36407.7 | 38527.7 | 40644.7 | 42764.8  | 43146.6  | 41399.3  | 39651.9 | 37907.6 |
|      | 75°    | 20320.8 | 22074.3 | 22117.1 | 22156.8 | 22199.6  | 22563.1  | 21115.1  | 19667.1 | 18222.2 |
|      | 77.5°  | 5993.6  | 6619.9  | 7136.1  | 7649.3  | 8165.6   | 8788.8   | 8257.2   | 7722.7  | 7191.1  |
|      | 80°    | 1735.2  | 1894.0  | 2028.4  | 2159.8  | 2294.2   | 2214.8   | 2089.5   | 1964.3  | 1839.0  |
|      | 82.5°  | 311.6   | 293.3   | 290.2   | 287.2   | 287.2    | 271.9    | 247.4    | 223.0   | 198.6   |
|      | 85°    | 55.0    | 51.9    | 48.9    | 45.8    | 42.8     | 39.7     | 33.6     | 30.5    | 24.4    |
|      | 87.5°  | 18.3    | 15.3    | 12.2    | 9.2     | 9.2      | 3.1      | 3.1      | 3.1     | 0.0     |
|      | 90°    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0      | 0.0      | 0.0      | 0.0     | 0.0     |
|      | 92.5°  | 0.0     | 0.0     | 0.0     | 0.0     | 0.0      | 0.0      | 0.0      | 0.0     | 0.0     |
|      | 95°    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0      | 0.0      | 0.0      | 0.0     | 0.0     |
|      | 97.5°  | 0.0     | 0.0     | 0.0     | 0.0     | 0.0      | 0.0      | 0.0      | 0.0     | 0.0     |
|      | 100°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0      | 0.0      | 0.0      | 0.0     | 0.0     |
|      | 102.5° | 0.0     | 0.0     | 0.0     | 0.0     | 0.0      | 0.0      | 0.0      | 0.0     | 0.0     |
|      | 105°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0      | 0.0      | 0.0      | 0.0     | 0.0     |
|      | 107.5° | 0.0     | 0.0     | 0.0     | 0.0     | 0.0      | 0.0      | 0.0      | 0.0     | 0.0     |
|      | 110°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0      | 0.0      | 0.0      | 0.0     | 0.0     |



REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]

REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 325° | 327.5° |        | 330°    | 332.5°  | 335°    | 337.5°  | 340°    | 342.5°  | 345°    | 347.5°  | 350°    |
|------|--------|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0.0  | 0.0    | 0°     | 177.2   | 177.2   | 177.2   | 177.2   | 177.2   | 177.2   | 177.2   | 177.2   | 177.2   |
| 0.0  | 0.0    | 2.5°   | 174.1   | 171.1   | 171.1   | 171.1   | 171.1   | 168.0   | 168.0   | 168.0   | 168.0   |
| 0.0  | 0.0    | 5°     | 192.5   | 192.5   | 189.4   | 189.4   | 186.3   | 186.3   | 183.3   | 183.3   | 180.2   |
| 0.0  | 0.0    | 7.5°   | 226.1   | 223.0   | 219.9   | 216.9   | 213.8   | 207.7   | 204.7   | 201.6   | 201.6   |
| 0.0  | 0.0    | 10°    | 271.9   | 265.8   | 262.7   | 256.6   | 253.6   | 247.4   | 241.3   | 235.2   | 229.1   |
| 0.0  | 0.0    | 12.5°  | 357.4   | 345.2   | 336.0   | 323.8   | 311.6   | 302.4   | 290.2   | 281.0   | 268.8   |
| 0.0  | 0.0    | 15°    | 620.1   | 589.6   | 556.0   | 516.3   | 473.5   | 433.8   | 391.0   | 366.6   | 339.1   |
| 0.0  | 0.0    | 17.5°  | 1585.5  | 1426.6  | 1264.7  | 1133.3  | 1002.0  | 873.7   | 742.3   | 647.6   | 552.9   |
| 0.0  | 0.0    | 20°    | 4035.5  | 3595.6  | 3155.7  | 2721.9  | 2285.0  | 1851.2  | 1414.4  | 1194.4  | 974.5   |
| 0.0  | 0.0    | 22.5°  | 7594.3  | 6778.7  | 5960.0  | 5168.8  | 4374.5  | 3583.3  | 2792.1  | 2294.2  | 1799.3  |
| 0.0  | 0.0    | 25°    | 11721.4 | 10695.0 | 9668.6  | 8367.2  | 7062.8  | 5761.4  | 4460.1  | 3650.5  | 2841.0  |
| 0.0  | 0.0    | 27.5°  | 15252.8 | 14070.6 | 12888.4 | 11306.0 | 9723.6  | 8141.2  | 6558.8  | 5352.1  | 4148.5  |
| 0.0  | 0.0    | 30°    | 18310.7 | 17039.9 | 15769.1 | 13927.0 | 12085.0 | 10242.9 | 8400.8  | 6891.7  | 5382.6  |
| 0.0  | 0.0    | 32.5°  | 20962.4 | 19441.0 | 17919.7 | 16019.6 | 14119.5 | 12219.4 | 10319.3 | 8468.0  | 6616.8  |
| 0.0  | 0.0    | 35°    | 24020.3 | 22245.4 | 20467.5 | 18359.6 | 16248.7 | 14140.9 | 12033.0 | 9943.5  | 7851.0  |
| 0.0  | 0.0    | 37.5°  | 27906.0 | 25727.9 | 23546.8 | 21197.6 | 18848.4 | 16502.3 | 14153.1 | 11764.2 | 9375.3  |
| 0.0  | 0.0    | 40°    | 35344.6 | 32534.1 | 29723.7 | 26739.1 | 23751.4 | 20766.8 | 17782.3 | 14849.6 | 11917.0 |
| 0.0  | 0.0    | 42.5°  | 48672.9 | 44875.7 | 41078.5 | 37107.2 | 33132.9 | 29161.6 | 25187.2 | 21050.9 | 16911.6 |
| 0.0  | 0.0    | 45°    | 63714.9 | 59004.4 | 54290.7 | 49833.7 | 45373.6 | 40916.6 | 36459.6 | 30783.7 | 25107.8 |
| 0.0  | 0.0    | 47.5°  | 72173.8 | 67087.5 | 62001.2 | 57782.4 | 53563.7 | 49344.9 | 45126.2 | 39007.3 | 32888.5 |
| 0.0  | 0.0    | 50°    | 75286.7 | 70108.7 | 64930.8 | 61048.0 | 57162.3 | 53279.6 | 49393.8 | 43265.8 | 37134.7 |
| 0.0  | 0.0    | 52.5°  | 75949.6 | 70667.8 | 65385.9 | 61478.8 | 57571.6 | 53667.5 | 49760.4 | 43672.1 | 37583.8 |
| 0.0  | 0.0    | 55°    | 77312.0 | 71645.3 | 65975.5 | 61521.5 | 57067.6 | 52613.6 | 48159.6 | 41973.6 | 35787.5 |
| 0.0  | 0.0    | 57.5°  | 79093.0 | 73282.7 | 67472.4 | 62398.3 | 57324.2 | 52253.1 | 47179.0 | 40415.6 | 33652.2 |
| 0.0  | 0.0    | 60°    | 78625.6 | 73569.9 | 68511.0 | 63076.5 | 57638.8 | 52204.3 | 46766.6 | 39328.1 | 31886.5 |
| 0.0  | 0.0    | 62.5°  | 70512.0 | 66485.7 | 62456.3 | 57987.1 | 53514.8 | 49045.6 | 44576.3 | 36917.8 | 29259.3 |
| 0.0  | 0.0    | 65°    | 58008.5 | 55069.7 | 52130.9 | 48535.4 | 44936.8 | 41341.2 | 37745.7 | 30878.4 | 24014.1 |
| 0.0  | 0.0    | 67.5°  | 47014.1 | 43702.6 | 40388.1 | 37522.7 | 34654.2 | 31788.7 | 28920.2 | 23516.2 | 18112.2 |
|      |        | 70°    | 37351.6 | 33749.9 | 30145.2 | 27347.0 | 24545.7 | 21747.4 | 18949.2 | 15356.7 | 11767.3 |
|      |        | 72.5°  | 29662.6 | 26415.3 | 23168.0 | 20183.4 | 17195.7 | 14211.1 | 11223.5 | 9100.4  | 6977.3  |
|      |        | 75°    | 14177.5 | 12879.2 | 11580.9 | 10019.9 | 8458.9  | 6897.8  | 5336.8  | 4411.2  | 3488.6  |
|      |        | 77.5°  | 5254.3  | 4554.8  | 3852.2  | 3216.8  | 2581.3  | 1949.0  | 1313.6  | 1203.6  | 1093.6  |
|      |        | 80°    | 1359.4  | 1185.3  | 1008.1  | 882.9   | 754.5   | 629.3   | 504.0   | 455.2   | 409.3   |
|      |        | 82.5°  | 155.8   | 143.6   | 134.4   | 128.3   | 119.1   | 113.0   | 103.9   | 94.7    | 85.5    |
|      |        | 85°    | 9.2     | 6.1     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      |        | 87.5°  | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      |        | 90°    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      |        | 92.5°  | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      |        | 95°    | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      |        | 97.5°  | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      |        | 100°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      |        | 102.5° | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      |        | 105°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      |        | 107.5° | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |
|      |        | 110°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |



REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

[illegible]



REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

| 352.5° | 355° |        | 357.5°  | 360°   |
|--------|------|--------|---------|--------|
| 0.0    | 0.0  | 0°     | 177.2   | 177.2  |
| 0.0    | 0.0  | 2.5°   | 165.0   | 161.9  |
| 0.0    | 0.0  | 5°     | 174.1   | 171.1  |
| 0.0    | 0.0  | 7.5°   | 192.5   | 186.3  |
| 0.0    | 0.0  | 10°    | 210.8   | 204.7  |
| 0.0    | 0.0  | 12.5°  | 238.3   | 229.1  |
| 0.0    | 0.0  | 15°    | 268.8   | 250.5  |
| 0.0    | 0.0  | 17.5°  | 320.8   | 281.0  |
| 0.0    | 0.0  | 20°    | 433.8   | 333.0  |
| 0.0    | 0.0  | 22.5°  | 611.0   | 415.5  |
| 0.0    | 0.0  | 25°    | 898.1   | 574.3  |
| 0.0    | 0.0  | 27.5°  | 1249.4  | 763.7  |
| 0.0    | 0.0  | 30°    | 1661.8  | 956.2  |
| 0.0    | 0.0  | 32.5°  | 2025.4  | 1139.5 |
| 0.0    | 0.0  | 35°    | 2498.9  | 1325.8 |
| 0.0    | 0.0  | 37.5°  | 3082.3  | 1564.1 |
| 0.0    | 0.0  | 40°    | 3986.6  | 1924.6 |
| 0.0    | 0.0  | 42.5°  | 5614.8  | 2590.5 |
| 0.0    | 0.0  | 45°    | 9118.7  | 4478.4 |
| 0.0    | 0.0  | 47.5°  | 14030.9 | 7408.0 |
| 0.0    | 0.0  | 50°    | 17165.2 | 9454.7 |
| 0.0    | 0.0  | 52.5°  | 17421.8 | 9439.5 |
| 0.0    | 0.0  | 55°    | 15903.5 | 8391.7 |
| 0.0    | 0.0  | 57.5°  | 13569.6 | 7013.9 |
| 0.0    | 0.0  | 60°    | 11278.5 | 5547.6 |
| 0.0    | 0.0  | 62.5°  | 8886.5  | 3830.8 |
| 0.0    | 0.0  | 65°    | 6494.6  | 2709.6 |
| 0.0    | 0.0  | 67.5°  | 4664.8  | 2025.4 |
|        |      | 70°    | 3067.1  | 1551.9 |
|        |      | 72.5°  | 1997.9  | 1264.7 |
|        |      | 75°    | 1344.1  | 1047.8 |
|        |      | 77.5°  | 785.1   | 696.5  |
|        |      | 80°    | 278.0   | 244.4  |
|        |      | 82.5°  | 51.9    | 36.7   |
|        |      | 85°    | 0.0     | 0.0    |
|        |      | 87.5°  | 0.0     | 0.0    |
|        |      | 90°    | 0.0     | 0.0    |
|        |      | 92.5°  | 0.0     | 0.0    |
|        |      | 95°    | 0.0     | 0.0    |
|        |      | 97.5°  | 0.0     | 0.0    |
|        |      | 100°   | 0.0     | 0.0    |
|        |      | 102.5° | 0.0     | 0.0    |
|        |      | 105°   | 0.0     | 0.0    |
|        |      | 107.5° | 0.0     | 0.0    |
|        |      | 110°   | 0.0     | 0.0    |



REPORT NUMBER: P1064843

CATALOG NUMBER: GLAN-SA9C-835-U-RBC

**CANDELA DISTRIBUTION (continued):**

|        | 357.5° | 360° |
|--------|--------|------|
| 112.5° | 0.0    | 0.0  |
| 115°   | 0.0    | 0.0  |
| 117.5° | 0.0    | 0.0  |
| 120°   | 0.0    | 0.0  |
| 122.5° | 0.0    | 0.0  |
| 125°   | 0.0    | 0.0  |
| 127.5° | 0.0    | 0.0  |
| 130°   | 0.0    | 0.0  |
| 132.5° | 0.0    | 0.0  |
| 135°   | 0.0    | 0.0  |
| 137.5° | 0.0    | 0.0  |
| 140°   | 0.0    | 0.0  |
| 142.5° | 0.0    | 0.0  |
| 145°   | 0.0    | 0.0  |
| 147.5° | 0.0    | 0.0  |
| 150°   | 0.0    | 0.0  |
| 152.5° | 0.0    | 0.0  |
| 155°   | 0.0    | 0.0  |
| 157.5° | 0.0    | 0.0  |
| 160°   | 0.0    | 0.0  |
| 162.5° | 0.0    | 0.0  |
| 165°   | 0.0    | 0.0  |
| 167.5° | 0.0    | 0.0  |
| 170°   | 0.0    | 0.0  |
| 172.5° | 0.0    | 0.0  |
| 175°   | 0.0    | 0.0  |
| 177.5° | 0.0    | 0.0  |
| 180°   | 0.0    | 0.0  |

LM-79-2019: Approved Method: Electrical and Photometric Measurements of Solid-State Lighting Products

Report Prepared for

Cooper Lighting Solutions

McGraw-Edison

Report Number: SP1-2407-184-10

Test Date: 10/11/2024

Luminaire Tested: GSS-SB1A-835-U-5WQ

Data in this report applies to families of products including GSS-SB1A-835-U-5WQ


### Test Information

Test Method: LM-79-2019  
 Report Number: SP1-2407-184-10  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1 - 76IN SPHERE  
 Measurement Geometry:  $4\pi$   
 Issue Date: 10/15/2024  
 Manufacturer: COOPER LIGHTING SOLUTIONS  
 Product Line: McGraw-Edison  
 Catalog Number: **GSS-SB1A-835-U-5WQ**  
 Description: GALLEON II SITE SLIM 1SQ 350MA 5WQ HIGH DENSITY LIGHTSQUARE WITH 80 CRI 3500K CCT 26 LEDS

### Spectral Parameters

CCT (K): 3411  
 CIE  $u'$ : 0.2360  
 CIE  $v'$ : 0.5189  
 Duv: 0.0044  
 CIE x: 0.4154  
 CIE y: 0.4059  
 CIE z: 0.1787  
 Peak Wavelength (nm): 601  
 Dominant Wavelength (nm): 579  
 Purity: 46.51914  
 R<sub>f</sub>: 86.6  
 R<sub>g</sub>: 95.9

CRI (Ra): 83.5  
 R1: 81.1  
 R2: 88.9  
 R3: 97.2  
 R4: 83.8  
 R5: 81.7  
 R6: 86.9  
 R7: 86.1  
 R8: 62.2  
 R9: 6.3  
 R10: 75.4  
 R11: 84.1  
 R12: 69.7  
 R13: 82.8  
 R14: 98.5  
 R15: 72.6



### Test Conditions


Stabilization Time: 35M  
 Operation Time: 1H 35M  
 Sphere Temperature (°C): 25.2

REPORT NUMBER: SP1-2407-184-10


| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 6/18/2024        | 12/18/2024           |
| Power Meter                    | INXT2011004           | 2/8/2024         | 2/8/2025             |
| AC Power Source                | IN0063                | 10/24/2023       | 10/24/2024           |
| DC Power Source                | IN0208                | 10/24/2023       | 10/24/2024           |
| Sphere Thermometer             | IN0085                | 10/24/2023       | 10/24/2024           |
| Room Thermometer               | IN0046                | 10/24/2023       | 10/24/2024           |

REPORT NUMBER: SP1-2407-184-10

**CIE 1931 Chromaticity Diagram**




**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



Point lies inside the ANSI 3500K 7-step quadrangle

REPORT NUMBER: SP1-2407-184-10

### Photopic Flux vs. Wavelength




### Photopic Lumens: NR

| $\lambda$<br>(nm) | Power<br>$\text{W}^\wedge/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^\wedge/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^\wedge/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^\wedge/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^\wedge/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) |
|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|
| 360               | 0                                    | NR                             | 490               | 311                                  | NR                             | 620               | 903                                  | NR                             | 750               | 26                                   | NR                             | 880               | 1                                    | NR                             |
| 365               | 0                                    | NR                             | 495               | 376                                  | NR                             | 625               | 851                                  | NR                             | 755               | 22                                   | NR                             | 885               | 1                                    | NR                             |
| 370               | 0                                    | NR                             | 500               | 438                                  | NR                             | 630               | 797                                  | NR                             | 760               | 19                                   | NR                             | 890               | 0                                    | NR                             |
| 375               | 0                                    | NR                             | 505               | 491                                  | NR                             | 635               | 735                                  | NR                             | 765               | 16                                   | NR                             | 895               | 0                                    | NR                             |
| 380               | 0                                    | NR                             | 510               | 533                                  | NR                             | 640               | 672                                  | NR                             | 770               | 14                                   | NR                             | 900               | 0                                    | NR                             |
| 385               | 0                                    | NR                             | 515               | 566                                  | NR                             | 645               | 607                                  | NR                             | 775               | 12                                   | NR                             | 905               | 0                                    | NR                             |
| 390               | 0                                    | NR                             | 520               | 592                                  | NR                             | 650               | 546                                  | NR                             | 780               | 10                                   | NR                             | 910               | 0                                    | NR                             |
| 395               | 1                                    | NR                             | 525               | 608                                  | NR                             | 655               | 487                                  | NR                             | 785               | 9                                    | NR                             | 915               | 0                                    | NR                             |
| 400               | 3                                    | NR                             | 530               | 625                                  | NR                             | 660               | 429                                  | NR                             | 790               | 7                                    | NR                             | 920               | 0                                    | NR                             |
| 405               | 6                                    | NR                             | 535               | 642                                  | NR                             | 665               | 378                                  | NR                             | 795               | 6                                    | NR                             | 925               | 0                                    | NR                             |
| 410               | 12                                   | NR                             | 540               | 657                                  | NR                             | 670               | 329                                  | NR                             | 800               | 5                                    | NR                             | 930               | 0                                    | NR                             |
| 415               | 22                                   | NR                             | 545               | 677                                  | NR                             | 675               | 286                                  | NR                             | 805               | 5                                    | NR                             | 935               | 0                                    | NR                             |
| 420               | 43                                   | NR                             | 550               | 701                                  | NR                             | 680               | 248                                  | NR                             | 810               | 4                                    | NR                             | 940               | 0                                    | NR                             |
| 425               | 80                                   | NR                             | 555               | 728                                  | NR                             | 685               | 213                                  | NR                             | 815               | 3                                    | NR                             | 945               | 0                                    | NR                             |
| 430               | 140                                  | NR                             | 560               | 757                                  | NR                             | 690               | 184                                  | NR                             | 820               | 3                                    | NR                             | 950               | 0                                    | NR                             |
| 435               | 243                                  | NR                             | 565               | 793                                  | NR                             | 695               | 156                                  | NR                             | 825               | 3                                    | NR                             | 955               | 0                                    | NR                             |
| 440               | 412                                  | NR                             | 570               | 831                                  | NR                             | 700               | 134                                  | NR                             | 830               | 2                                    | NR                             | 960               | 0                                    | NR                             |
| 445               | 610                                  | NR                             | 575               | 872                                  | NR                             | 705               | 114                                  | NR                             | 835               | 2                                    | NR                             | 965               | 0                                    | NR                             |
| 450               | 597                                  | NR                             | 580               | 911                                  | NR                             | 710               | 97                                   | NR                             | 840               | 2                                    | NR                             | 970               | 0                                    | NR                             |
| 455               | 412                                  | NR                             | 585               | 944                                  | NR                             | 715               | 83                                   | NR                             | 845               | 1                                    | NR                             | 975               | 0                                    | NR                             |
| 460               | 330                                  | NR                             | 590               | 974                                  | NR                             | 720               | 70                                   | NR                             | 850               | 1                                    | NR                             | 980               | 0                                    | NR                             |
| 465               | 274                                  | NR                             | 595               | 992                                  | NR                             | 725               | 60                                   | NR                             | 855               | 1                                    | NR                             | 985               | 0                                    | NR                             |
| 470               | 211                                  | NR                             | 600               | 999                                  | NR                             | 730               | 51                                   | NR                             | 860               | 1                                    | NR                             | 990               | 0                                    | NR                             |
| 475               | 200                                  | NR                             | 605               | 992                                  | NR                             | 735               | 43                                   | NR                             | 865               | 1                                    | NR                             | 995               | 0                                    | NR                             |
| 480               | 220                                  | NR                             | 610               | 975                                  | NR                             | 740               | 36                                   | NR                             | 870               | 1                                    | NR                             | 1000              | 0                                    | NR                             |
| 485               | 255                                  | NR                             | 615               | 944                                  | NR                             | 745               | 31                                   | NR                             | 875               | 1                                    | NR                             |                   |                                      |                                |

REPORT NUMBER: SP1-2407-184-10

### Scotopic Flux vs. Wavelength



Scotopic Lumens: NR


S/P: 1.48

| $\lambda$<br>(nm) | Power<br>$\text{W}^\wedge/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^\wedge/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^\wedge/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^\wedge/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>$\text{W}^\wedge/\text{nm}$ | Lumens<br>( $\phi/\text{nm}$ ) |
|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|
| 360               | 0                                    | NR                             | 490               | 311                                  | NR                             | 620               | 903                                  | NR                             | 750               | 26                                   | NR                             | 880               | 1                                    | NR                             |
| 365               | 0                                    | NR                             | 495               | 376                                  | NR                             | 625               | 851                                  | NR                             | 755               | 22                                   | NR                             | 885               | 1                                    | NR                             |
| 370               | 0                                    | NR                             | 500               | 438                                  | NR                             | 630               | 797                                  | NR                             | 760               | 19                                   | NR                             | 890               | 0                                    | NR                             |
| 375               | 0                                    | NR                             | 505               | 491                                  | NR                             | 635               | 735                                  | NR                             | 765               | 16                                   | NR                             | 895               | 0                                    | NR                             |
| 380               | 0                                    | NR                             | 510               | 533                                  | NR                             | 640               | 672                                  | NR                             | 770               | 14                                   | NR                             | 900               | 0                                    | NR                             |
| 385               | 0                                    | NR                             | 515               | 566                                  | NR                             | 645               | 607                                  | NR                             | 775               | 12                                   | NR                             | 905               | 0                                    | NR                             |
| 390               | 0                                    | NR                             | 520               | 592                                  | NR                             | 650               | 546                                  | NR                             | 780               | 10                                   | NR                             | 910               | 0                                    | NR                             |
| 395               | 1                                    | NR                             | 525               | 608                                  | NR                             | 655               | 487                                  | NR                             | 785               | 9                                    | NR                             | 915               | 0                                    | NR                             |
| 400               | 3                                    | NR                             | 530               | 625                                  | NR                             | 660               | 429                                  | NR                             | 790               | 7                                    | NR                             | 920               | 0                                    | NR                             |
| 405               | 6                                    | NR                             | 535               | 642                                  | NR                             | 665               | 378                                  | NR                             | 795               | 6                                    | NR                             | 925               | 0                                    | NR                             |
| 410               | 12                                   | NR                             | 540               | 657                                  | NR                             | 670               | 329                                  | NR                             | 800               | 5                                    | NR                             | 930               | 0                                    | NR                             |
| 415               | 22                                   | NR                             | 545               | 677                                  | NR                             | 675               | 286                                  | NR                             | 805               | 5                                    | NR                             | 935               | 0                                    | NR                             |
| 420               | 43                                   | NR                             | 550               | 701                                  | NR                             | 680               | 248                                  | NR                             | 810               | 4                                    | NR                             | 940               | 0                                    | NR                             |
| 425               | 80                                   | NR                             | 555               | 728                                  | NR                             | 685               | 213                                  | NR                             | 815               | 3                                    | NR                             | 945               | 0                                    | NR                             |
| 430               | 140                                  | NR                             | 560               | 757                                  | NR                             | 690               | 184                                  | NR                             | 820               | 3                                    | NR                             | 950               | 0                                    | NR                             |
| 435               | 243                                  | NR                             | 565               | 793                                  | NR                             | 695               | 156                                  | NR                             | 825               | 3                                    | NR                             | 955               | 0                                    | NR                             |
| 440               | 412                                  | NR                             | 570               | 831                                  | NR                             | 700               | 134                                  | NR                             | 830               | 2                                    | NR                             | 960               | 0                                    | NR                             |
| 445               | 610                                  | NR                             | 575               | 872                                  | NR                             | 705               | 114                                  | NR                             | 835               | 2                                    | NR                             | 965               | 0                                    | NR                             |
| 450               | 597                                  | NR                             | 580               | 911                                  | NR                             | 710               | 97                                   | NR                             | 840               | 2                                    | NR                             | 970               | 0                                    | NR                             |
| 455               | 412                                  | NR                             | 585               | 944                                  | NR                             | 715               | 83                                   | NR                             | 845               | 1                                    | NR                             | 975               | 0                                    | NR                             |
| 460               | 330                                  | NR                             | 590               | 974                                  | NR                             | 720               | 70                                   | NR                             | 850               | 1                                    | NR                             | 980               | 0                                    | NR                             |
| 465               | 274                                  | NR                             | 595               | 992                                  | NR                             | 725               | 60                                   | NR                             | 855               | 1                                    | NR                             | 985               | 0                                    | NR                             |
| 470               | 211                                  | NR                             | 600               | 999                                  | NR                             | 730               | 51                                   | NR                             | 860               | 1                                    | NR                             | 990               | 0                                    | NR                             |
| 475               | 200                                  | NR                             | 605               | 992                                  | NR                             | 735               | 43                                   | NR                             | 865               | 1                                    | NR                             | 995               | 0                                    | NR                             |
| 480               | 220                                  | NR                             | 610               | 975                                  | NR                             | 740               | 36                                   | NR                             | 870               | 1                                    | NR                             | 1000              | 0                                    | NR                             |
| 485               | 255                                  | NR                             | 615               | 944                                  | NR                             | 745               | 31                                   | NR                             | 875               | 1                                    | NR                             |                   |                                      |                                |



REPORT NUMBER: SP1-2407-184-10

### Melanopic Flux vs. Wavelength



Melanopic Lumens: NR

M/P: 2.88


| λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) | λ (nm) | Power W <sup>^</sup> /nm | Lumens (φ/nm) |
|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|--------|--------------------------|---------------|
| 360    | 0                        | NR            | 490    | 311                      | NR            | 620    | 903                      | NR            | 750    | 26                       | NR            | 880    | 1                        | NR            |
| 365    | 0                        | NR            | 495    | 376                      | NR            | 625    | 851                      | NR            | 755    | 22                       | NR            | 885    | 1                        | NR            |
| 370    | 0                        | NR            | 500    | 438                      | NR            | 630    | 797                      | NR            | 760    | 19                       | NR            | 890    | 0                        | NR            |
| 375    | 0                        | NR            | 505    | 491                      | NR            | 635    | 735                      | NR            | 765    | 16                       | NR            | 895    | 0                        | NR            |
| 380    | 0                        | NR            | 510    | 533                      | NR            | 640    | 672                      | NR            | 770    | 14                       | NR            | 900    | 0                        | NR            |
| 385    | 0                        | NR            | 515    | 566                      | NR            | 645    | 607                      | NR            | 775    | 12                       | NR            | 905    | 0                        | NR            |
| 390    | 0                        | NR            | 520    | 592                      | NR            | 650    | 546                      | NR            | 780    | 10                       | NR            | 910    | 0                        | NR            |
| 395    | 1                        | NR            | 525    | 608                      | NR            | 655    | 487                      | NR            | 785    | 9                        | NR            | 915    | 0                        | NR            |
| 400    | 3                        | NR            | 530    | 625                      | NR            | 660    | 429                      | NR            | 790    | 7                        | NR            | 920    | 0                        | NR            |
| 405    | 6                        | NR            | 535    | 642                      | NR            | 665    | 378                      | NR            | 795    | 6                        | NR            | 925    | 0                        | NR            |
| 410    | 12                       | NR            | 540    | 657                      | NR            | 670    | 329                      | NR            | 800    | 5                        | NR            | 930    | 0                        | NR            |
| 415    | 22                       | NR            | 545    | 677                      | NR            | 675    | 286                      | NR            | 805    | 5                        | NR            | 935    | 0                        | NR            |
| 420    | 43                       | NR            | 550    | 701                      | NR            | 680    | 248                      | NR            | 810    | 4                        | NR            | 940    | 0                        | NR            |
| 425    | 80                       | NR            | 555    | 728                      | NR            | 685    | 213                      | NR            | 815    | 3                        | NR            | 945    | 0                        | NR            |
| 430    | 140                      | NR            | 560    | 757                      | NR            | 690    | 184                      | NR            | 820    | 3                        | NR            | 950    | 0                        | NR            |
| 435    | 243                      | NR            | 565    | 793                      | NR            | 695    | 156                      | NR            | 825    | 3                        | NR            | 955    | 0                        | NR            |
| 440    | 412                      | NR            | 570    | 831                      | NR            | 700    | 134                      | NR            | 830    | 2                        | NR            | 960    | 0                        | NR            |
| 445    | 610                      | NR            | 575    | 872                      | NR            | 705    | 114                      | NR            | 835    | 2                        | NR            | 965    | 0                        | NR            |
| 450    | 597                      | NR            | 580    | 911                      | NR            | 710    | 97                       | NR            | 840    | 2                        | NR            | 970    | 0                        | NR            |
| 455    | 412                      | NR            | 585    | 944                      | NR            | 715    | 83                       | NR            | 845    | 1                        | NR            | 975    | 0                        | NR            |
| 460    | 330                      | NR            | 590    | 974                      | NR            | 720    | 70                       | NR            | 850    | 1                        | NR            | 980    | 0                        | NR            |
| 465    | 274                      | NR            | 595    | 992                      | NR            | 725    | 60                       | NR            | 855    | 1                        | NR            | 985    | 0                        | NR            |
| 470    | 211                      | NR            | 600    | 999                      | NR            | 730    | 51                       | NR            | 860    | 1                        | NR            | 990    | 0                        | NR            |
| 475    | 200                      | NR            | 605    | 992                      | NR            | 735    | 43                       | NR            | 865    | 1                        | NR            | 995    | 0                        | NR            |
| 480    | 220                      | NR            | 610    | 975                      | NR            | 740    | 36                       | NR            | 870    | 1                        | NR            | 1000   | 0                        | NR            |
| 485    | 255                      | NR            | 615    | 944                      | NR            | 745    | 31                       | NR            | 875    | 1                        | NR            |        |                          |               |

REPORT NUMBER: SP1-2407-184-10





TM-30-18

### Summary

$R_f = 86.6$   
 $R_g = 95.9$   
 $\text{CIE } R_a = 83.5$   
 $R_9 = 6.3$







### Color Vector Graphics





Individual Sample Fidelity Index ( $R_{f,i}$ )

|            |             |            |            |
|------------|-------------|------------|------------|
| CES01 = 86 | CES26 = 85  | CES51 = 97 | CES76 = 81 |
| CES02 = 62 | CES27 = 95  | CES52 = 96 | CES77 = 87 |
| CES03 = 31 | CES28 = 94  | CES53 = 91 | CES78 = 80 |
| CES04 = 70 | CES29 = 87  | CES54 = 92 | CES79 = 93 |
| CES05 = 49 | CES30 = 93  | CES55 = 92 | CES80 = 91 |
| CES06 = 51 | CES31 = 89  | CES56 = 88 | CES81 = 77 |
| CES07 = 41 | CES32 = 84  | CES57 = 87 | CES82 = 96 |
| CES08 = 40 | CES33 = 91  | CES58 = 88 | CES83 = 95 |
| CES09 = 29 | CES34 = 91  | CES59 = 93 | CES84 = 92 |
| CES10 = 75 | CES35 = 95  | CES60 = 94 | CES85 = 80 |
| CES11 = 58 | CES36 = 90  | CES61 = 91 | CES86 = 72 |
| CES12 = 64 | CES37 = 95  | CES62 = 95 | CES87 = 86 |
| CES13 = 43 | CES38 = 100 | CES63 = 88 | CES88 = 88 |
| CES14 = 74 | CES39 = 97  | CES64 = 85 | CES89 = 77 |
| CES15 = 71 | CES40 = 94  | CES65 = 80 | CES90 = 88 |
| CES16 = 47 | CES41 = 97  | CES66 = 84 | CES91 = 81 |
| CES17 = 49 | CES42 = 96  | CES67 = 82 | CES92 = 67 |
| CES18 = 56 | CES43 = 93  | CES68 = 85 | CES93 = 81 |
| CES19 = 72 | CES44 = 99  | CES69 = 89 | CES94 = 63 |
| CES20 = 66 | CES45 = 95  | CES70 = 81 | CES95 = 76 |
| CES21 = 86 | CES46 = 91  | CES71 = 79 | CES96 = 84 |
| CES22 = 78 | CES47 = 93  | CES72 = 93 | CES97 = 92 |
| CES23 = 91 | CES48 = 85  | CES73 = 76 | CES98 = 86 |
| CES24 = 90 | CES49 = 92  | CES74 = 95 | CES99 = 77 |
| CES25 = 72 | CES50 = 96  | CES75 = 80 |            |



**Color Rendition by Hue-Angle Bin**


**Measure Comparisons**


(END OF REPORT)