

Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: STREETWORKS

Report Number: P948515

Luminaire Tested: **GLAN-SB3C-750-U-SLL**

Issue Date: 1/21/2025

**Test Information**

Test Method: LM-79-08  
Report Number: P948515  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-2411-289-8)  
Test Lab: INNOVATION CENTER  
Issue Date: 1/21/2025  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: STREETWORKS  
Catalog Number: GLAN-SB3C-750-U-SLL  
Description: GALLEON AREA AND ROADWAY HIGH DENSITY LED LUMINAIRE  
(3) 70 CRI, 5000K, 615mA LIGHTSQUARES WITH 26 LEDS EACH AND SPILL LIGHT  
ELIMINATOR LEFT OPTICS  
Light Source: -  
Ballast/Driver: -

**Summary**

Lumens per Lamp: N/A  
Luminaire Lumens: 23687 lumens  
Efficiency: N/A  
Efficacy: 158.9 lumens/watt  
Luminous Opening: Rectangular (W 1' x L: 1' x H: 0')  
IES Classification: Type IV - Short  
BUG Rating: B3 - U0 - G5

Input Watts (W): 149.1  
Input Voltage (V): NR  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 24 FT




REPORT NUMBER: P948515

CATALOG NUMBER: GLAN-SB3C-750-U-SLL

## Iso-Footcandle Lines of Horizontal Illumination

× Max cd

--- 1/2 Max cd




Based on 25 foot mounting height. Maximum calculated value = 7.2 fc

Type IV - Short - N/A

REPORT NUMBER: P948515  
CATALOG NUMBER: GLAN-SB3C-750-U-SLL

## Luminous Intensity Polar Plot



REPORT NUMBER: P948515

CATALOG NUMBER: GLAN-SB3C-750-U-SLL

**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total   |
|--------------------|-----------|----------|--------|---------|
| <b>House Side</b>  | Lumens    | 6020.0   | 0.0    | 6020.0  |
|                    | % Fixture | 25.4     | 0.0    | 25.4    |
| <b>Street Side</b> | Lumens    | 17667.0  | 0.0    | 17667.0 |
|                    | % Fixture | 74.6     | 0.0    | 74.6    |
| <b>Total</b>       | Lumens    | 23687.0  | 0.0    | 23687.0 |
|                    | % Fixture | 100.0    | 0.0    | 100.0   |

**ZONAL LUMENS:**

| Zone      | Lumens  | % Fixture |
|-----------|---------|-----------|
| 0°-10°    | 323.1   | 1.4       |
| 10°-20°   | 1014.3  | 4.3       |
| 20°-30°   | 1566.7  | 6.6       |
| 30°-40°   | 1985.5  | 8.4       |
| 40°-50°   | 2994.6  | 12.6      |
| 50°-60°   | 4838.2  | 20.4      |
| 60°-70°   | 6031.6  | 25.5      |
| 70°-80°   | 3955.2  | 16.7      |
| 80°-90°   | 977.8   | 4.1       |
| 90°-100°  | 0.0     | 0.0       |
| 100°-110° | 0.0     | 0.0       |
| 110°-120° | 0.0     | 0.0       |
| 120°-130° | 0.0     | 0.0       |
| 130°-140° | 0.0     | 0.0       |
| 140°-150° | 0.0     | 0.0       |
| 150°-160° | 0.0     | 0.0       |
| 160°-170° | 0.0     | 0.0       |
| 170°-180° | 0.0     | 0.0       |
| 0°-90°    | 23687.0 | 100.0     |
| 0°-180°   | 23687.0 | 100.0     |

**Coefficient of Utilization**



REPORT NUMBER: P948515


CATALOG NUMBER: GLAN-SB3C-750-U-SLL

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens | % Fixture | Zone Rating/Lumen Limit |      |          |
|------|-------------|--------|-----------|-------------------------|------|----------|
|      |             |        |           | B                       | U    | G        |
| FL   | (0°-30°)    | 1593.2 | 6.7       |                         |      |          |
| FM   | (30°-60°)   | 6909.0 | 29.2      |                         |      |          |
| FH   | (60°-80°)   | 8359.2 | 35.3      |                         |      | G4/12000 |
| FVH  | (80°-90°)   | 805.5  | 3.4       |                         |      | G5       |
| BL   | (0°-30°)    | 1310.9 | 5.5       | B3/2500                 |      |          |
| BM   | (30°-60°)   | 2909.3 | 12.3      | B3/5000                 |      |          |
| BH   | (60°-80°)   | 1627.5 | 6.9       | B3/2500                 |      | G3/2500  |
| BVH  | (80°-90°)   | 172.3  | 0.7       |                         |      | G2/225   |
| UL   | (90°-100°)  | 0.0    | 0.0       |                         | U0/0 |          |
| UH   | (100°-180°) | 0.0    | 0.0       |                         | U0/0 |          |

**BUG Rating: B3-U0-G5**

Type IV Short



REPORT NUMBER: P948515

CATALOG NUMBER: GLAN-SB3C-750-U-SLL

**CANDELA DISTRIBUTION (FULL):**

|       | 0°      | 5°      | 10°     | 15°     | 20°     | 25°     | 30°     | 35°     | 40°     | 45°     |
|-------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0°    | 3257.2  | 3257.2  | 3257.2  | 3257.2  | 3257.2  | 3257.2  | 3257.2  | 3257.2  | 3257.2  | 3257.2  |
| 2.5°  | 3502.8  | 3516.0  | 3529.4  | 3548.3  | 3567.1  | 3578.4  | 3589.6  | 3595.3  | 3600.9  | 3598.4  |
| 5°    | 3766.5  | 3812.9  | 3859.4  | 3905.4  | 3951.5  | 3976.5  | 4001.5  | 4016.6  | 4031.8  | 4043.3  |
| 7.5°  | 4031.5  | 4107.0  | 4182.3  | 4250.2  | 4318.1  | 4358.9  | 4399.8  | 4421.9  | 4443.9  | 4454.5  |
| 10°   | 4234.6  | 4323.8  | 4413.0  | 4492.7  | 4572.3  | 4620.5  | 4668.5  | 4690.0  | 4711.4  | 4719.5  |
| 12.5° | 4358.9  | 4455.7  | 4552.3  | 4624.3  | 4696.0  | 4731.0  | 4766.0  | 4777.8  | 4789.5  | 4790.8  |
| 15°   | 4434.5  | 4518.0  | 4601.4  | 4646.5  | 4691.8  | 4693.0  | 4694.3  | 4681.8  | 4669.3  | 4654.5  |
| 17.5° | 4477.0  | 4533.4  | 4589.8  | 4590.7  | 4591.4  | 4540.8  | 4490.2  | 4443.8  | 4397.3  | 4364.6  |
| 20°   | 4523.9  | 4543.5  | 4563.3  | 4503.9  | 4444.5  | 4332.8  | 4221.1  | 4139.7  | 4058.3  | 4008.3  |
| 22.5° | 4578.3  | 4552.5  | 4526.8  | 4403.8  | 4280.8  | 4116.5  | 3952.1  | 3850.4  | 3748.6  | 3693.4  |
| 25°   | 4648.3  | 4567.0  | 4485.8  | 4299.1  | 4112.3  | 3912.7  | 3713.1  | 3606.1  | 3499.4  | 3447.1  |
| 27.5° | 4743.3  | 4598.0  | 4452.7  | 4205.3  | 3958.1  | 3736.9  | 3515.6  | 3410.4  | 3305.3  | 3255.9  |
| 30°   | 4871.4  | 4654.8  | 4438.3  | 4133.8  | 3829.4  | 3598.9  | 3368.4  | 3270.8  | 3173.2  | 3127.2  |
| 32.5° | 5022.6  | 4726.0  | 4429.5  | 4085.1  | 3740.6  | 3524.0  | 3307.4  | 3230.8  | 3154.1  | 3120.9  |
| 35°   | 5206.3  | 4843.4  | 4480.5  | 4121.6  | 3762.7  | 3612.3  | 3461.9  | 3444.0  | 3426.1  | 3423.4  |
| 37.5° | 5515.7  | 5088.7  | 4661.8  | 4335.6  | 4009.3  | 3999.6  | 3989.8  | 4071.6  | 4153.3  | 4195.8  |
| 40°   | 5983.1  | 5518.8  | 5054.5  | 4811.9  | 4569.3  | 4740.5  | 4911.7  | 5110.5  | 5309.2  | 5408.2  |
| 42.5° | 6603.1  | 6142.4  | 5681.7  | 5541.9  | 5402.2  | 5775.7  | 6149.1  | 6510.6  | 6872.0  | 7084.3  |
| 45°   | 7368.6  | 6954.8  | 6540.8  | 6479.2  | 6417.5  | 7015.8  | 7614.2  | 8208.2  | 8802.2  | 9162.8  |
| 47.5° | 8326.0  | 7923.4  | 7520.7  | 7508.2  | 7495.7  | 8358.9  | 9221.8  | 10091.3 | 10960.8 | 11471.3 |
| 50°   | 9580.9  | 9083.6  | 8586.4  | 8588.5  | 8590.6  | 9703.0  | 10815.4 | 11963.2 | 13110.9 | 13804.8 |
| 52.5° | 11021.4 | 10419.2 | 9817.1  | 9756.3  | 9695.3  | 11024.0 | 12352.7 | 13772.8 | 15192.8 | 16024.6 |
| 55°   | 12555.0 | 11960.0 | 11365.1 | 11127.7 | 10890.4 | 12369.2 | 13848.0 | 15540.9 | 17233.9 | 18223.1 |
| 57.5° | 13949.8 | 13625.9 | 13301.8 | 12825.7 | 12349.7 | 13843.0 | 15336.2 | 17253.7 | 19171.2 | 20397.9 |
| 60°   | 14792.9 | 15296.1 | 15799.4 | 15208.2 | 14617.0 | 16030.1 | 17443.2 | 19496.3 | 21549.3 | 22875.2 |
| 62.5° | 14364.8 | 15739.8 | 17114.7 | 17048.1 | 16981.4 | 18275.9 | 19570.5 | 21523.8 | 23477.0 | 24702.5 |
| 65°   | 13508.0 | 14798.5 | 16089.0 | 16344.3 | 16599.6 | 18244.6 | 19889.8 | 21783.9 | 23677.8 | 24721.2 |
| 67.5° | 12360.0 | 13587.4 | 14814.7 | 14934.5 | 15054.1 | 16768.2 | 18482.1 | 20384.3 | 22286.5 | 23103.9 |
| 70°   | 10980.8 | 12315.7 | 13650.9 | 13704.3 | 13758.0 | 15290.8 | 16823.5 | 18460.5 | 20097.3 | 20551.6 |
| 72.5° | 9337.2  | 10869.1 | 12401.2 | 12439.7 | 12478.1 | 13677.3 | 14876.6 | 16102.6 | 17328.5 | 17374.5 |
| 75°   | 7258.0  | 8843.6  | 10429.2 | 10571.5 | 10713.9 | 11646.9 | 12580.0 | 13443.0 | 14306.0 | 14074.8 |
| 77.5° | 5185.7  | 6665.8  | 8146.0  | 8349.8  | 8553.5  | 9262.8  | 9972.1  | 10584.2 | 11196.4 | 10798.9 |
| 80°   | 3394.0  | 4639.3  | 5884.4  | 6137.6  | 6390.8  | 6926.5  | 7462.0  | 7783.5  | 8104.8  | 7465.5  |
| 82.5° | 1972.9  | 2824.2  | 3675.6  | 3958.5  | 4241.4  | 4610.2  | 4978.9  | 5113.0  | 5247.0  | 4744.5  |
| 85°   | 868.0   | 1319.9  | 1771.7  | 2012.3  | 2252.9  | 2555.9  | 2858.7  | 2934.8  | 3010.9  | 2608.5  |
| 87.5° | 268.7   | 420.6   | 572.4   | 706.7   | 840.9   | 992.4   | 1143.9  | 1150.4  | 1156.8  | 971.2   |
| 90°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |

REPORT NUMBER: P948515

CATALOG NUMBER: GLAN-SB3C-750-U-SLL

**CANDELA DISTRIBUTION (continued):**

| 50°     |       | 55°     | 60°     | 65°     | 70°     | 75°     | 80°     | 85°     | 90°     | 95°     | 100°   |
|---------|-------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|
| 3257.2  | 0°    | 3257.2  | 3257.2  | 3257.2  | 3257.2  | 3257.2  | 3257.2  | 3257.2  | 3257.2  | 3257.2  | 3257.2 |
| 3600.9  | 2.5°  | 3595.3  | 3589.6  | 3578.4  | 3567.1  | 3548.3  | 3529.4  | 3516.0  | 3502.8  | 3475.9  | 3449.0 |
| 4031.8  | 5°    | 4016.6  | 4001.5  | 3976.5  | 3951.5  | 3905.4  | 3859.4  | 3812.9  | 3766.5  | 3707.1  | 3647.8 |
| 4443.9  | 7.5°  | 4421.9  | 4399.8  | 4358.9  | 4318.1  | 4250.2  | 4182.3  | 4107.0  | 4031.5  | 3933.5  | 3835.6 |
| 4711.4  | 10°   | 4690.0  | 4668.5  | 4620.5  | 4572.3  | 4492.7  | 4413.0  | 4323.8  | 4234.6  | 4110.7  | 3986.8 |
| 4789.5  | 12.5° | 4777.8  | 4766.0  | 4731.0  | 4696.0  | 4624.3  | 4552.3  | 4455.7  | 4358.9  | 4222.8  | 4086.8 |
| 4669.3  | 15°   | 4681.8  | 4694.3  | 4693.0  | 4691.8  | 4646.5  | 4601.4  | 4518.0  | 4434.5  | 4292.7  | 4150.8 |
| 4397.3  | 17.5° | 4443.8  | 4490.2  | 4540.8  | 4591.4  | 4590.7  | 4589.8  | 4533.4  | 4477.0  | 4333.2  | 4189.3 |
| 4058.3  | 20°   | 4139.7  | 4221.1  | 4332.8  | 4444.5  | 4503.9  | 4563.3  | 4543.5  | 4523.9  | 4374.4  | 4224.8 |
| 3748.6  | 22.5° | 3850.4  | 3952.1  | 4116.5  | 4280.8  | 4403.8  | 4526.8  | 4552.5  | 4578.3  | 4425.5  | 4272.7 |
| 3499.4  | 25°   | 3606.1  | 3713.1  | 3912.7  | 4112.3  | 4299.1  | 4485.8  | 4567.0  | 4648.3  | 4498.5  | 4348.9 |
| 3305.3  | 27.5° | 3410.4  | 3515.6  | 3736.9  | 3958.1  | 4205.3  | 4452.7  | 4598.0  | 4743.3  | 4600.5  | 4457.7 |
| 3173.2  | 30°   | 3270.8  | 3368.4  | 3598.9  | 3829.4  | 4133.8  | 4438.3  | 4654.8  | 4871.4  | 4733.4  | 4595.5 |
| 3154.1  | 32.5° | 3230.8  | 3307.4  | 3524.0  | 3740.6  | 4085.1  | 4429.5  | 4726.0  | 5022.6  | 4886.0  | 4749.5 |
| 3426.1  | 35°   | 3444.0  | 3461.9  | 3612.3  | 3762.7  | 4121.6  | 4480.5  | 4843.4  | 5206.3  | 5075.6  | 4944.7 |
| 4153.3  | 37.5° | 4071.6  | 3989.8  | 3999.6  | 4009.3  | 4335.6  | 4661.8  | 5088.7  | 5515.7  | 5349.0  | 5182.2 |
| 5309.2  | 40°   | 5110.5  | 4911.7  | 4740.5  | 4569.3  | 4811.9  | 5054.5  | 5518.8  | 5983.1  | 5740.2  | 5497.2 |
| 6872.0  | 42.5° | 6510.6  | 6149.1  | 5775.7  | 5402.2  | 5541.9  | 5681.7  | 6142.4  | 6603.1  | 6252.4  | 5901.6 |
| 8802.2  | 45°   | 8208.2  | 7614.2  | 7015.8  | 6417.5  | 6479.2  | 6540.8  | 6954.8  | 7368.6  | 6895.5  | 6422.5 |
| 10960.8 | 47.5° | 10091.3 | 9221.8  | 8358.9  | 7495.7  | 7508.2  | 7520.7  | 7923.4  | 8326.0  | 7660.2  | 6994.3 |
| 13110.9 | 50°   | 11963.2 | 10815.4 | 9703.0  | 8590.6  | 8588.5  | 8586.4  | 9083.6  | 9580.9  | 8577.1  | 7573.2 |
| 15192.8 | 52.5° | 13772.8 | 12352.7 | 11024.0 | 9695.3  | 9756.3  | 9817.1  | 10419.2 | 11021.4 | 9540.3  | 8059.2 |
| 17233.9 | 55°   | 15540.9 | 13848.0 | 12369.2 | 10890.4 | 11127.7 | 11365.1 | 11960.0 | 12555.0 | 10394.2 | 8233.5 |
| 19171.2 | 57.5° | 17253.7 | 15336.2 | 13843.0 | 12349.7 | 12825.7 | 13301.8 | 13625.9 | 13949.8 | 10999.4 | 8048.9 |
| 21549.3 | 60°   | 19496.3 | 17443.2 | 16030.1 | 14617.0 | 15208.2 | 15799.4 | 15296.1 | 14792.9 | 11150.6 | 7508.2 |
| 23477.0 | 62.5° | 21523.8 | 19570.5 | 18275.9 | 16981.4 | 17048.1 | 17114.7 | 15739.8 | 14364.8 | 10513.8 | 6662.8 |
| 23677.8 | 65°   | 21783.9 | 19889.8 | 18244.6 | 16599.6 | 16344.3 | 16089.0 | 14798.5 | 13508.0 | 9612.8  | 5717.5 |
| 22286.5 | 67.5° | 20384.3 | 18482.1 | 16768.2 | 15054.1 | 14934.5 | 14814.7 | 13587.4 | 12360.0 | 8540.5  | 4721.0 |
| 20097.3 | 70°   | 18460.5 | 16823.5 | 15290.8 | 13758.0 | 13704.3 | 13650.9 | 12315.7 | 10980.8 | 7370.5  | 3760.2 |
| 17328.5 | 72.5° | 16102.6 | 14876.6 | 13677.3 | 12478.1 | 12439.7 | 12401.2 | 10869.1 | 9337.2  | 6102.1  | 2867.2 |
| 14306.0 | 75°   | 13443.0 | 12580.0 | 11646.9 | 10713.9 | 10571.5 | 10429.2 | 8843.6  | 7258.0  | 4648.1  | 2038.3 |
| 11196.4 | 77.5° | 10584.2 | 9972.1  | 9262.8  | 8553.5  | 8349.8  | 8146.0  | 6665.8  | 5185.7  | 3253.3  | 1320.9 |
| 8104.8  | 80°   | 7783.5  | 7462.0  | 6926.5  | 6390.8  | 6137.6  | 5884.4  | 4639.3  | 3394.0  | 2096.0  | 798.0  |
| 5247.0  | 82.5° | 5113.0  | 4978.9  | 4610.2  | 4241.4  | 3958.5  | 3675.6  | 2824.2  | 1972.9  | 1213.1  | 453.5  |
| 3010.9  | 85°   | 2934.8  | 2858.7  | 2555.9  | 2252.9  | 2012.3  | 1771.7  | 1319.9  | 868.0   | 545.7   | 223.5  |
| 1156.8  | 87.5° | 1150.4  | 1143.9  | 992.4   | 840.9   | 706.7   | 572.4   | 420.6   | 268.7   | 178.7   | 88.7   |
| 0.0     | 90°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0    |

REPORT NUMBER: P948515

CATALOG NUMBER: GLAN-SB3C-750-U-SLL

**CANDELA DISTRIBUTION (continued):**

| 105°   |       | 110°   | 115°   | 120°   | 125°   | 130°   | 135°   | 140°   | 145°   | 150°   | 155°   |
|--------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 3257.2 | 0°    | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 |
| 3420.4 | 2.5°  | 3391.9 | 3363.2 | 3334.4 | 3306.9 | 3279.4 | 3252.8 | 3223.2 | 3199.2 | 3175.3 | 3153.7 |
| 3588.5 | 5°    | 3529.4 | 3469.8 | 3410.3 | 3354.7 | 3299.0 | 3246.5 | 3194.7 | 3149.4 | 3104.1 | 3066.1 |
| 3745.1 | 7.5°  | 3654.6 | 3566.5 | 3478.4 | 3400.8 | 3323.2 | 3251.5 | 3184.4 | 3124.2 | 3064.1 | 3014.1 |
| 3867.2 | 10°   | 3747.7 | 3640.8 | 3533.6 | 3441.9 | 3349.9 | 3261.5 | 3189.4 | 3125.9 | 3062.4 | 3012.4 |
| 3951.3 | 12.5° | 3815.9 | 3689.6 | 3563.4 | 3459.5 | 3355.7 | 3262.8 | 3195.7 | 3143.7 | 3091.9 | 3058.7 |
| 4003.8 | 15°   | 3856.9 | 3711.5 | 3566.1 | 3445.9 | 3325.7 | 3222.8 | 3169.1 | 3144.2 | 3119.4 | 3123.9 |
| 4029.0 | 17.5° | 3868.6 | 3699.9 | 3531.1 | 3386.5 | 3241.9 | 3120.9 | 3087.8 | 3096.9 | 3105.9 | 3160.4 |
| 4048.6 | 20°   | 3872.4 | 3667.9 | 3463.4 | 3284.2 | 3104.9 | 2964.1 | 2955.3 | 2997.8 | 3040.3 | 3134.9 |
| 4075.1 | 22.5° | 3877.4 | 3628.6 | 3379.9 | 3164.1 | 2948.2 | 2787.8 | 2805.0 | 2867.8 | 2930.7 | 3038.7 |
| 4123.1 | 25°   | 3897.1 | 3589.9 | 3282.8 | 3029.9 | 2777.2 | 2612.9 | 2659.1 | 2731.6 | 2804.1 | 2901.2 |
| 4198.1 | 27.5° | 3938.3 | 3564.0 | 3189.7 | 2907.3 | 2625.0 | 2475.4 | 2531.6 | 2601.6 | 2671.6 | 2751.5 |
| 4295.2 | 30°   | 3994.8 | 3551.9 | 3108.7 | 2804.8 | 2501.0 | 2375.4 | 2419.5 | 2475.0 | 2530.7 | 2597.0 |
| 4396.5 | 32.5° | 4043.6 | 3536.9 | 3029.9 | 2716.5 | 2402.9 | 2301.6 | 2321.3 | 2354.1 | 2387.0 | 2439.9 |
| 4512.0 | 35°   | 4079.3 | 3508.6 | 2938.2 | 2629.6 | 2321.0 | 2236.6 | 2228.5 | 2237.5 | 2246.6 | 2287.0 |
| 4641.4 | 37.5° | 4100.6 | 3460.3 | 2820.0 | 2527.4 | 2234.8 | 2161.0 | 2131.3 | 2121.3 | 2111.3 | 2140.3 |
| 4805.6 | 40°   | 4114.0 | 3393.7 | 2673.5 | 2405.4 | 2137.3 | 2070.4 | 2024.8 | 2002.2 | 1979.5 | 2000.4 |
| 5020.5 | 42.5° | 4139.3 | 3324.9 | 2510.7 | 2270.8 | 2030.8 | 1969.2 | 1911.7 | 1881.7 | 1851.7 | 1868.7 |
| 5303.2 | 45°   | 4183.9 | 3261.0 | 2338.3 | 2127.8 | 1917.3 | 1854.8 | 1799.2 | 1769.9 | 1740.8 | 1755.1 |
| 5604.4 | 47.5° | 4214.6 | 3208.3 | 2202.0 | 2014.7 | 1827.3 | 1746.7 | 1698.8 | 1674.3 | 1649.8 | 1663.3 |
| 5883.9 | 50°   | 4194.6 | 3150.8 | 2107.0 | 1939.6 | 1772.1 | 1666.1 | 1610.5 | 1588.7 | 1567.1 | 1588.1 |
| 6065.4 | 52.5° | 4071.5 | 3053.7 | 2036.0 | 1890.1 | 1744.2 | 1622.3 | 1544.6 | 1523.1 | 1501.7 | 1533.3 |
| 6025.4 | 55°   | 3817.1 | 2892.7 | 1968.3 | 1854.2 | 1740.1 | 1626.7 | 1509.6 | 1475.6 | 1441.7 | 1486.6 |
| 5743.9 | 57.5° | 3439.0 | 2665.7 | 1892.3 | 1811.7 | 1731.1 | 1631.1 | 1488.6 | 1439.1 | 1389.6 | 1437.9 |
| 5220.1 | 60°   | 2931.9 | 2371.0 | 1810.1 | 1746.7 | 1683.3 | 1617.3 | 1468.8 | 1404.7 | 1340.5 | 1382.9 |
| 4511.8 | 62.5° | 2360.8 | 2018.3 | 1675.8 | 1633.7 | 1591.7 | 1583.6 | 1445.9 | 1365.6 | 1285.5 | 1312.4 |
| 3789.1 | 65°   | 1860.8 | 1701.0 | 1541.1 | 1521.2 | 1501.3 | 1502.3 | 1397.4 | 1312.1 | 1226.7 | 1237.1 |
| 3081.2 | 67.5° | 1441.4 | 1396.0 | 1350.5 | 1361.6 | 1372.6 | 1369.9 | 1310.9 | 1239.9 | 1168.9 | 1165.6 |
| 2426.0 | 70°   | 1091.8 | 1104.8 | 1117.6 | 1169.1 | 1220.5 | 1220.5 | 1201.1 | 1150.6 | 1100.1 | 1088.9 |
| 1854.7 | 72.5° | 842.2  | 881.3  | 920.5  | 993.5  | 1066.4 | 1078.6 | 1078.9 | 1044.3 | 1009.6 | 993.1  |
| 1346.1 | 75°   | 653.9  | 689.4  | 724.9  | 806.7  | 888.4  | 944.9  | 940.2  | 913.5  | 886.8  | 871.0  |
| 912.2  | 77.5° | 503.4  | 527.6  | 551.8  | 631.2  | 710.6  | 803.7  | 801.2  | 779.8  | 758.4  | 742.4  |
| 587.7  | 80°   | 377.5  | 387.5  | 397.5  | 464.7  | 531.8  | 643.1  | 642.7  | 624.8  | 606.8  | 593.4  |
| 361.5  | 82.5° | 269.7  | 271.5  | 273.5  | 323.0  | 372.5  | 467.5  | 472.7  | 464.0  | 455.2  | 445.7  |
| 193.2  | 85°   | 163.1  | 162.2  | 161.2  | 197.5  | 233.7  | 304.3  | 311.2  | 301.8  | 292.5  | 281.8  |
| 80.1   | 87.5° | 71.5   | 70.6   | 69.7   | 84.5   | 99.4   | 128.7  | 137.5  | 133.7  | 130.0  | 128.0  |
| 0.0    | 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

REPORT NUMBER: P948515

CATALOG NUMBER: GLAN-SB3C-750-U-SLL

**CANDELA DISTRIBUTION (continued):**

| 160°   |       | 165°   | 170°   | 175°   | 180°   | 185°   | 190°   | 195°   | 200°   | 205°   | 210°   |
|--------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 3257.2 | 0°    | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 |
| 3132.2 | 2.5°  | 3113.3 | 3094.4 | 3075.4 | 3056.6 | 3041.9 | 3027.2 | 3015.3 | 3003.4 | 2994.2 | 2984.9 |
| 3028.2 | 5°    | 2994.7 | 2961.2 | 2930.8 | 2900.3 | 2877.0 | 2853.5 | 2837.1 | 2820.7 | 2809.1 | 2797.5 |
| 2964.1 | 7.5°  | 2922.0 | 2879.7 | 2842.5 | 2805.3 | 2777.5 | 2749.7 | 2730.2 | 2710.7 | 2697.3 | 2684.1 |
| 2962.4 | 10°   | 2917.1 | 2871.6 | 2829.7 | 2787.8 | 2754.6 | 2721.2 | 2699.5 | 2677.5 | 2664.9 | 2652.2 |
| 3025.7 | 12.5° | 2989.9 | 2954.4 | 2911.1 | 2867.8 | 2825.3 | 2782.8 | 2754.7 | 2726.6 | 2712.5 | 2698.5 |
| 3128.4 | 15°   | 3119.2 | 3109.9 | 3072.3 | 3034.7 | 2974.2 | 2913.7 | 2871.0 | 2828.2 | 2808.6 | 2789.1 |
| 3214.9 | 17.5° | 3243.9 | 3272.8 | 3242.4 | 3212.2 | 3132.1 | 3051.9 | 2988.9 | 2926.0 | 2897.0 | 2867.8 |
| 3229.7 | 20°   | 3290.3 | 3350.9 | 3336.9 | 3322.8 | 3231.2 | 3139.7 | 3062.4 | 2985.3 | 2948.2 | 2911.0 |
| 3146.9 | 22.5° | 3225.8 | 3304.7 | 3313.2 | 3321.5 | 3234.0 | 3146.6 | 3067.1 | 2987.4 | 2948.3 | 2909.1 |
| 2998.4 | 25°   | 3076.1 | 3153.7 | 3182.7 | 3211.5 | 3139.8 | 3068.2 | 2997.4 | 2927.0 | 2893.0 | 2859.1 |
| 2831.2 | 27.5° | 2893.5 | 2955.7 | 2987.9 | 3020.3 | 2969.2 | 2918.2 | 2863.3 | 2808.5 | 2785.7 | 2762.8 |
| 2663.2 | 30°   | 2714.8 | 2766.6 | 2792.8 | 2819.1 | 2780.2 | 2741.2 | 2702.0 | 2662.5 | 2650.9 | 2639.1 |
| 2492.9 | 32.5° | 2542.4 | 2592.0 | 2621.1 | 2650.4 | 2614.6 | 2578.7 | 2547.4 | 2516.0 | 2508.4 | 2500.7 |
| 2327.3 | 35°   | 2376.3 | 2425.4 | 2460.4 | 2495.4 | 2469.9 | 2444.5 | 2415.5 | 2386.6 | 2375.0 | 2363.5 |
| 2169.2 | 37.5° | 2218.0 | 2267.0 | 2310.3 | 2353.5 | 2341.8 | 2330.0 | 2303.4 | 2276.6 | 2255.5 | 2234.5 |
| 2021.3 | 40°   | 2068.5 | 2115.8 | 2165.5 | 2215.4 | 2218.3 | 2221.0 | 2198.4 | 2175.8 | 2145.0 | 2114.5 |
| 1885.8 | 42.5° | 1930.6 | 1975.4 | 2029.2 | 2082.9 | 2097.3 | 2111.7 | 2092.5 | 2073.5 | 2035.4 | 1997.3 |
| 1769.6 | 45°   | 1812.1 | 1854.6 | 1910.3 | 1966.0 | 1986.7 | 2007.3 | 1990.0 | 1972.9 | 1929.3 | 1885.8 |
| 1676.7 | 47.5° | 1718.3 | 1759.8 | 1814.8 | 1869.8 | 1893.6 | 1917.3 | 1905.3 | 1893.3 | 1854.6 | 1815.8 |
| 1609.2 | 50°   | 1648.5 | 1687.6 | 1736.8 | 1786.1 | 1816.6 | 1847.1 | 1846.3 | 1845.8 | 1814.8 | 1783.8 |
| 1564.8 | 52.5° | 1600.8 | 1636.7 | 1682.6 | 1728.6 | 1764.7 | 1800.8 | 1807.3 | 1813.8 | 1788.6 | 1763.3 |
| 1531.3 | 55°   | 1570.1 | 1608.8 | 1649.1 | 1689.2 | 1727.4 | 1765.8 | 1774.8 | 1783.8 | 1761.8 | 1739.8 |
| 1486.1 | 57.5° | 1531.6 | 1577.1 | 1616.8 | 1656.7 | 1695.3 | 1733.8 | 1742.9 | 1752.1 | 1729.8 | 1707.6 |
| 1425.1 | 60°   | 1477.3 | 1529.6 | 1570.0 | 1610.5 | 1649.2 | 1688.0 | 1698.0 | 1708.0 | 1686.2 | 1664.6 |
| 1339.2 | 62.5° | 1400.1 | 1461.1 | 1504.2 | 1547.3 | 1582.8 | 1618.3 | 1628.0 | 1637.6 | 1618.0 | 1598.3 |
| 1247.4 | 65°   | 1312.6 | 1378.0 | 1419.2 | 1460.5 | 1491.7 | 1523.0 | 1532.8 | 1542.6 | 1523.7 | 1504.8 |
| 1162.4 | 67.5° | 1222.6 | 1283.0 | 1322.1 | 1361.1 | 1388.1 | 1415.1 | 1424.7 | 1434.2 | 1416.9 | 1399.6 |
| 1077.6 | 70°   | 1130.6 | 1183.6 | 1217.4 | 1251.1 | 1275.5 | 1299.9 | 1309.1 | 1318.4 | 1304.2 | 1290.1 |
| 976.8  | 72.5° | 1018.5 | 1060.1 | 1090.6 | 1121.1 | 1145.0 | 1168.9 | 1179.9 | 1190.9 | 1179.1 | 1167.4 |
| 855.2  | 75°   | 886.2  | 917.2  | 944.8  | 972.4  | 994.1  | 1015.9 | 1027.4 | 1038.9 | 1033.1 | 1027.4 |
| 726.4  | 77.5° | 751.7  | 776.8  | 800.5  | 824.3  | 847.2  | 869.9  | 880.7  | 891.4  | 883.4  | 875.2  |
| 579.9  | 80°   | 600.9  | 621.8  | 641.8  | 661.8  | 679.2  | 696.4  | 710.7  | 724.9  | 721.4  | 718.1  |
| 436.2  | 82.5° | 434.5  | 432.7  | 425.7  | 418.7  | 455.7  | 492.7  | 516.9  | 541.2  | 539.7  | 538.1  |
| 271.2  | 85°   | 262.2  | 253.1  | 233.7  | 214.4  | 249.0  | 283.7  | 313.7  | 343.7  | 341.2  | 338.7  |
| 126.0  | 87.5° | 125.6  | 125.2  | 110.5  | 95.6   | 110.1  | 124.7  | 136.9  | 149.0  | 146.0  | 142.7  |
| 0.0    | 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

REPORT NUMBER: P948515  
CATALOG NUMBER: GLAN-SB3C-750-U-SLL

**CANDELA DISTRIBUTION (continued):**

| 215°   |       | 220°   | 225°   | 230°   | 235°   | 240°   | 245°   | 250°   | 255°   | 260°   | 265°   |
|--------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 3257.2 | 0°    | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 |
| 2976.4 | 2.5°  | 2967.8 | 2957.2 | 2967.8 | 2976.4 | 2984.9 | 2994.2 | 3003.4 | 3015.3 | 3027.2 | 3041.9 |
| 2788.6 | 5°    | 2779.7 | 2771.0 | 2779.7 | 2788.6 | 2797.5 | 2809.1 | 2820.7 | 2837.1 | 2853.5 | 2877.0 |
| 2676.1 | 7.5°  | 2668.2 | 2662.2 | 2668.2 | 2676.1 | 2684.1 | 2697.3 | 2710.7 | 2730.2 | 2749.7 | 2777.5 |
| 2645.5 | 10°   | 2638.7 | 2636.0 | 2638.7 | 2645.5 | 2652.2 | 2664.9 | 2677.5 | 2699.5 | 2721.2 | 2754.6 |
| 2692.7 | 12.5° | 2687.0 | 2686.0 | 2687.0 | 2692.7 | 2698.5 | 2712.5 | 2726.6 | 2754.7 | 2782.8 | 2825.3 |
| 2781.6 | 15°   | 2774.1 | 2773.5 | 2774.1 | 2781.6 | 2789.1 | 2808.6 | 2828.2 | 2871.0 | 2913.7 | 2974.2 |
| 2858.3 | 17.5° | 2848.7 | 2847.2 | 2848.7 | 2858.3 | 2867.8 | 2897.0 | 2926.0 | 2988.9 | 3051.9 | 3132.1 |
| 2899.1 | 20°   | 2887.2 | 2883.5 | 2887.2 | 2899.1 | 2911.0 | 2948.2 | 2985.3 | 3062.4 | 3139.7 | 3231.2 |
| 2896.0 | 22.5° | 2882.8 | 2877.2 | 2882.8 | 2896.0 | 2909.1 | 2948.3 | 2987.4 | 3067.1 | 3146.6 | 3234.0 |
| 2846.7 | 25°   | 2834.5 | 2827.2 | 2834.5 | 2846.7 | 2859.1 | 2893.0 | 2927.0 | 2997.4 | 3068.2 | 3139.8 |
| 2757.2 | 27.5° | 2751.6 | 2749.7 | 2751.6 | 2757.2 | 2762.8 | 2785.7 | 2808.5 | 2863.3 | 2918.2 | 2969.2 |
| 2639.1 | 30°   | 2639.1 | 2641.0 | 2639.1 | 2639.1 | 2639.1 | 2650.9 | 2662.5 | 2702.0 | 2741.2 | 2780.2 |
| 2501.7 | 32.5° | 2502.9 | 2504.7 | 2502.9 | 2501.7 | 2500.7 | 2508.4 | 2516.0 | 2547.4 | 2578.7 | 2614.6 |
| 2361.0 | 35°   | 2358.5 | 2357.3 | 2358.5 | 2361.0 | 2363.5 | 2375.0 | 2386.6 | 2415.5 | 2444.5 | 2469.9 |
| 2223.4 | 37.5° | 2212.3 | 2206.0 | 2212.3 | 2223.4 | 2234.5 | 2255.5 | 2276.6 | 2303.4 | 2330.0 | 2341.8 |
| 2093.8 | 40°   | 2073.3 | 2061.0 | 2073.3 | 2093.8 | 2114.5 | 2145.0 | 2175.8 | 2198.4 | 2221.0 | 2218.3 |
| 1967.2 | 42.5° | 1937.1 | 1917.3 | 1937.1 | 1967.2 | 1997.3 | 2035.4 | 2073.5 | 2092.5 | 2111.7 | 2097.3 |
| 1850.4 | 45°   | 1815.1 | 1792.3 | 1815.1 | 1850.4 | 1885.8 | 1929.3 | 1972.9 | 1990.0 | 2007.3 | 1986.7 |
| 1783.1 | 47.5° | 1750.4 | 1728.6 | 1750.4 | 1783.1 | 1815.8 | 1854.6 | 1893.3 | 1905.3 | 1917.3 | 1893.6 |
| 1753.6 | 50°   | 1723.3 | 1702.3 | 1723.3 | 1753.6 | 1783.8 | 1814.8 | 1845.8 | 1846.3 | 1847.1 | 1816.6 |
| 1736.2 | 52.5° | 1709.2 | 1689.8 | 1709.2 | 1736.2 | 1763.3 | 1788.6 | 1813.8 | 1807.3 | 1800.8 | 1764.7 |
| 1716.1 | 55°   | 1692.3 | 1674.8 | 1692.3 | 1716.1 | 1739.8 | 1761.8 | 1783.8 | 1774.8 | 1765.8 | 1727.4 |
| 1684.1 | 57.5° | 1660.5 | 1642.3 | 1660.5 | 1684.1 | 1707.6 | 1729.8 | 1752.1 | 1742.9 | 1733.8 | 1695.3 |
| 1640.3 | 60°   | 1616.1 | 1597.3 | 1616.1 | 1640.3 | 1664.6 | 1686.2 | 1708.0 | 1698.0 | 1688.0 | 1649.2 |
| 1572.8 | 62.5° | 1547.3 | 1524.8 | 1547.3 | 1572.8 | 1598.3 | 1618.0 | 1637.6 | 1628.0 | 1618.3 | 1582.8 |
| 1480.1 | 65°   | 1455.5 | 1436.1 | 1455.5 | 1480.1 | 1504.8 | 1523.7 | 1542.6 | 1532.8 | 1523.0 | 1491.7 |
| 1376.6 | 67.5° | 1353.6 | 1336.1 | 1353.6 | 1376.6 | 1399.6 | 1416.9 | 1434.2 | 1424.7 | 1415.1 | 1388.1 |
| 1268.1 | 70°   | 1246.1 | 1226.1 | 1246.1 | 1268.1 | 1290.1 | 1304.2 | 1318.4 | 1309.1 | 1299.9 | 1275.5 |
| 1146.4 | 72.5° | 1125.5 | 1106.1 | 1125.5 | 1146.4 | 1167.4 | 1179.1 | 1190.9 | 1179.9 | 1168.9 | 1145.0 |
| 1009.8 | 75°   | 992.1  | 973.7  | 992.1  | 1009.8 | 1027.4 | 1033.1 | 1038.9 | 1027.4 | 1015.9 | 994.1  |
| 857.4  | 77.5° | 839.7  | 824.9  | 839.7  | 857.4  | 875.2  | 883.4  | 891.4  | 880.7  | 869.9  | 847.2  |
| 694.2  | 80°   | 670.2  | 642.4  | 670.2  | 694.2  | 718.1  | 721.4  | 724.9  | 710.7  | 696.4  | 679.2  |
| 517.9  | 82.5° | 497.7  | 480.0  | 497.7  | 517.9  | 538.1  | 539.7  | 541.2  | 516.9  | 492.7  | 455.7  |
| 323.0  | 85°   | 307.2  | 291.2  | 307.2  | 323.0  | 338.7  | 341.2  | 343.7  | 313.7  | 283.7  | 249.0  |
| 134.7  | 87.5° | 126.5  | 118.7  | 126.5  | 134.7  | 142.7  | 146.0  | 149.0  | 136.9  | 124.7  | 110.1  |
| 0.0    | 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

REPORT NUMBER: P948515

CATALOG NUMBER: GLAN-SB3C-750-U-SLL

**CANDELA DISTRIBUTION (continued):**

| 270°   |       | 275°   | 280°   | 285°   | 290°   | 295°   | 300°   | 305°   | 310°   | 315°   | 320°   |
|--------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 3257.2 | 0°    | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 |
| 3056.6 | 2.5°  | 3075.4 | 3094.4 | 3113.3 | 3132.2 | 3153.7 | 3175.3 | 3199.2 | 3223.2 | 3252.8 | 3279.4 |
| 2900.3 | 5°    | 2930.8 | 2961.2 | 2994.7 | 3028.2 | 3066.1 | 3104.1 | 3149.4 | 3194.7 | 3246.5 | 3299.0 |
| 2805.3 | 7.5°  | 2842.5 | 2879.7 | 2922.0 | 2964.1 | 3014.1 | 3064.1 | 3124.2 | 3184.4 | 3251.5 | 3323.2 |
| 2787.8 | 10°   | 2829.7 | 2871.6 | 2917.1 | 2962.4 | 3012.4 | 3062.4 | 3125.9 | 3189.4 | 3261.5 | 3349.9 |
| 2867.8 | 12.5° | 2911.1 | 2954.4 | 2989.9 | 3025.7 | 3058.7 | 3091.9 | 3143.7 | 3195.7 | 3262.8 | 3355.7 |
| 3034.7 | 15°   | 3072.3 | 3109.9 | 3119.2 | 3128.4 | 3123.9 | 3119.4 | 3144.2 | 3169.1 | 3222.8 | 3325.7 |
| 3212.2 | 17.5° | 3242.4 | 3272.8 | 3243.9 | 3214.9 | 3160.4 | 3105.9 | 3096.9 | 3087.8 | 3120.9 | 3241.9 |
| 3322.8 | 20°   | 3336.9 | 3350.9 | 3290.3 | 3229.7 | 3134.9 | 3040.3 | 2997.8 | 2955.3 | 2964.1 | 3104.9 |
| 3321.5 | 22.5° | 3313.2 | 3304.7 | 3225.8 | 3146.9 | 3038.7 | 2930.7 | 2867.8 | 2805.0 | 2787.8 | 2948.2 |
| 3211.5 | 25°   | 3182.7 | 3153.7 | 3076.1 | 2998.4 | 2901.2 | 2804.1 | 2731.6 | 2659.1 | 2612.9 | 2777.2 |
| 3020.3 | 27.5° | 2987.9 | 2955.7 | 2893.5 | 2831.2 | 2751.5 | 2671.6 | 2601.6 | 2531.6 | 2475.4 | 2625.0 |
| 2819.1 | 30°   | 2792.8 | 2766.6 | 2714.8 | 2663.2 | 2597.0 | 2530.7 | 2475.0 | 2419.5 | 2375.4 | 2501.0 |
| 2650.4 | 32.5° | 2621.1 | 2592.0 | 2542.4 | 2492.9 | 2439.9 | 2387.0 | 2354.1 | 2321.3 | 2301.6 | 2402.9 |
| 2495.4 | 35°   | 2460.4 | 2425.4 | 2376.3 | 2327.3 | 2287.0 | 2246.6 | 2237.5 | 2228.5 | 2236.6 | 2321.0 |
| 2353.5 | 37.5° | 2310.3 | 2267.0 | 2218.0 | 2169.2 | 2140.3 | 2111.3 | 2121.3 | 2131.3 | 2161.0 | 2234.8 |
| 2215.4 | 40°   | 2165.5 | 2115.8 | 2068.5 | 2021.3 | 2000.4 | 1979.5 | 2002.2 | 2024.8 | 2070.4 | 2137.3 |
| 2082.9 | 42.5° | 2029.2 | 1975.4 | 1930.6 | 1885.8 | 1868.7 | 1851.7 | 1881.7 | 1911.7 | 1969.2 | 2030.8 |
| 1966.0 | 45°   | 1910.3 | 1854.6 | 1812.1 | 1769.6 | 1755.1 | 1740.8 | 1769.9 | 1799.2 | 1854.8 | 1917.3 |
| 1869.8 | 47.5° | 1814.8 | 1759.8 | 1718.3 | 1676.7 | 1663.3 | 1649.8 | 1674.3 | 1698.8 | 1746.7 | 1827.3 |
| 1786.1 | 50°   | 1736.8 | 1687.6 | 1648.5 | 1609.2 | 1588.1 | 1567.1 | 1588.7 | 1610.5 | 1666.1 | 1772.1 |
| 1728.6 | 52.5° | 1682.6 | 1636.7 | 1600.8 | 1564.8 | 1533.3 | 1501.7 | 1523.1 | 1544.6 | 1622.3 | 1744.2 |
| 1689.2 | 55°   | 1649.1 | 1608.8 | 1570.1 | 1531.3 | 1486.6 | 1441.7 | 1475.6 | 1509.6 | 1626.7 | 1740.1 |
| 1656.7 | 57.5° | 1616.8 | 1577.1 | 1531.6 | 1486.1 | 1437.9 | 1389.6 | 1439.1 | 1488.6 | 1631.1 | 1731.1 |
| 1610.5 | 60°   | 1570.0 | 1529.6 | 1477.3 | 1425.1 | 1382.9 | 1340.5 | 1404.7 | 1468.8 | 1617.3 | 1683.3 |
| 1547.3 | 62.5° | 1504.2 | 1461.1 | 1400.1 | 1339.2 | 1312.4 | 1285.5 | 1365.6 | 1445.9 | 1583.6 | 1591.7 |
| 1460.5 | 65°   | 1419.2 | 1378.0 | 1312.6 | 1247.4 | 1237.1 | 1226.7 | 1312.1 | 1397.4 | 1502.3 | 1501.3 |
| 1361.1 | 67.5° | 1322.1 | 1283.0 | 1222.6 | 1162.4 | 1165.6 | 1168.9 | 1239.9 | 1310.9 | 1369.9 | 1372.6 |
| 1251.1 | 70°   | 1217.4 | 1183.6 | 1130.6 | 1077.6 | 1088.9 | 1100.1 | 1150.6 | 1201.1 | 1220.5 | 1220.5 |
| 1121.1 | 72.5° | 1090.6 | 1060.1 | 1018.5 | 976.8  | 993.1  | 1009.6 | 1044.3 | 1078.9 | 1078.6 | 1066.4 |
| 972.4  | 75°   | 944.8  | 917.2  | 886.2  | 855.2  | 871.0  | 886.8  | 913.5  | 940.2  | 944.9  | 888.4  |
| 824.3  | 77.5° | 800.5  | 776.8  | 751.7  | 726.4  | 742.4  | 758.4  | 779.8  | 801.2  | 803.7  | 710.6  |
| 661.8  | 80°   | 641.8  | 621.8  | 600.9  | 579.9  | 593.4  | 606.8  | 624.8  | 642.7  | 643.1  | 531.8  |
| 418.7  | 82.5° | 425.7  | 432.7  | 434.5  | 436.2  | 445.7  | 455.2  | 464.0  | 472.7  | 467.5  | 372.5  |
| 214.4  | 85°   | 233.7  | 253.1  | 262.2  | 271.2  | 281.8  | 292.5  | 301.8  | 311.2  | 304.3  | 233.7  |
| 95.6   | 87.5° | 110.5  | 125.2  | 125.6  | 126.0  | 128.0  | 130.0  | 133.7  | 137.5  | 128.7  | 99.4   |
| 0.0    | 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

REPORT NUMBER: P948515  
CATALOG NUMBER: GLAN-SB3C-750-U-SLL

**CANDELA DISTRIBUTION (continued):**

| 325°   |       | 330°   | 335°   | 340°   | 345°   | 350°   | 355°    | 360°    |
|--------|-------|--------|--------|--------|--------|--------|---------|---------|
| 3257.2 | 0°    | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2 | 3257.2  | 3257.2  |
| 3306.9 | 2.5°  | 3334.4 | 3363.2 | 3391.9 | 3420.4 | 3449.0 | 3475.9  | 3502.8  |
| 3354.7 | 5°    | 3410.3 | 3469.8 | 3529.4 | 3588.5 | 3647.8 | 3707.1  | 3766.5  |
| 3400.8 | 7.5°  | 3478.4 | 3566.5 | 3654.6 | 3745.1 | 3835.6 | 3933.5  | 4031.5  |
| 3441.9 | 10°   | 3533.6 | 3640.8 | 3747.7 | 3867.2 | 3986.8 | 4110.7  | 4234.6  |
| 3459.5 | 12.5° | 3563.4 | 3689.6 | 3815.9 | 3951.3 | 4086.8 | 4222.8  | 4358.9  |
| 3445.9 | 15°   | 3566.1 | 3711.5 | 3856.9 | 4003.8 | 4150.8 | 4292.7  | 4434.5  |
| 3386.5 | 17.5° | 3531.1 | 3699.9 | 3868.6 | 4029.0 | 4189.3 | 4333.2  | 4477.0  |
| 3284.2 | 20°   | 3463.4 | 3667.9 | 3872.4 | 4048.6 | 4224.8 | 4374.4  | 4523.9  |
| 3164.1 | 22.5° | 3379.9 | 3628.6 | 3877.4 | 4075.1 | 4272.7 | 4425.5  | 4578.3  |
| 3029.9 | 25°   | 3282.8 | 3589.9 | 3897.1 | 4123.1 | 4348.9 | 4498.5  | 4648.3  |
| 2907.3 | 27.5° | 3189.7 | 3564.0 | 3938.3 | 4198.1 | 4457.7 | 4600.5  | 4743.3  |
| 2804.8 | 30°   | 3108.7 | 3551.9 | 3994.8 | 4295.2 | 4595.5 | 4733.4  | 4871.4  |
| 2716.5 | 32.5° | 3029.9 | 3536.9 | 4043.6 | 4396.5 | 4749.5 | 4886.0  | 5022.6  |
| 2629.6 | 35°   | 2938.2 | 3508.6 | 4079.3 | 4512.0 | 4944.7 | 5075.6  | 5206.3  |
| 2527.4 | 37.5° | 2820.0 | 3460.3 | 4100.6 | 4641.4 | 5182.2 | 5349.0  | 5515.7  |
| 2405.4 | 40°   | 2673.5 | 3393.7 | 4114.0 | 4805.6 | 5497.2 | 5740.2  | 5983.1  |
| 2270.8 | 42.5° | 2510.7 | 3324.9 | 4139.3 | 5020.5 | 5901.6 | 6252.4  | 6603.1  |
| 2127.8 | 45°   | 2338.3 | 3261.0 | 4183.9 | 5303.2 | 6422.5 | 6895.5  | 7368.6  |
| 2014.7 | 47.5° | 2202.0 | 3208.3 | 4214.6 | 5604.4 | 6994.3 | 7660.2  | 8326.0  |
| 1939.6 | 50°   | 2107.0 | 3150.8 | 4194.6 | 5883.9 | 7573.2 | 8577.1  | 9580.9  |
| 1890.1 | 52.5° | 2036.0 | 3053.7 | 4071.5 | 6065.4 | 8059.2 | 9540.3  | 11021.4 |
| 1854.2 | 55°   | 1968.3 | 2892.7 | 3817.1 | 6025.4 | 8233.5 | 10394.2 | 12555.0 |
| 1811.7 | 57.5° | 1892.3 | 2665.7 | 3439.0 | 5743.9 | 8048.9 | 10999.4 | 13949.8 |
| 1746.7 | 60°   | 1810.1 | 2371.0 | 2931.9 | 5220.1 | 7508.2 | 11150.6 | 14792.9 |
| 1633.7 | 62.5° | 1675.8 | 2018.3 | 2360.8 | 4511.8 | 6662.8 | 10513.8 | 14364.8 |
| 1521.2 | 65°   | 1541.1 | 1701.0 | 1860.8 | 3789.1 | 5717.5 | 9612.8  | 13508.0 |
| 1361.6 | 67.5° | 1350.5 | 1396.0 | 1441.4 | 3081.2 | 4721.0 | 8540.5  | 12360.0 |
| 1169.1 | 70°   | 1117.6 | 1104.8 | 1091.8 | 2426.0 | 3760.2 | 7370.5  | 10980.8 |
| 993.5  | 72.5° | 920.5  | 881.3  | 842.2  | 1854.7 | 2867.2 | 6102.1  | 9337.2  |
| 806.7  | 75°   | 724.9  | 689.4  | 653.9  | 1346.1 | 2038.3 | 4648.1  | 7258.0  |
| 631.2  | 77.5° | 551.8  | 527.6  | 503.4  | 912.2  | 1320.9 | 3253.3  | 5185.7  |
| 464.7  | 80°   | 397.5  | 387.5  | 377.5  | 587.7  | 798.0  | 2096.0  | 3394.0  |
| 323.0  | 82.5° | 273.5  | 271.5  | 269.7  | 361.5  | 453.5  | 1213.1  | 1972.9  |
| 197.5  | 85°   | 161.2  | 162.2  | 163.1  | 193.2  | 223.5  | 545.7   | 868.0   |
| 84.5   | 87.5° | 69.7   | 70.6   | 71.5   | 80.1   | 88.7   | 178.7   | 268.7   |
| 0.0    | 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0     | 0.0     |

(END OF REPORT)