

Signify Classified - Internal  
Cooper Lighting Solutions Photometric Lab  
1121 Highway 74 South  
Peachtree City, GA 30269



Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: STREETWORKS

Report Number: P348701

Luminaire Tested: **ARCH-N-PA1-10-730-12VDC-5WQ**

Issue Date: 3/3/2020

**Test Information**

Test Method: LM-79-08  
Report Number: P348701  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1903-205-2)  
Test Lab: INNOVATION CENTER  
Issue Date: 3/3/2020  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: STREETWORKS  
Catalog Number: ARCH-N-PA1-10-730-12VDC-5WQ  
Description: ARCHEON ROADWAY AND AREA LUMINAIRE  
(1) 70 CRI, 3000K, 270mA LIGHT ENGINE WITH 16 LEDS AND  
Light Source: -  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**

Lumens per Lamp: N/A  
Luminaire Lumens: 2096 lumens  
Efficiency: N/A  
Efficacy: 149.7 lumens/watt  
Luminous Opening: Rectangular (W 0.5' x L: 0.75' x H: 0')  
IES Classification: Type V - Short  
BUG Rating: B2 - U0 - G1

Input Watts (W): 14  
Input Voltage (V): NR  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 25 FT


REPORT NUMBER: P348701

CATALOG NUMBER: ARCH-N-PA1-10-730-12VDC-5WQ

## Iso-Footcandle Lines of Horizontal Illumination

✕ Max cd

--- 1/2 Max cd




Based on 15 foot mounting height. Maximum calculated value = 0.8 fc

Type V - Short - N/A

REPORT NUMBER: P348701

CATALOG NUMBER: ARCH-N-PA1-10-730-12VDC-5WQ

## Luminous Intensity Polar Plot



REPORT NUMBER: P348701

CATALOG NUMBER: ARCH-N-PA1-10-730-12VDC-5WQ


**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total  |
|--------------------|-----------|----------|--------|--------|
| <b>House Side</b>  | Lumens    | 1048.0   | 0.0    | 1048.0 |
|                    | % Fixture | 50.0     | 0.0    | 50.0   |
| <b>Street Side</b> | Lumens    | 1048.0   | 0.0    | 1048.0 |
|                    | % Fixture | 50.0     | 0.0    | 50.0   |
| <b>Total</b>       | Lumens    | 2096.0   | 0.0    | 2096.0 |
|                    | % Fixture | 100.0    | 0.0    | 100.0  |

**Coefficient of Utilization**

**ZONAL LUMENS:**

| Zone      | Lumens | % Fixture |
|-----------|--------|-----------|
| 0°-10°    | 16.1   | 0.8       |
| 10°-20°   | 47.0   | 2.2       |
| 20°-30°   | 80.2   | 3.8       |
| 30°-40°   | 125.3  | 6.0       |
| 40°-50°   | 212.3  | 10.1      |
| 50°-60°   | 387.2  | 18.5      |
| 60°-70°   | 666.6  | 31.8      |
| 70°-80°   | 522.5  | 24.9      |
| 80°-90°   | 38.8   | 1.8       |
| 90°-100°  | 0.0    | 0.0       |
| 100°-110° | 0.0    | 0.0       |
| 110°-120° | 0.0    | 0.0       |
| 120°-130° | 0.0    | 0.0       |
| 130°-140° | 0.0    | 0.0       |
| 140°-150° | 0.0    | 0.0       |
| 150°-160° | 0.0    | 0.0       |
| 160°-170° | 0.0    | 0.0       |
| 170°-180° | 0.0    | 0.0       |
| 0°-90°    | 2096.0 | 100.0     |
| 0°-180°   | 2096.0 | 100.0     |



REPORT NUMBER: P348701


CATALOG NUMBER: ARCH-N-PA1-10-730-12VDC-5WQ

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens | % Fixture | Zone Rating/Lumen Limit |      |        |
|------|-------------|--------|-----------|-------------------------|------|--------|
|      |             |        |           | B                       | U    | G      |
| FL   | (0°-30°)    | 71.7   | 3.4       |                         |      |        |
| FM   | (30°-60°)   | 362.4  | 17.3      |                         |      |        |
| FH   | (60°-80°)   | 594.6  | 28.4      |                         |      | G0/660 |
| FVH  | (80°-90°)   | 19.4   | 0.9       |                         |      | G1/100 |
| BL   | (0°-30°)    | 71.7   | 3.4       | B0/110                  |      |        |
| BM   | (30°-60°)   | 362.4  | 17.3      | B1/1000                 |      |        |
| BH   | (60°-80°)   | 594.6  | 28.4      | B2/1000                 |      | G0/660 |
| BVH  | (80°-90°)   | 19.4   | 0.9       |                         |      | G1/100 |
| UL   | (90°-100°)  | 0.0    | 0.0       |                         | U0/0 |        |
| UH   | (100°-180°) | 0.0    | 0.0       |                         | U0/0 |        |

**BUG Rating: B2-U0-G1**

Type V Short



REPORT NUMBER: P348701

CATALOG NUMBER: ARCH-N-PA1-10-730-12VDC-5WQ

**CANDELA DISTRIBUTION (FULL):**

|       | 0°    | 5°    | 15°   | 25°   | 35°   | 45°   | 55°   | 65°   | 75°   | 85°   | 90°   |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0°    | 172.5 | 172.5 | 172.5 | 172.5 | 172.5 | 172.5 | 172.5 | 172.5 | 172.5 | 172.5 | 172.5 |
| 2.5°  | 171.7 | 171.9 | 171.7 | 171.9 | 171.5 | 171.7 | 171.7 | 171.7 | 171.6 | 171.7 | 171.5 |
| 5°    | 170.2 | 170.4 | 170.1 | 170.2 | 170.0 | 170.2 | 170.3 | 170.2 | 170.1 | 170.1 | 169.9 |
| 7.5°  | 167.9 | 168.1 | 167.9 | 168.1 | 167.8 | 168.1 | 168.1 | 167.9 | 167.6 | 167.6 | 167.4 |
| 10°   | 166.7 | 166.7 | 166.2 | 166.0 | 165.4 | 165.5 | 165.7 | 165.9 | 166.1 | 166.5 | 166.5 |
| 12.5° | 166.7 | 166.7 | 165.9 | 165.0 | 164.1 | 164.3 | 164.7 | 165.4 | 166.3 | 167.0 | 167.1 |
| 15°   | 167.4 | 167.4 | 166.1 | 164.7 | 164.0 | 164.7 | 164.9 | 165.4 | 166.7 | 168.0 | 168.1 |
| 17.5° | 167.9 | 167.9 | 166.0 | 164.3 | 164.3 | 165.2 | 165.2 | 165.4 | 166.8 | 168.8 | 168.8 |
| 20°   | 168.8 | 168.8 | 166.3 | 164.5 | 164.5 | 165.6 | 165.6 | 166.0 | 167.4 | 169.6 | 169.9 |
| 22.5° | 170.8 | 170.9 | 168.3 | 166.8 | 167.0 | 167.6 | 167.8 | 168.3 | 169.7 | 172.0 | 172.4 |
| 25°   | 173.7 | 173.8 | 171.1 | 170.3 | 170.8 | 171.9 | 171.8 | 172.2 | 173.7 | 176.0 | 176.4 |
| 27.5° | 177.6 | 177.3 | 174.8 | 174.4 | 174.9 | 175.8 | 175.7 | 175.8 | 176.9 | 179.0 | 179.5 |
| 30°   | 182.8 | 182.6 | 180.8 | 181.0 | 180.8 | 180.5 | 180.6 | 181.2 | 181.8 | 183.5 | 183.9 |
| 32.5° | 187.8 | 187.9 | 186.8 | 187.8 | 189.3 | 190.4 | 188.8 | 187.3 | 186.6 | 187.5 | 187.9 |
| 35°   | 196.8 | 197.1 | 195.4 | 194.7 | 196.8 | 199.8 | 195.3 | 192.8 | 194.2 | 195.4 | 195.7 |
| 37.5° | 212.1 | 212.3 | 209.4 | 206.6 | 205.1 | 208.0 | 203.5 | 203.7 | 208.6 | 210.8 | 210.7 |
| 40°   | 229.6 | 229.6 | 227.7 | 225.3 | 222.6 | 223.3 | 221.5 | 222.1 | 225.3 | 227.3 | 227.8 |
| 42.5° | 250.4 | 250.2 | 247.1 | 243.6 | 242.9 | 243.6 | 240.5 | 240.1 | 243.8 | 247.4 | 247.5 |
| 45°   | 277.3 | 276.8 | 272.9 | 269.1 | 265.4 | 263.9 | 263.1 | 265.1 | 270.2 | 273.5 | 273.6 |
| 47.5° | 306.4 | 305.1 | 303.0 | 299.9 | 296.7 | 295.2 | 294.0 | 294.9 | 298.6 | 299.9 | 300.1 |
| 50°   | 336.3 | 336.5 | 337.0 | 335.8 | 334.6 | 334.1 | 330.9 | 329.0 | 330.1 | 327.7 | 327.3 |
| 52.5° | 371.7 | 372.3 | 376.3 | 379.7 | 381.7 | 382.7 | 376.5 | 370.1 | 366.5 | 361.8 | 360.4 |
| 55°   | 413.5 | 414.4 | 420.3 | 429.7 | 439.4 | 444.6 | 433.4 | 421.3 | 410.2 | 401.4 | 398.5 |
| 57.5° | 460.1 | 461.7 | 469.8 | 487.9 | 507.8 | 519.9 | 501.1 | 479.2 | 457.6 | 444.9 | 442.7 |
| 60°   | 514.7 | 516.3 | 527.5 | 553.4 | 585.7 | 603.9 | 575.3 | 539.5 | 512.6 | 500.5 | 496.4 |
| 62.5° | 579.8 | 579.9 | 593.7 | 624.0 | 666.6 | 691.9 | 653.3 | 605.3 | 577.7 | 563.1 | 559.1 |
| 65°   | 649.7 | 650.1 | 664.4 | 697.1 | 741.1 | 768.7 | 725.0 | 675.1 | 641.3 | 619.7 | 616.6 |
| 67.5° | 699.2 | 700.6 | 715.7 | 755.0 | 796.2 | 821.1 | 775.9 | 719.5 | 680.4 | 654.6 | 652.1 |
| 70°   | 691.3 | 696.9 | 714.6 | 760.6 | 817.9 | 853.4 | 784.2 | 714.2 | 662.6 | 632.2 | 630.1 |
| 72.5° | 602.9 | 613.7 | 637.3 | 697.6 | 789.2 | 838.1 | 739.2 | 639.7 | 581.3 | 555.4 | 551.5 |
| 75°   | 410.5 | 428.2 | 463.8 | 550.8 | 674.3 | 725.6 | 622.3 | 510.0 | 455.1 | 419.3 | 416.7 |
| 77.5° | 183.0 | 187.1 | 232.1 | 332.3 | 465.3 | 521.1 | 452.1 | 333.6 | 250.4 | 199.7 | 189.1 |
| 80°   | 51.0  | 51.7  | 68.9  | 123.8 | 232.9 | 306.2 | 250.0 | 130.0 | 73.1  | 51.5  | 48.5  |
| 82.5° | 16.2  | 17.6  | 21.5  | 32.1  | 78.3  | 139.7 | 80.4  | 34.7  | 24.7  | 19.7  | 17.7  |
| 85°   | 7.9   | 7.8   | 10.9  | 13.0  | 20.0  | 30.9  | 21.3  | 16.1  | 14.1  | 9.4   | 8.5   |
| 87.5° | 3.3   | 3.4   | 5.1   | 4.6   | 5.8   | 5.0   | 6.9   | 7.2   | 7.6   | 4.2   | 3.6   |
| 90°   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   |

Report Prepared for

Cooper Lighting Solutions

(formerly Eaton)

STREETWORKS

Report Number: SP1-2101-121-6

Luminaire Tested: IFLD-S-SA2E-730-U-T2

Test Date: 03/04/2021




### Test Information

Test Method: LM-79-08  
 Report Number: SP1-2101-121-6  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1  
 Measurement Geometry:  $4\pi$   
 Issue Date: 03/04/2021  
 Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
 Product Line: STREETWORKS  
 Catalog Number: **IFLD-S-SA2E-730-U-T2**  
 Description: STREETWORKS INF FLOOD

PROGRAMMED @ 615mA.

### Spectral Parameters

|                           |        |           |      |      |       |
|---------------------------|--------|-----------|------|------|-------|
| CCT (K):                  | 2981   | CRI (Ra): | 72.3 |      |       |
| CIE u':                   | 0.2509 | R1:       | 68.0 | R9:  | -36.9 |
| CIE v':                   | 0.5228 | R2:       | 82.9 | R10: | 62.7  |
| Duv:                      | 0.0008 | R3:       | 95.0 | R11: | 65.3  |
| CIE x:                    | 0.4393 | R4:       | 68.7 | R12: | 58.3  |
| CIE y:                    | 0.4068 | R5:       | 68.4 | R13: | 70.8  |
| CIE z:                    | 0.1540 | R6:       | 77.8 | R14: | 97.4  |
| Peak Wavelength (nm):     | 598    | R7:       | 76.5 |      |       |
| Dominant Wavelength (nm): | 582    | R8:       | 41.3 |      |       |
| Purity:                   | 54.3   |           |      |      |       |
| Rf:                       | 76.2   |           |      |      |       |
| Rg:                       | 94.1   |           |      |      |       |



### Test Conditions


Stabilization Time: 64M  
 Operation Time: 12H  
 Room Temperature (°C) / RH%: 25.0/30%  
 Sphere Temperature (°C): 24.1

REPORT NUMBER: SP1-2101-121-6


| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 1/31/2021        | 7/31/2021            |
| Power Meter                    | IN0071                | 12/1/2020        | 12/1/2021            |
| AC Power Source                | IN0063                | 12/1/2020        | 12/1/2021            |
| DC Power Source                | IN0208                | 12/1/2020        | 12/1/2021            |
| Sphere Thermometer             | IN0085                | 12/1/2020        | 12/1/2021            |
| Room Thermometer               | IN0046                | 12/1/2020        | 12/1/2021            |

REPORT NUMBER: SP1-2101-121-6

**CIE 1931 Chromaticity Diagram**




**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



Point lies inside the ANSI 3000K 4-step quadrangle

REPORT NUMBER: SP1-2101-121-6

### Photopic Flux vs. Wavelength




#####

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 2718             | 0.0              | 490       | 31388            | 4.5              | 620       | 149681           | 39.0             | 750       | 6127             | 0.0              | 880       | 4244             | 0.0              |
| 365       | 2104             | 0.0              | 495       | 39325            | 7.1              | 625       | 139059           | 30.7             | 755       | 5537             | 0.0              | 885       | 2890             | 0.0              |
| 370       | 2172             | 0.0              | 500       | 47816            | 10.5             | 630       | 126485           | 22.9             | 760       | 5066             | 0.0              | 890       | 2506             | 0.0              |
| 375       | 2770             | 0.0              | 505       | 55667            | 15.6             | 635       | 114115           | 17.1             | 765       | 4739             | 0.0              | 895       | 4522             | 0.0              |
| 380       | 2942             | 0.0              | 510       | 62766            | 21.6             | 640       | 102385           | 12.2             | 770       | 3828             | 0.0              | 900       | 4104             | 0.0              |
| 385       | 2372             | 0.0              | 515       | 69117            | 28.6             | 645       | 91895            | 8.8              | 775       | 3411             | 0.0              | 905       | 2090             | 0.0              |
| 390       | 2265             | 0.0              | 520       | 74088            | 35.9             | 650       | 81196            | 5.9              | 780       | 3776             | 0.0              | 910       | 3618             | 0.0              |
| 395       | 2023             | 0.0              | 525       | 78477            | 42.1             | 655       | 71232            | 4.1              | 785       | 3744             | 0.0              | 915       | 4126             | 0.0              |
| 400       | 1804             | 0.0              | 530       | 83585            | 49.2             | 660       | 62529            | 2.6              | 790       | 3446             | 0.0              | 920       | 3214             | 0.0              |
| 405       | 2029             | 0.0              | 535       | 87899            | 54.5             | 665       | 54721            | 1.7              | 795       | 2834             | 0.0              | 925       | 2696             | 0.0              |
| 410       | 2968             | 0.0              | 540       | 92850            | 60.5             | 670       | 47069            | 1.0              | 800       | 3213             | 0.0              | 930       | 3892             | 0.0              |
| 415       | 5120             | 0.0              | 545       | 99487            | 66.2             | 675       | 40348            | 0.7              | 805       | 2357             | 0.0              | 935       | 2376             | 0.0              |
| 420       | 9660             | 0.0              | 550       | 108411           | 73.7             | 680       | 34816            | 0.4              | 810       | 2616             | 0.0              | 940       | 2172             | 0.0              |
| 425       | 18379            | 0.1              | 555       | 117570           | 80.3             | 685       | 29890            | 0.3              | 815       | 2510             | 0.0              | 945       | 2531             | 0.0              |
| 430       | 32455            | 0.3              | 560       | 128783           | 87.5             | 690       | 25584            | 0.1              | 820       | 2684             | 0.0              | 950       | 3041             | 0.0              |
| 435       | 52561            | 0.6              | 565       | 140888           | 93.7             | 695       | 21945            | 0.1              | 825       | 2434             | 0.0              | 955       | 3777             | 0.0              |
| 440       | 78320            | 1.2              | 570       | 151789           | 98.7             | 700       | 19163            | 0.1              | 830       | 3163             | 0.0              | 960       | 3733             | 0.0              |
| 445       | 92278            | 1.9              | 575       | 163210           | 101.6            | 705       | 16563            | 0.0              | 835       | 2905             | 0.0              | 965       | 4082             | 0.0              |
| 450       | 75996            | 2.0              | 580       | 171760           | 102.1            | 710       | 14632            | 0.0              | 840       | 2917             | 0.0              | 970       | 3333             | 0.0              |
| 455       | 50251            | 1.7              | 585       | 179606           | 99.8             | 715       | 13282            | 0.0              | 845       | 3384             | 0.0              | 975       | 3396             | 0.0              |
| 460       | 37320            | 1.5              | 590       | 183682           | 95.0             | 720       | 11587            | 0.0              | 850       | 2926             | 0.0              | 980       | 3415             | 0.0              |
| 465       | 28321            | 1.5              | 595       | 184440           | 87.4             | 725       | 10271            | 0.0              | 855       | 2420             | 0.0              | 985       | 4316             | 0.0              |
| 470       | 21814            | 1.4              | 600       | 183413           | 79.0             | 730       | 9052             | 0.0              | 860       | 3637             | 0.0              | 990       | 3771             | 0.0              |
| 475       | 19996            | 1.6              | 605       | 178745           | 69.2             | 735       | 7872             | 0.0              | 865       | 3162             | 0.0              | 995       | 4745             | 0.0              |
| 480       | 21364            | 2.0              | 610       | 170867           | 58.7             | 740       | 7066             | 0.0              | 870       | 2292             | 0.0              | 1000      | 2768             | 0.0              |
| 485       | 25425            | 3.0              | 615       | 161088           | 48.6             | 745       | 6501             | 0.0              | 875       | 3357             | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2101-121-6


### Scotopic Flux vs. Wavelength


**Scotopic Lumens: 10635.1**
**S/P: 1.22**

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 2718             | 0.0              | 490       | 31388            | 48.3             | 620       | 149681           | 1.9              | 750       | 6127             | 0.0              | 880       | 4244             | 0.0              |
| 365       | 2104             | 0.0              | 495       | 39325            | 63.6             | 625       | 139059           | 1.2              | 755       | 5537             | 0.0              | 885       | 2890             | 0.0              |
| 370       | 2172             | 0.0              | 500       | 47816            | 80.0             | 630       | 126485           | 0.7              | 760       | 5066             | 0.0              | 890       | 2506             | 0.0              |
| 375       | 2770             | 0.0              | 505       | 55667            | 94.6             | 635       | 114115           | 0.4              | 765       | 4739             | 0.0              | 895       | 4522             | 0.0              |
| 380       | 2942             | 0.0              | 510       | 62766            | 106.4            | 640       | 102385           | 0.3              | 770       | 3828             | 0.0              | 900       | 4104             | 0.0              |
| 385       | 2372             | 0.0              | 515       | 69117            | 114.6            | 645       | 91895            | 0.2              | 775       | 3411             | 0.0              | 905       | 2090             | 0.0              |
| 390       | 2265             | 0.0              | 520       | 74088            | 117.8            | 650       | 81196            | 0.1              | 780       | 3776             | 0.0              | 910       | 3618             | 0.0              |
| 395       | 2023             | 0.0              | 525       | 78477            | 117.4            | 655       | 71232            | 0.1              | 785       | 3744             | 0.0              | 915       | 4126             | 0.0              |
| 400       | 1804             | 0.0              | 530       | 83585            | 115.2            | 660       | 62529            | 0.0              | 790       | 3446             | 0.0              | 920       | 3214             | 0.0              |
| 405       | 2029             | 0.1              | 535       | 87899            | 109.5            | 665       | 54721            | 0.0              | 795       | 2834             | 0.0              | 925       | 2696             | 0.0              |
| 410       | 2968             | 0.2              | 540       | 92850            | 102.6            | 670       | 47069            | 0.0              | 800       | 3213             | 0.0              | 930       | 3892             | 0.0              |
| 415       | 5120             | 0.5              | 545       | 99487            | 95.4             | 675       | 40348            | 0.0              | 805       | 2357             | 0.0              | 935       | 2376             | 0.0              |
| 420       | 9660             | 1.6              | 550       | 108411           | 88.6             | 680       | 34816            | 0.0              | 810       | 2616             | 0.0              | 940       | 2172             | 0.0              |
| 425       | 18379            | 4.5              | 555       | 117570           | 80.3             | 685       | 29890            | 0.0              | 815       | 2510             | 0.0              | 945       | 2531             | 0.0              |
| 430       | 32455            | 11.0             | 560       | 128783           | 72.0             | 690       | 25584            | 0.0              | 820       | 2684             | 0.0              | 950       | 3041             | 0.0              |
| 435       | 52561            | 23.5             | 565       | 140888           | 63.2             | 695       | 21945            | 0.0              | 825       | 2434             | 0.0              | 955       | 3777             | 0.0              |
| 440       | 78320            | 43.8             | 570       | 151789           | 53.6             | 700       | 19163            | 0.0              | 830       | 3163             | 0.0              | 960       | 3733             | 0.0              |
| 445       | 92278            | 61.8             | 575       | 163210           | 44.4             | 705       | 16563            | 0.0              | 835       | 2905             | 0.0              | 965       | 4082             | 0.0              |
| 450       | 75996            | 58.9             | 580       | 171760           | 35.4             | 710       | 14632            | 0.0              | 840       | 2917             | 0.0              | 970       | 3333             | 0.0              |
| 455       | 50251            | 43.9             | 585       | 179606           | 27.4             | 715       | 13282            | 0.0              | 845       | 3384             | 0.0              | 975       | 3396             | 0.0              |
| 460       | 37320            | 36.0             | 590       | 183682           | 20.5             | 720       | 11587            | 0.0              | 850       | 2926             | 0.0              | 980       | 3415             | 0.0              |
| 465       | 28321            | 29.9             | 595       | 184440           | 14.7             | 725       | 10271            | 0.0              | 855       | 2420             | 0.0              | 985       | 4316             | 0.0              |
| 470       | 21814            | 25.1             | 600       | 183413           | 10.3             | 730       | 9052             | 0.0              | 860       | 3637             | 0.0              | 990       | 3771             | 0.0              |
| 475       | 19996            | 25.0             | 605       | 178745           | 7.0              | 735       | 7872             | 0.0              | 865       | 3162             | 0.0              | 995       | 4745             | 0.0              |
| 480       | 21364            | 28.9             | 610       | 170867           | 4.6              | 740       | 7066             | 0.0              | 870       | 2292             | 0.0              | 1000      | 2768             | 0.0              |
| 485       | 25425            | 36.9             | 615       | 161088           | 3.0              | 745       | 6501             | 0.0              | 875       | 3357             | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2101-121-6

### Melanopic Flux vs. Wavelength



**Melanopic Lumens: 3860**


**M/P: 0.44**

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 2718             | 0.0              | 490       | 31388            | 26.1             | 620       | 149681           | 0.1              | 750       | 6127             | 0.0              | 880       | 4244             | 0.0              |
| 365       | 2104             | 0.0              | 495       | 39325            | 32.5             | 625       | 139059           | 0.1              | 755       | 5537             | 0.0              | 885       | 2890             | 0.0              |
| 370       | 2172             | 0.0              | 500       | 47816            | 38.4             | 630       | 126485           | 0.0              | 760       | 5066             | 0.0              | 890       | 2506             | 0.0              |
| 375       | 2770             | 0.0              | 505       | 55667            | 42.7             | 635       | 114115           | 0.0              | 765       | 4739             | 0.0              | 895       | 4522             | 0.0              |
| 380       | 2942             | 0.0              | 510       | 62766            | 45.1             | 640       | 102385           | 0.0              | 770       | 3828             | 0.0              | 900       | 4104             | 0.0              |
| 385       | 2372             | 0.0              | 515       | 69117            | 45.2             | 645       | 91895            | 0.0              | 775       | 3411             | 0.0              | 905       | 2090             | 0.0              |
| 390       | 2265             | 0.0              | 520       | 74088            | 43.1             | 650       | 81196            | 0.0              | 780       | 3776             | 0.0              | 910       | 3618             | 0.0              |
| 395       | 2023             | 0.0              | 525       | 78477            | 39.8             | 655       | 71232            | 0.0              | 785       | 3744             | 0.0              | 915       | 4126             | 0.0              |
| 400       | 1804             | 0.0              | 530       | 83585            | 36.1             | 660       | 62529            | 0.0              | 790       | 3446             | 0.0              | 920       | 3214             | 0.0              |
| 405       | 2029             | 0.0              | 535       | 87899            | 31.6             | 665       | 54721            | 0.0              | 795       | 2834             | 0.0              | 925       | 2696             | 0.0              |
| 410       | 2968             | 0.1              | 540       | 92850            | 27.2             | 670       | 47069            | 0.0              | 800       | 3213             | 0.0              | 930       | 3892             | 0.0              |
| 415       | 5120             | 0.3              | 545       | 99487            | 23.1             | 675       | 40348            | 0.0              | 805       | 2357             | 0.0              | 935       | 2376             | 0.0              |
| 420       | 9660             | 1.1              | 550       | 108411           | 19.5             | 680       | 34816            | 0.0              | 810       | 2616             | 0.0              | 940       | 2172             | 0.0              |
| 425       | 18379            | 2.9              | 555       | 117570           | 15.9             | 685       | 29890            | 0.0              | 815       | 2510             | 0.0              | 945       | 2531             | 0.0              |
| 430       | 32455            | 6.9              | 560       | 128783           | 12.7             | 690       | 25584            | 0.0              | 820       | 2684             | 0.0              | 950       | 3041             | 0.0              |
| 435       | 52561            | 14.0             | 565       | 140888           | 9.9              | 695       | 21945            | 0.0              | 825       | 2434             | 0.0              | 955       | 3777             | 0.0              |
| 440       | 78320            | 26.2             | 570       | 151789           | 7.4              | 700       | 19163            | 0.0              | 830       | 3163             | 0.0              | 960       | 3733             | 0.0              |
| 445       | 92278            | 36.4             | 575       | 163210           | 5.4              | 705       | 16563            | 0.0              | 835       | 2905             | 0.0              | 965       | 4082             | 0.0              |
| 450       | 75996            | 35.0             | 580       | 171760           | 3.8              | 710       | 14632            | 0.0              | 840       | 2917             | 0.0              | 970       | 3333             | 0.0              |
| 455       | 50251            | 26.3             | 585       | 179606           | 2.7              | 715       | 13282            | 0.0              | 845       | 3384             | 0.0              | 975       | 3396             | 0.0              |
| 460       | 37320            | 22.0             | 590       | 183682           | 1.8              | 720       | 11587            | 0.0              | 850       | 2926             | 0.0              | 980       | 3415             | 0.0              |
| 465       | 28321            | 18.5             | 595       | 184440           | 1.2              | 725       | 10271            | 0.0              | 855       | 2420             | 0.0              | 985       | 4316             | 0.0              |
| 470       | 21814            | 15.6             | 600       | 183413           | 0.8              | 730       | 9052             | 0.0              | 860       | 3637             | 0.0              | 990       | 3771             | 0.0              |
| 475       | 19996            | 15.3             | 605       | 178745           | 0.5              | 735       | 7872             | 0.0              | 865       | 3162             | 0.0              | 995       | 4745             | 0.0              |
| 480       | 21364            | 17.2             | 610       | 170867           | 0.3              | 740       | 7066             | 0.0              | 870       | 2292             | 0.0              | 1000      | 2768             | 0.0              |
| 485       | 25425            | 21.0             | 615       | 161088           | 0.2              | 745       | 6501             | 0.0              | 875       | 3357             | 0.0              |           |                  |                  |





### Summary

$R_f = 76.2$   
 $R_g = 94.1$   
 CIE  $R_a = 72.3$   
 $R_g = -36.9$

### Spectral Power Distribution Comparison




### Color Vector Graphics






**Individual Sample Fidelity Index ( $R_{f,i}$ )**

|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 86 | CES26 = 67 | CES51 = 88 | CES76 = 64 |
| CES02 = 63 | CES27 = 88 | CES52 = 87 | CES77 = 81 |
| CES03 = 31 | CES28 = 88 | CES53 = 79 | CES78 = 67 |
| CES04 = 71 | CES29 = 66 | CES54 = 84 | CES79 = 87 |
| CES05 = 49 | CES30 = 72 | CES55 = 84 | CES80 = 87 |
| CES06 = 51 | CES31 = 70 | CES56 = 75 | CES81 = 71 |
| CES07 = 41 | CES32 = 66 | CES57 = 74 | CES82 = 94 |
| CES08 = 40 | CES33 = 73 | CES58 = 77 | CES83 = 90 |
| CES09 = 29 | CES34 = 80 | CES59 = 86 | CES84 = 90 |
| CES10 = 76 | CES35 = 90 | CES60 = 93 | CES85 = 78 |
| CES11 = 59 | CES36 = 96 | CES61 = 85 | CES86 = 61 |
| CES12 = 65 | CES37 = 88 | CES62 = 90 | CES87 = 79 |
| CES13 = 43 | CES38 = 80 | CES63 = 77 | CES88 = 77 |
| CES14 = 74 | CES39 = 95 | CES64 = 73 | CES89 = 67 |
| CES15 = 71 | CES40 = 91 | CES65 = 69 | CES90 = 76 |
| CES16 = 47 | CES41 = 88 | CES66 = 71 | CES91 = 90 |
| CES17 = 50 | CES42 = 89 | CES67 = 69 | CES92 = 59 |
| CES18 = 56 | CES43 = 80 | CES68 = 73 | CES93 = 75 |
| CES19 = 73 | CES44 = 99 | CES69 = 82 | CES94 = 50 |
| CES20 = 66 | CES45 = 85 | CES70 = 68 | CES95 = 69 |
| CES21 = 87 | CES46 = 80 | CES71 = 68 | CES96 = 77 |
| CES22 = 79 | CES47 = 81 | CES72 = 88 | CES97 = 83 |
| CES23 = 92 | CES48 = 69 | CES73 = 61 | CES98 = 75 |
| CES24 = 91 | CES49 = 80 | CES74 = 95 | CES99 = 63 |
| CES25 = 73 | CES50 = 87 | CES75 = 70 |            |







Color Rendition by Hue-Angle Bin



**Measure Comparisons**



(END OF REPORT)