

Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: STREETWORKS

Report Number: P510713

Luminaire Tested: **CST-CA8-230-727-U-T5N**

Issue Date: 4/6/2021

**Test Information**

Test Method: LM-79-08  
Report Number: P510713  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G3-2102-151-13)  
Test Lab: COOPER LIGHTING SOLUTIONS  
Issue Date: 4/6/2021  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: STREETWORKS  
Catalog Number: CST-CA8-230-727-U-T5N  
Description: CELESTEON HIGH MAST LUMINAIRE  
Light Source: (8) 2700K CCT, 70 CRI LEDS  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**

Lumens per Lamp: N/A  
Luminaire Lumens: 32350 lumens  
Efficiency: N/A  
Efficacy: 141.6 lumens/watt  
Luminous Opening: Circular (Dia: 2.08' x H: 0')  
IES Classification: Type V - Short  
BUG Rating: B5 - U0 - G2


Input Watts (W): 228.4  
Input Voltage (V): 120  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 24 FT



REPORT NUMBER: P510713  
 CATALOG NUMBER: CST-CA8-230-727-U-T5N

## Iso-Footcandle Lines of Horizontal Illumination

✕ Max cd  
 - - - 1/2 Max cd




Based on 30 foot mounting height. Maximum calculated value = 3.6 fc  
 Type V - Short - N/A

FIELD PERFORMANCE MAY DIFFER FROM LABORATORY PERFORMANCE

REPORT NUMBER: P510713  
CATALOG NUMBER: CST-CA8-230-727-U-T5N

## Luminous Intensity Polar Plot



FIELD PERFORMANCE MAY DIFFER FROM LABORATORY PERFORMANCE

REPORT NUMBER: P510713

CATALOG NUMBER: CST-CA8-230-727-U-T5N


**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total   |
|--------------------|-----------|----------|--------|---------|
| <b>House Side</b>  | Lumens    | 16175.0  | 0.0    | 16175.0 |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Street Side</b> | Lumens    | 16175.0  | 0.0    | 16175.0 |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Total</b>       | Lumens    | 32350.0  | 0.0    | 32350.0 |
|                    | % Fixture | 100.0    | 0.0    | 100.0   |

**ZONAL LUMENS:**

| Zone      | Lumens  | % Fixture |
|-----------|---------|-----------|
| 0°-10°    | 227.3   | 0.7       |
| 10°-20°   | 741.1   | 2.3       |
| 20°-30°   | 1574.0  | 4.9       |
| 30°-40°   | 3337.4  | 10.3      |
| 40°-50°   | 6346.8  | 19.6      |
| 50°-60°   | 10068.8 | 31.1      |
| 60°-70°   | 8510.8  | 26.3      |
| 70°-80°   | 1400.2  | 4.3       |
| 80°-90°   | 143.6   | 0.4       |
| 90°-100°  | 0.0     | 0.0       |
| 100°-110° | 0.0     | 0.0       |
| 110°-120° | 0.0     | 0.0       |
| 120°-130° | 0.0     | 0.0       |
| 130°-140° | 0.0     | 0.0       |
| 140°-150° | 0.0     | 0.0       |
| 150°-160° | 0.0     | 0.0       |
| 160°-170° | 0.0     | 0.0       |
| 170°-180° | 0.0     | 0.0       |
| 0°-90°    | 32350.0 | 100.0     |
| 0°-180°   | 32350.0 | 100.0     |

**Coefficient of Utilization**



REPORT NUMBER: P510713


CATALOG NUMBER: CST-CA8-230-727-U-T5N

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens | % Fixture | Zone Rating/Lumen Limit |      |         |
|------|-------------|--------|-----------|-------------------------|------|---------|
|      |             |        |           | B                       | U    | G       |
| FL   | (0°-30°)    | 1271.2 | 3.9       |                         |      |         |
| FM   | (30°-60°)   | 9876.5 | 30.5      |                         |      |         |
| FH   | (60°-80°)   | 4955.5 | 15.3      |                         |      | G2/5000 |
| FVH  | (80°-90°)   | 71.8   | 0.2       |                         |      | G1/100  |
| BL   | (0°-30°)    | 1271.2 | 3.9       | B3/2500                 |      |         |
| BM   | (30°-60°)   | 9876.5 | 30.5      | B5                      |      |         |
| BH   | (60°-80°)   | 4955.5 | 15.3      | B4/5000                 |      | G2/5000 |
| BVH  | (80°-90°)   | 71.8   | 0.2       |                         |      | G1/100  |
| UL   | (90°-100°)  | 0.0    | 0.0       |                         | U0/0 |         |
| UH   | (100°-180°) | 0.0    | 0.0       |                         | U0/0 |         |

**BUG Rating: B5-U0-G2**

Type V Short



FIELD PERFORMANCE MAY DIFFER FROM LABORATORY PERFORMANCE

REPORT NUMBER: P510713

CATALOG NUMBER: CST-CA8-230-727-U-T5N

**CANDELA DISTRIBUTION (FULL):**

|       | 0°      | 5°      | 15°     | 25°     | 35°     | 45°     | 55°     | 65°     | 75°     | 85°     | 90°     |
|-------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0°    | 2322.6  | 2322.6  | 2322.6  | 2322.6  | 2322.6  | 2322.6  | 2322.6  | 2322.6  | 2322.6  | 2322.6  | 2322.6  |
| 2.5°  | 2339.4  | 2333.6  | 2331.8  | 2329.3  | 2330.5  | 2331.2  | 2334.5  | 2334.8  | 2334.8  | 2337.9  | 2343.0  |
| 5°    | 2365.6  | 2358.0  | 2355.2  | 2352.2  | 2353.7  | 2355.2  | 2358.3  | 2360.1  | 2359.8  | 2361.6  | 2366.2  |
| 7.5°  | 2394.0  | 2391.2  | 2387.9  | 2386.0  | 2386.0  | 2390.3  | 2388.2  | 2391.5  | 2391.2  | 2393.3  | 2396.1  |
| 10°   | 2436.0  | 2429.9  | 2429.6  | 2426.3  | 2427.8  | 2431.5  | 2432.1  | 2431.5  | 2432.1  | 2433.3  | 2439.7  |
| 12.5° | 2489.4  | 2487.9  | 2488.8  | 2486.0  | 2485.1  | 2489.1  | 2490.0  | 2494.0  | 2495.2  | 2498.8  | 2502.8  |
| 15°   | 2575.4  | 2565.6  | 2564.4  | 2564.1  | 2565.9  | 2572.0  | 2573.8  | 2581.2  | 2584.5  | 2589.7  | 2598.5  |
| 17.5° | 2672.6  | 2676.0  | 2669.9  | 2669.3  | 2669.0  | 2673.8  | 2678.7  | 2694.9  | 2700.1  | 2712.0  | 2719.6  |
| 20°   | 2827.8  | 2821.7  | 2818.1  | 2803.4  | 2799.8  | 2808.3  | 2826.0  | 2847.3  | 2857.4  | 2876.3  | 2890.6  |
| 22.5° | 3035.1  | 3024.8  | 2999.8  | 2982.4  | 2975.1  | 2989.7  | 3008.9  | 3043.1  | 3083.6  | 3107.1  | 3113.5  |
| 25°   | 3334.8  | 3294.0  | 3262.9  | 3232.1  | 3221.1  | 3242.8  | 3273.9  | 3328.1  | 3379.0  | 3426.0  | 3447.6  |
| 27.5° | 3699.8  | 3673.9  | 3612.0  | 3563.5  | 3544.3  | 3562.6  | 3627.2  | 3703.7  | 3797.0  | 3845.8  | 3853.1  |
| 30°   | 4163.2  | 4149.8  | 4070.8  | 3980.0  | 3945.8  | 3977.5  | 4053.8  | 4158.0  | 4287.9  | 4388.2  | 4405.9  |
| 32.5° | 4737.0  | 4669.0  | 4559.3  | 4455.3  | 4418.7  | 4457.4  | 4533.9  | 4683.6  | 4858.7  | 4969.6  | 5007.4  |
| 35°   | 5394.9  | 5318.1  | 5153.2  | 4993.4  | 4946.2  | 4951.0  | 5073.6  | 5284.6  | 5523.9  | 5678.8  | 5721.2  |
| 37.5° | 6120.6  | 6042.2  | 5847.7  | 5599.8  | 5490.4  | 5498.6  | 5659.0  | 5933.4  | 6261.4  | 6430.3  | 6486.4  |
| 40°   | 6895.0  | 6813.9  | 6613.3  | 6334.0  | 6154.1  | 6117.5  | 6331.9  | 6666.0  | 6999.2  | 7202.9  | 7224.6  |
| 42.5° | 7652.0  | 7556.0  | 7394.7  | 7115.4  | 6951.4  | 6853.2  | 7112.1  | 7414.8  | 7750.8  | 7934.3  | 7948.7  |
| 45°   | 8328.2  | 8309.6  | 8180.1  | 7977.6  | 7842.6  | 7755.7  | 7940.4  | 8241.0  | 8475.8  | 8592.0  | 8634.3  |
| 47.5° | 8981.9  | 8970.3  | 8928.9  | 8858.1  | 8891.7  | 8747.2  | 8835.9  | 8972.2  | 9101.1  | 9186.5  | 9219.4  |
| 50°   | 9554.8  | 9567.0  | 9648.4  | 9768.8  | 10011.5 | 9865.2  | 9837.4  | 9690.8  | 9694.4  | 9701.1  | 9735.3  |
| 52.5° | 10028.0 | 10092.6 | 10297.5 | 10660.9 | 11185.0 | 11181.7 | 10761.8 | 10374.6 | 10199.6 | 10121.9 | 10128.9 |
| 55°   | 10440.5 | 10551.2 | 10889.6 | 11639.9 | 12389.9 | 12427.4 | 11856.4 | 10998.7 | 10670.7 | 10504.8 | 10526.5 |
| 57.5° | 10668.2 | 10836.8 | 11409.7 | 12548.8 | 13617.7 | 13662.8 | 13026.8 | 11689.9 | 10938.7 | 10518.8 | 10536.8 |
| 60°   | 9886.5  | 10170.4 | 11226.5 | 13135.1 | 14556.7 | 14577.5 | 13742.4 | 11744.2 | 10110.0 | 9367.0  | 9258.1  |
| 62.5° | 8090.4  | 8483.7  | 9973.7  | 12680.8 | 14121.7 | 14057.3 | 13294.5 | 10727.4 | 8305.1  | 7403.8  | 7312.4  |
| 65°   | 6077.3  | 6447.1  | 8007.2  | 10857.9 | 12390.8 | 12306.1 | 11529.2 | 8478.2  | 6088.9  | 5132.1  | 5019.6  |
| 67.5° | 3289.1  | 3847.7  | 5307.4  | 8294.1  | 9877.7  | 10165.2 | 9088.9  | 5909.3  | 3543.4  | 2569.0  | 2470.2  |
| 70°   | 1136.0  | 1468.0  | 2706.2  | 5206.5  | 7124.6  | 7413.0  | 6198.0  | 3169.3  | 1550.6  | 969.5   | 870.4   |
| 72.5° | 403.4   | 464.9   | 1017.4  | 2514.4  | 4056.2  | 4494.3  | 3344.3  | 1274.7  | 494.2   | 360.1   | 352.8   |
| 75°   | 284.8   | 293.9   | 361.6   | 819.8   | 1756.1  | 2151.0  | 1318.6  | 423.2   | 308.2   | 288.1   | 286.3   |
| 77.5° | 254.3   | 259.5   | 293.0   | 333.8   | 536.6   | 686.9   | 405.8   | 307.0   | 267.7   | 256.4   | 252.4   |
| 80°   | 241.8   | 245.7   | 255.5   | 273.8   | 304.3   | 316.5   | 273.8   | 262.5   | 243.6   | 238.7   | 237.2   |
| 82.5° | 211.3   | 210.4   | 213.1   | 220.7   | 234.5   | 237.5   | 219.8   | 205.8   | 206.1   | 200.3   | 197.6   |
| 85°   | 143.0   | 151.5   | 145.1   | 137.2   | 170.1   | 171.0   | 159.5   | 119.5   | 135.7   | 132.9   | 121.6   |
| 87.5° | 43.3    | 48.8    | 38.7    | 26.8    | 36.9    | 28.7    | 25.9    | 26.8    | 25.6    | 22.3    | 20.1    |
| 90°   | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     | 0.0     |

Report Prepared for

Cooper Lighting Solutions

(formerly Eaton)

STREETWORKS

Report Number: SP1-2104-215-5

Luminaire Tested: CST-CA6-230-727-U-T4

Test Date: 04/22/2021




### Test Information

Test Method: LM-79-08  
 Report Number: SP1-2104-215-5  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1  
 Measurement Geometry:  $4\pi$   
 Issue Date: 04/22/2021  
 Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
 Product Line: STREETWORKS  
 Catalog Number: **CST-CA6-230-727-U-T4**  
 Description: STREETWORKS HIGH MAST LUMINAIRE

### Spectral Parameters

|                           |         |           |      |      |       |
|---------------------------|---------|-----------|------|------|-------|
| CCT (K):                  | 2613    | CRI (Ra): | 72.6 |      |       |
| CIE u':                   | 0.2668  | R1:       | 69.4 | R9:  | -28.6 |
| CIE v':                   | 0.5272  | R2:       | 84.5 | R10: | 65.5  |
| Duv:                      | -0.0012 | R3:       | 95.0 | R11: | 63.4  |
| CIE x:                    | 0.4648  | R4:       | 67.5 | R12: | 56.9  |
| CIE y:                    | 0.4082  | R5:       | 68.5 | R13: | 72.3  |
| CIE z:                    | 0.1270  | R6:       | 79.7 | R14: | 97.8  |
| Peak Wavelength (nm):     | 603     | R7:       | 75.4 |      |       |
| Dominant Wavelength (nm): | 585     | R8:       | 41.2 |      |       |
| Purity:                   | 62.2    |           |      |      |       |
| Rf:                       | 75.3    |           |      |      |       |
| Rg:                       | 95.8    |           |      |      |       |



### Test Conditions


Stabilization Time: 121M  
 Operation Time: 12H  
 Room Temperature (°C) / RH%: 25.5/25%  
 Sphere Temperature (°C): 24.8

REPORT NUMBER: SP1-2104-215-5


| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 1/31/2021        | 7/31/2021            |
| Power Meter                    | IN0071                | 12/1/2020        | 12/1/2021            |
| AC Power Source                | IN0063                | 12/1/2020        | 12/1/2021            |
| DC Power Source                | IN0208                | 12/1/2020        | 12/1/2021            |
| Sphere Thermometer             | IN0085                | 12/1/2020        | 12/1/2021            |
| Room Thermometer               | IN0046                | 12/1/2020        | 12/1/2021            |

REPORT NUMBER: SP1-2104-215-5

**CIE 1931 Chromaticity Diagram**




**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



Point lies inside the ANSI 2700K 7-step quadrangle

REPORT NUMBER: SP1-2104-215-5

### Photopic Flux vs. Wavelength




#####

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 11220            | 0.0              | 490       | 69401            | 9.9              | 620       | 692536           | 180.2            | 750       | 31541            | 0.0              | 880       | 18253            | 0.0              |
| 365       | 10182            | 0.0              | 495       | 90053            | 16.3             | 625       | 651217           | 143.7            | 755       | 28760            | 0.0              | 885       | 21369            | 0.0              |
| 370       | 10420            | 0.0              | 500       | 121940           | 26.9             | 630       | 598624           | 108.3            | 760       | 26534            | 0.0              | 890       | 16745            | 0.0              |
| 375       | 12164            | 0.0              | 505       | 159641           | 44.7             | 635       | 546251           | 82.1             | 765       | 24261            | 0.0              | 895       | 14205            | 0.0              |
| 380       | 12715            | 0.0              | 510       | 197034           | 67.7             | 640       | 499000           | 59.6             | 770       | 21584            | 0.0              | 900       | 14113            | 0.0              |
| 385       | 11387            | 0.0              | 515       | 232805           | 96.4             | 645       | 451749           | 43.5             | 775       | 20805            | 0.0              | 905       | 13457            | 0.0              |
| 390       | 10503            | 0.0              | 520       | 263165           | 127.6            | 650       | 406338           | 29.7             | 780       | 17853            | 0.0              | 910       | 12811            | 0.0              |
| 395       | 8950             | 0.0              | 525       | 288012           | 154.6            | 655       | 360522           | 20.7             | 785       | 17033            | 0.0              | 915       | 17471            | 0.0              |
| 400       | 8271             | 0.0              | 530       | 310825           | 183.0            | 660       | 321663           | 13.4             | 790       | 16986            | 0.0              | 920       | 15483            | 0.0              |
| 405       | 7777             | 0.0              | 535       | 330894           | 205.2            | 665       | 283133           | 9.0              | 795       | 16655            | 0.0              | 925       | 19757            | 0.0              |
| 410       | 9299             | 0.0              | 540       | 349086           | 227.5            | 670       | 244093           | 5.3              | 800       | 15070            | 0.0              | 930       | 16307            | 0.0              |
| 415       | 13971            | 0.0              | 545       | 372506           | 247.9            | 675       | 210996           | 3.5              | 805       | 15366            | 0.0              | 935       | 18687            | 0.0              |
| 420       | 23461            | 0.1              | 550       | 403721           | 274.3            | 680       | 183942           | 2.1              | 810       | 15472            | 0.0              | 940       | 17986            | 0.0              |
| 425       | 41887            | 0.2              | 555       | 442032           | 301.9            | 685       | 158373           | 1.4              | 815       | 17184            | 0.0              | 945       | 15266            | 0.0              |
| 430       | 69840            | 0.6              | 560       | 485515           | 329.9            | 690       | 137120           | 0.8              | 820       | 14166            | 0.0              | 950       | 21027            | 0.0              |
| 435       | 106868           | 1.3              | 565       | 532962           | 354.4            | 695       | 116757           | 0.5              | 825       | 13854            | 0.0              | 955       | 19232            | 0.0              |
| 440       | 164642           | 2.6              | 570       | 582457           | 378.7            | 700       | 102093           | 0.3              | 830       | 14283            | 0.0              | 960       | 11261            | 0.0              |
| 445       | 256049           | 5.3              | 575       | 634550           | 394.8            | 705       | 87819            | 0.2              | 835       | 14112            | 0.0              | 965       | 20156            | 0.0              |
| 450       | 327314           | 8.5              | 580       | 686476           | 407.9            | 710       | 78011            | 0.1              | 840       | 13092            | 0.0              | 970       | 22393            | 0.0              |
| 455       | 265614           | 8.9              | 585       | 730571           | 405.9            | 715       | 70264            | 0.1              | 845       | 12158            | 0.0              | 975       | 20121            | 0.0              |
| 460       | 168394           | 6.9              | 590       | 768228           | 397.2            | 720       | 63584            | 0.0              | 850       | 14790            | 0.0              | 980       | 28091            | 0.0              |
| 465       | 127370           | 6.6              | 595       | 780593           | 370.0            | 725       | 55749            | 0.0              | 855       | 15683            | 0.0              | 985       | 27040            | 0.0              |
| 470       | 94724            | 5.9              | 600       | 791888           | 341.3            | 730       | 48683            | 0.0              | 860       | 19011            | 0.0              | 990       | 20772            | 0.0              |
| 475       | 67810            | 5.3              | 605       | 789088           | 305.6            | 735       | 42520            | 0.0              | 865       | 18194            | 0.0              | 995       | 26800            | 0.0              |
| 480       | 59825            | 5.7              | 610       | 765121           | 262.9            | 740       | 37531            | 0.0              | 870       | 15713            | 0.0              | 1000      | 28539            | 0.0              |
| 485       | 61079            | 7.2              | 615       | 735839           | 222.1            | 745       | 34522            | 0.0              | 875       | 19703            | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2104-215-5


### Scotopic Flux vs. Wavelength


**Scotopic Lumens: 37163.1**
**S/P: 1.07**

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 11220            | 0.0              | 490       | 69401            | 106.9            | 620       | 692536           | 8.7              | 750       | 31541            | 0.0              | 880       | 18253            | 0.0              |
| 365       | 10182            | 0.0              | 495       | 90053            | 145.6            | 625       | 651217           | 5.5              | 755       | 28760            | 0.0              | 885       | 21369            | 0.0              |
| 370       | 10420            | 0.0              | 500       | 121940           | 204.0            | 630       | 598624           | 3.4              | 760       | 26534            | 0.0              | 890       | 16745            | 0.0              |
| 375       | 12164            | 0.0              | 505       | 159641           | 271.4            | 635       | 546251           | 2.1              | 765       | 24261            | 0.0              | 895       | 14205            | 0.0              |
| 380       | 12715            | 0.0              | 510       | 197034           | 334.0            | 640       | 499000           | 1.3              | 770       | 21584            | 0.0              | 900       | 14113            | 0.0              |
| 385       | 11387            | 0.0              | 515       | 232805           | 385.9            | 645       | 451749           | 0.8              | 775       | 20805            | 0.0              | 905       | 13457            | 0.0              |
| 390       | 10503            | 0.0              | 520       | 263165           | 418.3            | 650       | 406338           | 0.5              | 780       | 17853            | 0.0              | 910       | 12811            | 0.0              |
| 395       | 8950             | 0.1              | 525       | 288012           | 430.9            | 655       | 360522           | 0.3              | 785       | 17033            | 0.0              | 915       | 17471            | 0.0              |
| 400       | 8271             | 0.1              | 530       | 310825           | 428.5            | 660       | 321663           | 0.2              | 790       | 16986            | 0.0              | 920       | 15483            | 0.0              |
| 405       | 7777             | 0.2              | 535       | 330894           | 412.3            | 665       | 283133           | 0.1              | 795       | 16655            | 0.0              | 925       | 19757            | 0.0              |
| 410       | 9299             | 0.6              | 540       | 349086           | 385.7            | 670       | 244093           | 0.1              | 800       | 15070            | 0.0              | 930       | 16307            | 0.0              |
| 415       | 13971            | 1.4              | 545       | 372506           | 357.2            | 675       | 210996           | 0.0              | 805       | 15366            | 0.0              | 935       | 18687            | 0.0              |
| 420       | 23461            | 3.9              | 550       | 403721           | 330.1            | 680       | 183942           | 0.0              | 810       | 15472            | 0.0              | 940       | 17986            | 0.0              |
| 425       | 41887            | 10.2             | 555       | 442032           | 302.1            | 685       | 158373           | 0.0              | 815       | 17184            | 0.0              | 945       | 15266            | 0.0              |
| 430       | 69840            | 23.8             | 560       | 485515           | 271.4            | 690       | 137120           | 0.0              | 820       | 14166            | 0.0              | 950       | 21027            | 0.0              |
| 435       | 106868           | 47.8             | 565       | 532962           | 239.1            | 695       | 116757           | 0.0              | 825       | 13854            | 0.0              | 955       | 19232            | 0.0              |
| 440       | 164642           | 92.0             | 570       | 582457           | 205.6            | 700       | 102093           | 0.0              | 830       | 14283            | 0.0              | 960       | 11261            | 0.0              |
| 445       | 256049           | 171.5            | 575       | 634550           | 172.8            | 705       | 87819            | 0.0              | 835       | 14112            | 0.0              | 965       | 20156            | 0.0              |
| 450       | 327314           | 253.7            | 580       | 686476           | 141.4            | 710       | 78011            | 0.0              | 840       | 13092            | 0.0              | 970       | 22393            | 0.0              |
| 455       | 265614           | 232.1            | 585       | 730571           | 111.7            | 715       | 70264            | 0.0              | 845       | 12158            | 0.0              | 975       | 20121            | 0.0              |
| 460       | 168394           | 162.6            | 590       | 768228           | 85.5             | 720       | 63584            | 0.0              | 850       | 14790            | 0.0              | 980       | 28091            | 0.0              |
| 465       | 127370           | 134.5            | 595       | 780593           | 62.2             | 725       | 55749            | 0.0              | 855       | 15683            | 0.0              | 985       | 27040            | 0.0              |
| 470       | 94724            | 109.1            | 600       | 791888           | 44.6             | 730       | 48683            | 0.0              | 860       | 19011            | 0.0              | 990       | 20772            | 0.0              |
| 475       | 67810            | 84.8             | 605       | 789088           | 31.0             | 735       | 42520            | 0.0              | 865       | 18194            | 0.0              | 995       | 26800            | 0.0              |
| 480       | 59825            | 80.8             | 610       | 765121           | 20.7             | 740       | 37531            | 0.0              | 870       | 15713            | 0.0              | 1000      | 28539            | 0.0              |
| 485       | 61079            | 88.5             | 615       | 735839           | 13.6             | 745       | 34522            | 0.0              | 875       | 19703            | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2104-215-5

### Melanopic Flux vs. Wavelength


**Melanopic Lumens: 13012.4      M/P: 0.38**

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 11220            | 0.0              | 490       | 69401            | 57.8             | 620       | 692536           | 0.5              | 750       | 31541            | 0.0              | 880       | 18253            | 0.0              |
| 365       | 10182            | 0.0              | 495       | 90053            | 74.3             | 625       | 651217           | 0.3              | 755       | 28760            | 0.0              | 885       | 21369            | 0.0              |
| 370       | 10420            | 0.0              | 500       | 121940           | 98.0             | 630       | 598624           | 0.2              | 760       | 26534            | 0.0              | 890       | 16745            | 0.0              |
| 375       | 12164            | 0.0              | 505       | 159641           | 122.5            | 635       | 546251           | 0.1              | 765       | 24261            | 0.0              | 895       | 14205            | 0.0              |
| 380       | 12715            | 0.0              | 510       | 197034           | 141.5            | 640       | 499000           | 0.1              | 770       | 21584            | 0.0              | 900       | 14113            | 0.0              |
| 385       | 11387            | 0.0              | 515       | 232805           | 152.1            | 645       | 451749           | 0.0              | 775       | 20805            | 0.0              | 905       | 13457            | 0.0              |
| 390       | 10503            | 0.0              | 520       | 263165           | 153.2            | 650       | 406338           | 0.0              | 780       | 17853            | 0.0              | 910       | 12811            | 0.0              |
| 395       | 8950             | 0.0              | 525       | 288012           | 146.1            | 655       | 360522           | 0.0              | 785       | 17033            | 0.0              | 915       | 17471            | 0.0              |
| 400       | 8271             | 0.1              | 530       | 310825           | 134.3            | 660       | 321663           | 0.0              | 790       | 16986            | 0.0              | 920       | 15483            | 0.0              |
| 405       | 7777             | 0.1              | 535       | 330894           | 119.1            | 665       | 283133           | 0.0              | 795       | 16655            | 0.0              | 925       | 19757            | 0.0              |
| 410       | 9299             | 0.4              | 540       | 349086           | 102.2            | 670       | 244093           | 0.0              | 800       | 15070            | 0.0              | 930       | 16307            | 0.0              |
| 415       | 13971            | 0.9              | 545       | 372506           | 86.5             | 675       | 210996           | 0.0              | 805       | 15366            | 0.0              | 935       | 18687            | 0.0              |
| 420       | 23461            | 2.7              | 550       | 403721           | 72.5             | 680       | 183942           | 0.0              | 810       | 15472            | 0.0              | 940       | 17986            | 0.0              |
| 425       | 41887            | 6.5              | 555       | 442032           | 59.6             | 685       | 158373           | 0.0              | 815       | 17184            | 0.0              | 945       | 15266            | 0.0              |
| 430       | 69840            | 14.8             | 560       | 485515           | 47.9             | 690       | 137120           | 0.0              | 820       | 14166            | 0.0              | 950       | 21027            | 0.0              |
| 435       | 106868           | 28.5             | 565       | 532962           | 37.4             | 695       | 116757           | 0.0              | 825       | 13854            | 0.0              | 955       | 19232            | 0.0              |
| 440       | 164642           | 55.0             | 570       | 582457           | 28.5             | 700       | 102093           | 0.0              | 830       | 14283            | 0.0              | 960       | 11261            | 0.0              |
| 445       | 256049           | 101.0            | 575       | 634550           | 21.1             | 705       | 87819            | 0.0              | 835       | 14112            | 0.0              | 965       | 20156            | 0.0              |
| 450       | 327314           | 150.8            | 580       | 686476           | 15.4             | 710       | 78011            | 0.0              | 840       | 13092            | 0.0              | 970       | 22393            | 0.0              |
| 455       | 265614           | 139.2            | 585       | 730571           | 10.9             | 715       | 70264            | 0.0              | 845       | 12158            | 0.0              | 975       | 20121            | 0.0              |
| 460       | 168394           | 99.2             | 590       | 768228           | 7.5              | 720       | 63584            | 0.0              | 850       | 14790            | 0.0              | 980       | 28091            | 0.0              |
| 465       | 127370           | 83.2             | 595       | 780593           | 5.0              | 725       | 55749            | 0.0              | 855       | 15683            | 0.0              | 985       | 27040            | 0.0              |
| 470       | 94724            | 67.8             | 600       | 791888           | 3.3              | 730       | 48683            | 0.0              | 860       | 19011            | 0.0              | 990       | 20772            | 0.0              |
| 475       | 67810            | 51.8             | 605       | 789088           | 2.2              | 735       | 42520            | 0.0              | 865       | 18194            | 0.0              | 995       | 26800            | 0.0              |
| 480       | 59825            | 48.1             | 610       | 765121           | 1.4              | 740       | 37531            | 0.0              | 870       | 15713            | 0.0              | 1000      | 28539            | 0.0              |
| 485       | 61079            | 50.3             | 615       | 735839           | 0.9              | 745       | 34522            | 0.0              | 875       | 19703            | 0.0              |           |                  |                  |


REPORT NUMBER: SP1-2104-215-5

TM-30-18





### Summary

$R_f = 75.3$   
 $R_g = 95.8$   
 CIE  $R_a = 72.6$   
 $R_g = -28.6$

### Spectral Power Distribution Comparison




### Color Vector Graphics






**Individual Sample Fidelity Index ( $R_{f,i}$ )**

|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 87 | CES26 = 66 | CES51 = 86 | CES76 = 63 |
| CES02 = 64 | CES27 = 88 | CES52 = 84 | CES77 = 79 |
| CES03 = 31 | CES28 = 86 | CES53 = 77 | CES78 = 66 |
| CES04 = 71 | CES29 = 65 | CES54 = 86 | CES79 = 87 |
| CES05 = 50 | CES30 = 77 | CES55 = 85 | CES80 = 85 |
| CES06 = 52 | CES31 = 69 | CES56 = 75 | CES81 = 67 |
| CES07 = 42 | CES32 = 63 | CES57 = 75 | CES82 = 93 |
| CES08 = 41 | CES33 = 74 | CES58 = 77 | CES83 = 89 |
| CES09 = 29 | CES34 = 77 | CES59 = 85 | CES84 = 90 |
| CES10 = 77 | CES35 = 88 | CES60 = 92 | CES85 = 74 |
| CES11 = 60 | CES36 = 98 | CES61 = 83 | CES86 = 59 |
| CES12 = 66 | CES37 = 86 | CES62 = 93 | CES87 = 77 |
| CES13 = 44 | CES38 = 85 | CES63 = 76 | CES88 = 79 |
| CES14 = 74 | CES39 = 95 | CES64 = 70 | CES89 = 65 |
| CES15 = 72 | CES40 = 91 | CES65 = 68 | CES90 = 78 |
| CES16 = 48 | CES41 = 89 | CES66 = 66 | CES91 = 86 |
| CES17 = 51 | CES42 = 86 | CES67 = 64 | CES92 = 59 |
| CES18 = 57 | CES43 = 75 | CES68 = 70 | CES93 = 74 |
| CES19 = 73 | CES44 = 99 | CES69 = 80 | CES94 = 50 |
| CES20 = 67 | CES45 = 83 | CES70 = 65 | CES95 = 69 |
| CES21 = 88 | CES46 = 78 | CES71 = 64 | CES96 = 77 |
| CES22 = 80 | CES47 = 80 | CES72 = 87 | CES97 = 81 |
| CES23 = 92 | CES48 = 70 | CES73 = 58 | CES98 = 76 |
| CES24 = 91 | CES49 = 76 | CES74 = 93 | CES99 = 66 |
| CES25 = 73 | CES50 = 85 | CES75 = 67 |            |







Color Rendition by Hue-Angle Bin



**Measure Comparisons**



(END OF REPORT)