

Signify Classified - Internal  
Cooper Lighting Solutions Photometric Lab  
1121 Highway 74 South  
Peachtree City, GA 30269



Scaled data based on original data using  
LM-79-2019 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions

Brand: STREETWORKS

Report Number: P360548

Luminaire Tested: NVN-SA4C-722-U-5MQ

Issue Date: 3/3/2020

**Test Information**

Test Method: LM-79-2019  
Report Number: P360548  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1903-205-6)  
Test Lab: INNOVATION CENTER  
Issue Date: 3/3/2020  
Manufacturer: COOPER LIGHTING SOLUTIONS  
Product Line: STREETWORKS  
Catalog Number: NVN-SA4C-722-U-5MQ  
Description: NAVION ROADWAY AND AREA LUMINAIRE  
(4) 70 CRI, 2200K, 1050mA LIGHTSQUARES WITH 16 LEDS EACH AND TYPE V  
MEDIUM OPTICS  
Light Source: -  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**

Lumens per Lamp: N/A  
Luminaire Lumens: 22695 lumens  
Efficiency: N/A  
Efficacy: 100.9 lumens/watt  
Luminous Opening: Rectangular (W 1' x L: 1.5' x H: 0')  
IES Classification: Type V - Short  
BUG Rating: B5 - U0 - G3


Input Watts (W): 225  
Input Voltage (V): NR  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 28.75 FT



REPORT NUMBER: P360548  
 CATALOG NUMBER: NVN-SA4C-722-U-5MQ

## Iso-Footcandle Lines of Horizontal Illumination


✕ Max cd  
 - - - 1/2 Max cd



Based on 25 foot mounting height. Maximum calculated value = 4 fc  
 Type V - Short - N/A

REPORT NUMBER: P360548  
CATALOG NUMBER: NVN-SA4C-722-U-5MQ

## Luminous Intensity Polar Plot



REPORT NUMBER: P360548

CATALOG NUMBER: NVN-SA4C-722-U-5MQ


**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total   |
|--------------------|-----------|----------|--------|---------|
| <b>House Side</b>  | Lumens    | 11347.5  | 0.0    | 11347.5 |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Street Side</b> | Lumens    | 11347.5  | 0.0    | 11347.5 |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Total</b>       | Lumens    | 22695.0  | 0.0    | 22695.0 |
|                    | % Fixture | 100.0    | 0.0    | 100.0   |

**ZONAL LUMENS:**

| Zone      | Lumens  | % Fixture |
|-----------|---------|-----------|
| 0°-10°    | 234.8   | 1.0       |
| 10°-20°   | 689.2   | 3.0       |
| 20°-30°   | 1173.2  | 5.2       |
| 30°-40°   | 1860.7  | 8.2       |
| 40°-50°   | 3027.9  | 13.3      |
| 50°-60°   | 4992.5  | 22.0      |
| 60°-70°   | 7329.1  | 32.3      |
| 70°-80°   | 3240.9  | 14.3      |
| 80°-90°   | 146.8   | 0.6       |
| 90°-100°  | 0.0     | 0.0       |
| 100°-110° | 0.0     | 0.0       |
| 110°-120° | 0.0     | 0.0       |
| 120°-130° | 0.0     | 0.0       |
| 130°-140° | 0.0     | 0.0       |
| 140°-150° | 0.0     | 0.0       |
| 150°-160° | 0.0     | 0.0       |
| 160°-170° | 0.0     | 0.0       |
| 170°-180° | 0.0     | 0.0       |
| 0°-90°    | 22695.0 | 100.0     |
| 0°-180°   | 22695.0 | 100.0     |

**Coefficient of Utilization**



REPORT NUMBER: P360548


CATALOG NUMBER: NVN-SA4C-722-U-5MQ

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens | % Fixture | Zone Rating/Lumen Limit |      |         |
|------|-------------|--------|-----------|-------------------------|------|---------|
|      |             |        |           | B                       | U    | G       |
| FL   | (0°-30°)    | 1048.6 | 4.6       |                         |      |         |
| FM   | (30°-60°)   | 4940.5 | 21.8      |                         |      |         |
| FH   | (60°-80°)   | 5285.0 | 23.3      |                         |      | G3/7500 |
| FVH  | (80°-90°)   | 73.4   | 0.3       |                         |      | G1/100  |
| BL   | (0°-30°)    | 1048.6 | 4.6       | B3/2500                 |      |         |
| BM   | (30°-60°)   | 4940.5 | 21.8      | B3/5000                 |      |         |
| BH   | (60°-80°)   | 5285.0 | 23.3      | B5                      |      | G3/7500 |
| BVH  | (80°-90°)   | 73.4   | 0.3       |                         |      | G1/100  |
| UL   | (90°-100°)  | 0.0    | 0.0       |                         | U0/0 |         |
| UH   | (100°-180°) | 0.0    | 0.0       |                         | U0/0 |         |

**BUG Rating: B5-U0-G3**

Type V Short





REPORT NUMBER: P360548

CATALOG NUMBER: NVN-SA4C-722-U-5MQ

**CANDELA DISTRIBUTION (FULL):**

|       | 0°     | 5°     | 15°    | 25°    | 35°    | 45°     | 55°    | 65°    | 75°    | 85°    | 90°    |
|-------|--------|--------|--------|--------|--------|---------|--------|--------|--------|--------|--------|
| 0°    | 2478.6 | 2478.6 | 2478.6 | 2478.6 | 2478.6 | 2478.6  | 2478.6 | 2478.6 | 2478.6 | 2478.6 | 2478.6 |
| 2.5°  | 2474.9 | 2472.6 | 2477.9 | 2477.1 | 2472.6 | 2473.4  | 2473.4 | 2475.6 | 2475.6 | 2474.1 | 2474.1 |
| 5°    | 2465.9 | 2464.4 | 2470.4 | 2470.4 | 2465.9 | 2467.4  | 2468.9 | 2471.1 | 2470.4 | 2468.9 | 2468.1 |
| 7.5°  | 2454.6 | 2453.9 | 2459.9 | 2459.9 | 2456.9 | 2458.4  | 2456.9 | 2457.6 | 2456.1 | 2454.6 | 2452.4 |
| 10°   | 2435.8 | 2437.3 | 2442.6 | 2444.1 | 2444.1 | 2444.8  | 2443.3 | 2439.6 | 2437.3 | 2435.1 | 2432.8 |
| 12.5° | 2418.6 | 2417.8 | 2425.3 | 2429.1 | 2435.1 | 2441.8  | 2437.3 | 2426.8 | 2422.3 | 2417.8 | 2416.3 |
| 15°   | 2407.3 | 2408.0 | 2415.6 | 2422.3 | 2432.8 | 2447.1  | 2441.8 | 2425.3 | 2416.3 | 2411.0 | 2409.5 |
| 17.5° | 2405.0 | 2406.5 | 2416.3 | 2428.3 | 2439.6 | 2455.4  | 2452.4 | 2435.8 | 2420.8 | 2411.0 | 2408.8 |
| 20°   | 2410.3 | 2411.0 | 2426.1 | 2443.3 | 2462.9 | 2477.9  | 2471.1 | 2453.1 | 2432.8 | 2417.8 | 2414.1 |
| 22.5° | 2420.1 | 2423.1 | 2441.8 | 2468.9 | 2498.9 | 2519.2  | 2510.9 | 2480.1 | 2448.6 | 2429.8 | 2424.6 |
| 25°   | 2450.9 | 2451.6 | 2477.1 | 2513.9 | 2550.0 | 2573.3  | 2563.5 | 2520.0 | 2479.4 | 2458.4 | 2451.6 |
| 27.5° | 2514.7 | 2517.0 | 2542.5 | 2585.3 | 2616.1 | 2631.1  | 2625.1 | 2589.8 | 2555.3 | 2532.7 | 2535.0 |
| 30°   | 2607.1 | 2610.1 | 2638.6 | 2686.0 | 2704.7 | 2708.5  | 2707.0 | 2690.5 | 2658.9 | 2628.9 | 2631.1 |
| 32.5° | 2719.8 | 2721.3 | 2759.6 | 2802.4 | 2817.4 | 2820.4  | 2817.4 | 2802.4 | 2764.8 | 2724.3 | 2726.5 |
| 35°   | 2864.7 | 2869.2 | 2906.0 | 2947.3 | 2959.4 | 2965.4  | 2960.1 | 2940.6 | 2901.5 | 2861.7 | 2860.2 |
| 37.5° | 3043.5 | 3044.2 | 3082.5 | 3125.3 | 3140.4 | 3141.9  | 3135.9 | 3123.1 | 3074.3 | 3038.2 | 3036.0 |
| 40°   | 3250.8 | 3253.8 | 3298.9 | 3344.7 | 3350.7 | 3343.9  | 3352.2 | 3344.7 | 3294.3 | 3253.0 | 3259.8 |
| 42.5° | 3503.2 | 3509.9 | 3564.0 | 3609.1 | 3591.8 | 3588.0  | 3593.3 | 3595.5 | 3555.0 | 3504.7 | 3500.2 |
| 45°   | 3796.8 | 3802.8 | 3870.4 | 3906.5 | 3895.2 | 3870.4  | 3881.0 | 3899.0 | 3842.7 | 3780.3 | 3786.3 |
| 47.5° | 4131.8 | 4146.9 | 4219.0 | 4252.8 | 4225.0 | 4191.2  | 4211.4 | 4238.5 | 4172.4 | 4095.0 | 4091.3 |
| 50°   | 4504.4 | 4523.2 | 4619.3 | 4666.6 | 4638.8 | 4576.5  | 4610.3 | 4628.3 | 4532.9 | 4433.0 | 4424.8 |
| 52.5° | 4901.7 | 4920.5 | 5041.4 | 5139.1 | 5121.0 | 5024.1  | 5071.5 | 5052.7 | 4943.0 | 4808.6 | 4798.1 |
| 55°   | 5351.6 | 5359.1 | 5489.8 | 5647.6 | 5665.6 | 5594.2  | 5591.2 | 5560.4 | 5398.2 | 5242.7 | 5235.2 |
| 57.5° | 5814.3 | 5819.6 | 5988.6 | 6174.8 | 6259.7 | 6259.7  | 6175.6 | 6110.2 | 5894.7 | 5714.4 | 5695.6 |
| 60°   | 6313.8 | 6332.6 | 6519.6 | 6772.7 | 6971.0 | 7029.6  | 6880.9 | 6702.9 | 6468.5 | 6248.4 | 6226.7 |
| 62.5° | 6758.4 | 6780.2 | 7066.4 | 7443.5 | 7761.9 | 7975.2  | 7611.7 | 7321.8 | 6895.1 | 6542.1 | 6500.8 |
| 65°   | 6814.8 | 6873.4 | 7290.2 | 7973.0 | 8685.8 | 9111.7  | 8414.6 | 7700.3 | 6922.9 | 6432.5 | 6390.4 |
| 67.5° | 6223.7 | 6322.8 | 6886.1 | 7948.9 | 9421.9 | 10336.0 | 8927.6 | 7484.0 | 6424.2 | 5881.9 | 5835.3 |
| 70°   | 4782.3 | 4926.5 | 5576.2 | 6953.0 | 9294.9 | 10730.3 | 8606.2 | 6551.9 | 5356.1 | 4772.5 | 4707.2 |
| 72.5° | 2623.6 | 2682.9 | 3267.3 | 4761.3 | 7451.7 | 9118.4  | 7178.3 | 4844.6 | 3552.0 | 2890.3 | 2780.6 |
| 75°   | 832.2  | 853.3  | 1150.7 | 1948.4 | 4215.2 | 6039.6  | 4560.0 | 2378.0 | 1309.2 | 965.2  | 953.9  |
| 77.5° | 369.5  | 371.8  | 416.1  | 568.6  | 1451.9 | 3060.0  | 1744.1 | 647.5  | 446.2  | 389.8  | 402.6  |
| 80°   | 233.6  | 233.6  | 257.6  | 281.7  | 395.1  | 888.6   | 471.7  | 308.0  | 262.9  | 244.1  | 249.4  |
| 82.5° | 111.9  | 123.9  | 167.5  | 180.3  | 217.1  | 298.9   | 241.9  | 201.3  | 175.8  | 130.7  | 121.7  |
| 85°   | 73.6   | 61.6   | 105.9  | 119.4  | 126.2  | 143.5   | 140.5  | 132.9  | 114.9  | 65.3   | 72.9   |
| 87.5° | 33.0   | 31.5   | 54.8   | 50.3   | 47.3   | 36.1    | 54.1   | 66.8   | 64.6   | 32.3   | 32.3   |
| 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0     | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

LM-79-2008: Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Report Prepared for

Cooper Lighting Solutions

McGRAW-EDISON

Report Number: SP1-1908-441-10-R4

Test Date: 10/25/2019

Luminaire Tested: SA1C-722-U-5WQ

Data in this report applies to families of products SA1C-722-U-5WQ.




### Test Information

Test Method: LM-79-2008 Report  
 Number: SP1-1908-441-10-R4  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1 - 76IN SPHERE  
 Measurement Geometry:  $4\pi$   
 Issue Date: 10/28/2024  
 Manufacturer: COOPER LIGHTING SOLUTIONS  
 Product Line: MCGRAW-EDISON  
 Catalog Number: **SA1C-722-U-5WQ**  
 Description: MCGRAW EDISON ROADWAY AND AREA LUMINAIRE

\*\*\*THIS IS A REVISION OF SP1-1908-441-4-R3. TO UPDATE THE CATALOG INFORMATION.\*\*\*TESTED IN SITU. ROADWAY AND AREA LUMINAIRE. (1) 70 CRI, 5000K, 1050MA LIGHTSQUARE WITH 16 LEDS AND TYPE V WIDE OPTICS.

### Spectral Parameters

|                           |         |           |      |      |       |
|---------------------------|---------|-----------|------|------|-------|
| CCT (K):                  | 2237    | CRI (Ra): | 72.0 |      |       |
| CIE u':                   | 0.2876  | R1:       | 68.9 | R9:  | -17.4 |
| CIE v':                   | 0.5346  | R2:       | 83.0 | R10: | 61.3  |
| Duv:                      | -0.0006 | R3:       | 95.2 | R11: | 59.8  |
| CIE x:                    | 0.5005  | R4:       | 66.2 | R12: | 50.5  |
| CIE y:                    | 0.4134  | R5:       | 65.9 | R13: | 71.1  |
| CIE z:                    | 0.0860  | R6:       | 76.3 | R14: | 96.9  |
| Peak Wavelength (nm):     | 603     | R7:       | 76.7 |      |       |
| Dominant Wavelength (nm): | 587     | R8:       | 43.8 |      |       |
| Purity:                   | 74.5    |           |      |      |       |
| Rf:                       | 69.8    |           |      |      |       |
| Rg:                       | 99.2    |           |      |      |       |



### Test Conditions


Stabilization Time: 71M  
 Operation Time: 12H  
 Room Temperature (°C) / RH%: 24.7/41%  
 Sphere Temperature (°C): 25.6

REPORT NUMBER: SP1-1908-441-10-R4


| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 6/28/2019        | 12/28/2019           |
| Power Meter                    | IN0071                | 12/5/2018        | 12/5/2019            |
| AC Power Source                | IN0063                | 12/5/2018        | 12/5/2019            |
| DC Power Source                | IN0208                | 12/5/2018        | 12/5/2019            |
| Sphere Thermometer             | IN0085                | 12/5/2018        | 12/5/2019            |
| Room Thermometer               | IN0046                | 12/5/2018        | 12/5/2019            |

REPORT NUMBER: SP1-1908-441-10-R4

**CIE 1931 Chromaticity Diagram**




**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



Point lies inside the ANSI 2200K 4-step quadrangle

REPORT NUMBER: SP1-1908-441-10-R4

**Photopic Flux vs. Wavelength**




#####

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 1768             | NR               | 490       | 5206             | NR               | 620       | 130919           | NR               | 750       | 8553             | NR               | 880       | 2713             | NR               |
| 365       | 1569             | NR               | 495       | 7286             | NR               | 625       | 125335           | NR               | 755       | 7696             | NR               | 885       | 2316             | NR               |
| 370       | 1594             | NR               | 500       | 10654            | NR               | 630       | 118388           | NR               | 760       | 6978             | NR               | 890       | 2539             | NR               |
| 375       | 1744             | NR               | 505       | 15189            | NR               | 635       | 111855           | NR               | 765       | 6377             | NR               | 895       | 1933             | NR               |
| 380       | 1659             | NR               | 510       | 20541            | NR               | 640       | 104062           | NR               | 770       | 5600             | NR               | 900       | 2216             | NR               |
| 385       | 1504             | NR               | 515       | 26492            | NR               | 645       | 96365            | NR               | 775       | 5000             | NR               | 905       | 2067             | NR               |
| 390       | 1541             | NR               | 520       | 32294            | NR               | 650       | 88651            | NR               | 780       | 4709             | NR               | 910       | 1959             | NR               |
| 395       | 1355             | NR               | 525       | 38123            | NR               | 655       | 81152            | NR               | 785       | 4305             | NR               | 915       | 1874             | NR               |
| 400       | 1243             | NR               | 530       | 43232            | NR               | 660       | 73523            | NR               | 790       | 4040             | NR               | 920       | 1484             | NR               |
| 405       | 1417             | NR               | 535       | 48012            | NR               | 665       | 66123            | NR               | 795       | 3642             | NR               | 925       | 1914             | NR               |
| 410       | 2147             | NR               | 540       | 52623            | NR               | 670       | 58677            | NR               | 800       | 3594             | NR               | 930       | 1948             | NR               |
| 415       | 3837             | NR               | 545       | 57516            | NR               | 675       | 52349            | NR               | 805       | 3190             | NR               | 935       | 2079             | NR               |
| 420       | 7159             | NR               | 550       | 62613            | NR               | 680       | 46159            | NR               | 810       | 3241             | NR               | 940       | 2263             | NR               |
| 425       | 12599            | NR               | 555       | 68554            | NR               | 685       | 40525            | NR               | 815       | 2732             | NR               | 945       | 1688             | NR               |
| 430       | 19019            | NR               | 560       | 75325            | NR               | 690       | 35615            | NR               | 820       | 2612             | NR               | 950       | 1560             | NR               |
| 435       | 24875            | NR               | 565       | 82533            | NR               | 695       | 31158            | NR               | 825       | 2966             | NR               | 955       | 2826             | NR               |
| 440       | 29103            | NR               | 570       | 90909            | NR               | 700       | 27409            | NR               | 830       | 2574             | NR               | 960       | 1477             | NR               |
| 445       | 29901            | NR               | 575       | 99621            | NR               | 705       | 24204            | NR               | 835       | 2633             | NR               | 965       | 1568             | NR               |
| 450       | 24862            | NR               | 580       | 108484           | NR               | 710       | 21558            | NR               | 840       | 2526             | NR               | 970       | 2030             | NR               |
| 455       | 15942            | NR               | 585       | 116679           | NR               | 715       | 19222            | NR               | 845       | 2631             | NR               | 975       | 1986             | NR               |
| 460       | 9916             | NR               | 590       | 123752           | NR               | 720       | 17310            | NR               | 850       | 2079             | NR               | 980       | 2540             | NR               |
| 465       | 7051             | NR               | 595       | 129324           | NR               | 725       | 15280            | NR               | 855       | 2309             | NR               | 985       | 1139             | NR               |
| 470       | 5227             | NR               | 600       | 134082           | NR               | 730       | 13282            | NR               | 860       | 2528             | NR               | 990       | 2018             | NR               |
| 475       | 4257             | NR               | 605       | 135698           | NR               | 735       | 11753            | NR               | 865       | 2121             | NR               | 995       | 3445             | NR               |
| 480       | 4052             | NR               | 610       | 135144           | NR               | 740       | 10654            | NR               | 870       | 2751             | NR               | 1000      | 3704             | NR               |
| 485       | 4298             | NR               | 615       | 134180           | NR               | 745       | 9451             | NR               | 875       | 2317             | NR               |           |                  |                  |

REPORT NUMBER: SP1-1908-441-10-R4

Scotopic Flux vs. Wavelength




Scotopic Lumens: 4696.9

S/P: 0.85

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 1768             | NR               | 490       | 5206             | NR               | 620       | 130919           | NR               | 750       | 8553             | NR               | 880       | 2713             | NR               |
| 365       | 1569             | NR               | 495       | 7286             | NR               | 625       | 125335           | NR               | 755       | 7696             | NR               | 885       | 2316             | NR               |
| 370       | 1594             | NR               | 500       | 10654            | NR               | 630       | 118388           | NR               | 760       | 6978             | NR               | 890       | 2539             | NR               |
| 375       | 1744             | NR               | 505       | 15189            | NR               | 635       | 111855           | NR               | 765       | 6377             | NR               | 895       | 1933             | NR               |
| 380       | 1659             | NR               | 510       | 20541            | NR               | 640       | 104062           | NR               | 770       | 5600             | NR               | 900       | 2216             | NR               |
| 385       | 1504             | NR               | 515       | 26492            | NR               | 645       | 96365            | NR               | 775       | 5000             | NR               | 905       | 2067             | NR               |
| 390       | 1541             | NR               | 520       | 32294            | NR               | 650       | 88651            | NR               | 780       | 4709             | NR               | 910       | 1959             | NR               |
| 395       | 1355             | NR               | 525       | 38123            | NR               | 655       | 81152            | NR               | 785       | 4305             | NR               | 915       | 1874             | NR               |
| 400       | 1243             | NR               | 530       | 43232            | NR               | 660       | 73523            | NR               | 790       | 4040             | NR               | 920       | 1484             | NR               |
| 405       | 1417             | NR               | 535       | 48012            | NR               | 665       | 66123            | NR               | 795       | 3642             | NR               | 925       | 1914             | NR               |
| 410       | 2147             | NR               | 540       | 52623            | NR               | 670       | 58677            | NR               | 800       | 3594             | NR               | 930       | 1948             | NR               |
| 415       | 3837             | NR               | 545       | 57516            | NR               | 675       | 52349            | NR               | 805       | 3190             | NR               | 935       | 2079             | NR               |
| 420       | 7159             | NR               | 550       | 62613            | NR               | 680       | 46159            | NR               | 810       | 3241             | NR               | 940       | 2263             | NR               |
| 425       | 12599            | NR               | 555       | 68554            | NR               | 685       | 40525            | NR               | 815       | 2732             | NR               | 945       | 1688             | NR               |
| 430       | 19019            | NR               | 560       | 75325            | NR               | 690       | 35615            | NR               | 820       | 2612             | NR               | 950       | 1560             | NR               |
| 435       | 24875            | NR               | 565       | 82533            | NR               | 695       | 31158            | NR               | 825       | 2966             | NR               | 955       | 2826             | NR               |
| 440       | 29103            | NR               | 570       | 90909            | NR               | 700       | 27409            | NR               | 830       | 2574             | NR               | 960       | 1477             | NR               |
| 445       | 29901            | NR               | 575       | 99621            | NR               | 705       | 24204            | NR               | 835       | 2633             | NR               | 965       | 1568             | NR               |
| 450       | 24862            | NR               | 580       | 108484           | NR               | 710       | 21558            | NR               | 840       | 2526             | NR               | 970       | 2030             | NR               |
| 455       | 15942            | NR               | 585       | 116679           | NR               | 715       | 19222            | NR               | 845       | 2631             | NR               | 975       | 1986             | NR               |
| 460       | 9916             | NR               | 590       | 123752           | NR               | 720       | 17310            | NR               | 850       | 2079             | NR               | 980       | 2540             | NR               |
| 465       | 7051             | NR               | 595       | 129324           | NR               | 725       | 15280            | NR               | 855       | 2309             | NR               | 985       | 1139             | NR               |
| 470       | 5227             | NR               | 600       | 134082           | NR               | 730       | 13282            | NR               | 860       | 2528             | NR               | 990       | 2018             | NR               |
| 475       | 4257             | NR               | 605       | 135698           | NR               | 735       | 11753            | NR               | 865       | 2121             | NR               | 995       | 3445             | NR               |
| 480       | 4052             | NR               | 610       | 135144           | NR               | 740       | 10654            | NR               | 870       | 2751             | NR               | 1000      | 3704             | NR               |
| 485       | 4298             | NR               | 615       | 134180           | NR               | 745       | 9451             | NR               | 875       | 2317             | NR               |           |                  |                  |

REPORT NUMBER: SP1-1908-441-10-R4

**Melanopic Flux vs. Wavelength**



**Melanopic Lumens: 1470.8 M/P: 0.27**


| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 1768             | NR               | 490       | 5206             | NR               | 620       | 130919           | NR               | 750       | 8553             | NR               | 880       | 2713             | NR               |
| 365       | 1569             | NR               | 495       | 7286             | NR               | 625       | 125335           | NR               | 755       | 7696             | NR               | 885       | 2316             | NR               |
| 370       | 1594             | NR               | 500       | 10654            | NR               | 630       | 118388           | NR               | 760       | 6978             | NR               | 890       | 2539             | NR               |
| 375       | 1744             | NR               | 505       | 15189            | NR               | 635       | 111855           | NR               | 765       | 6377             | NR               | 895       | 1933             | NR               |
| 380       | 1659             | NR               | 510       | 20541            | NR               | 640       | 104062           | NR               | 770       | 5600             | NR               | 900       | 2216             | NR               |
| 385       | 1504             | NR               | 515       | 26492            | NR               | 645       | 96365            | NR               | 775       | 5000             | NR               | 905       | 2067             | NR               |
| 390       | 1541             | NR               | 520       | 32294            | NR               | 650       | 88651            | NR               | 780       | 4709             | NR               | 910       | 1959             | NR               |
| 395       | 1355             | NR               | 525       | 38123            | NR               | 655       | 81152            | NR               | 785       | 4305             | NR               | 915       | 1874             | NR               |
| 400       | 1243             | NR               | 530       | 43232            | NR               | 660       | 73523            | NR               | 790       | 4040             | NR               | 920       | 1484             | NR               |
| 405       | 1417             | NR               | 535       | 48012            | NR               | 665       | 66123            | NR               | 795       | 3642             | NR               | 925       | 1914             | NR               |
| 410       | 2147             | NR               | 540       | 52623            | NR               | 670       | 58677            | NR               | 800       | 3594             | NR               | 930       | 1948             | NR               |
| 415       | 3837             | NR               | 545       | 57516            | NR               | 675       | 52349            | NR               | 805       | 3190             | NR               | 935       | 2079             | NR               |
| 420       | 7159             | NR               | 550       | 62613            | NR               | 680       | 46159            | NR               | 810       | 3241             | NR               | 940       | 2263             | NR               |
| 425       | 12599            | NR               | 555       | 68554            | NR               | 685       | 40525            | NR               | 815       | 2732             | NR               | 945       | 1688             | NR               |
| 430       | 19019            | NR               | 560       | 75325            | NR               | 690       | 35615            | NR               | 820       | 2612             | NR               | 950       | 1560             | NR               |
| 435       | 24875            | NR               | 565       | 82533            | NR               | 695       | 31158            | NR               | 825       | 2966             | NR               | 955       | 2826             | NR               |
| 440       | 29103            | NR               | 570       | 90909            | NR               | 700       | 27409            | NR               | 830       | 2574             | NR               | 960       | 1477             | NR               |
| 445       | 29901            | NR               | 575       | 99621            | NR               | 705       | 24204            | NR               | 835       | 2633             | NR               | 965       | 1568             | NR               |
| 450       | 24862            | NR               | 580       | 108484           | NR               | 710       | 21558            | NR               | 840       | 2526             | NR               | 970       | 2030             | NR               |
| 455       | 15942            | NR               | 585       | 116679           | NR               | 715       | 19222            | NR               | 845       | 2631             | NR               | 975       | 1986             | NR               |
| 460       | 9916             | NR               | 590       | 123752           | NR               | 720       | 17310            | NR               | 850       | 2079             | NR               | 980       | 2540             | NR               |
| 465       | 7051             | NR               | 595       | 129324           | NR               | 725       | 15280            | NR               | 855       | 2309             | NR               | 985       | 1139             | NR               |
| 470       | 5227             | NR               | 600       | 134082           | NR               | 730       | 13282            | NR               | 860       | 2528             | NR               | 990       | 2018             | NR               |
| 475       | 4257             | NR               | 605       | 135698           | NR               | 735       | 11753            | NR               | 865       | 2121             | NR               | 995       | 3445             | NR               |
| 480       | 4052             | NR               | 610       | 135144           | NR               | 740       | 10654            | NR               | 870       | 2751             | NR               | 1000      | 3704             | NR               |
| 485       | 4298             | NR               | 615       | 134180           | NR               | 745       | 9451             | NR               | 875       | 2317             | NR               |           |                  |                  |

REPORT NUMBER: SP1-1908-441-10-R4





**TM-30-18**

### Summary

$R_f = 69.8$   
 $R_g = 99.2$   
 CIE  $R_a = 72.0$   
 $R_g = -17.4$



### Color Vector Graphics




REPORT NUMBER: SP1-1908-441-10-R4

**TM-30-18**

**Individual Sample Fidelity Index ( $R_{f,i}$ )**

|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 87 | CES26 = 56 | CES51 = 74 | CES76 = 56 |
| CES02 = 65 | CES27 = 76 | CES52 = 76 | CES77 = 81 |
| CES03 = 32 | CES28 = 83 | CES53 = 65 | CES78 = 63 |
| CES04 = 72 | CES29 = 46 | CES54 = 78 | CES79 = 84 |
| CES05 = 52 | CES30 = 48 | CES55 = 75 | CES80 = 84 |
| CES06 = 52 | CES31 = 51 | CES56 = 65 | CES81 = 63 |
| CES07 = 44 | CES32 = 51 | CES57 = 62 | CES82 = 92 |
| CES08 = 42 | CES33 = 53 | CES58 = 66 | CES83 = 83 |
| CES09 = 29 | CES34 = 70 | CES59 = 84 | CES84 = 92 |
| CES10 = 78 | CES35 = 85 | CES60 = 90 | CES85 = 81 |
| CES11 = 61 | CES36 = 78 | CES61 = 84 | CES86 = 56 |
| CES12 = 68 | CES37 = 80 | CES62 = 70 | CES87 = 78 |
| CES13 = 45 | CES38 = 53 | CES63 = 68 | CES88 = 72 |
| CES14 = 75 | CES39 = 90 | CES64 = 69 | CES89 = 62 |
| CES15 = 72 | CES40 = 84 | CES65 = 67 | CES90 = 67 |
| CES16 = 49 | CES41 = 75 | CES66 = 64 | CES91 = 90 |
| CES17 = 51 | CES42 = 79 | CES67 = 63 | CES92 = 67 |
| CES18 = 57 | CES43 = 64 | CES68 = 69 | CES93 = 79 |
| CES19 = 74 | CES44 = 98 | CES69 = 80 | CES94 = 52 |
| CES20 = 68 | CES45 = 73 | CES70 = 63 | CES95 = 76 |
| CES21 = 89 | CES46 = 67 | CES71 = 63 | CES96 = 78 |
| CES22 = 81 | CES47 = 60 | CES72 = 87 | CES97 = 77 |
| CES23 = 92 | CES48 = 48 | CES73 = 56 | CES98 = 71 |
| CES24 = 92 | CES49 = 64 | CES74 = 87 | CES99 = 65 |
| CES25 = 74 | CES50 = 74 | CES75 = 66 |            |








REPORT NUMBER: SP1-1908-441-10-R4

**TM-30-18**



Color Rendition by Hue-Angle Bin



REPORT NUMBER: SP1-1908-441-10-R4

**TM-30-18**

**Measure Comparisons**



(END OF REPORT)