

Scaled data based on original data using  
LM-79-2019 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions

Brand: STREETWORKS

Report Number: P360709

Luminaire Tested: NVN-SA3B-727-U-RW

Issue Date: 3/3/2020

**Test Information**

Test Method: LM-79-2019  
Report Number: P360709  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G2-1903-205-7)  
Test Lab: INNOVATION CENTER  
Issue Date: 3/3/2020  
Manufacturer: COOPER LIGHTING SOLUTIONS  
Product Line: STREETWORKS  
Catalog Number: NVN-SA3B-727-U-RW  
Description: NAVION ROADWAY AND AREA LUMINAIRE  
(3) 70 CRI, 2700K, 800mA LIGHTSQUARES WITH 16 LEDS EACH AND RECTANGULAR  
WIDE OPTICS  
Light Source: -  
Ballast/Driver: ELECTRONIC DRIVER

**Summary**

Lumens per Lamp: N/A  
Luminaire Lumens: 14861 lumens  
Efficiency: N/A  
Efficacy: 119.8 lumens/watt  
Luminous Opening: Rectangular (W 0.5' x L: 1.5' x H: 0')  
IES Classification: Type III - Short  
BUG Rating: B4 - U0 - G4

Input Watts (W): 124  
Input Voltage (V): NR  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 28.75 FT




REPORT NUMBER: P360709

CATALOG NUMBER: NVN-SA3B-727-U-RW

## Iso-Footcandle Lines of Horizontal Illumination


✕ Max cd  
 - - - 1/2 Max cd



Based on 20 foot mounting height. Maximum calculated value = 4.4 fc  
 Type III - Short - N/A

REPORT NUMBER: P360709  
CATALOG NUMBER: NVN-SA3B-727-U-RW

## Luminous Intensity Polar Plot



REPORT NUMBER: P360709

CATALOG NUMBER: NVN-SA3B-727-U-RW


**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total   |
|--------------------|-----------|----------|--------|---------|
| <b>House Side</b>  | Lumens    | 7430.5   | 0.0    | 7430.5  |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Street Side</b> | Lumens    | 7430.5   | 0.0    | 7430.5  |
|                    | % Fixture | 50.0     | 0.0    | 50.0    |
| <b>Total</b>       | Lumens    | 14861.0  | 0.0    | 14861.0 |
|                    | % Fixture | 100.0    | 0.0    | 100.0   |

**ZONAL LUMENS:**

| Zone      | Lumens  | % Fixture |
|-----------|---------|-----------|
| 0°-10°    | 151.3   | 1.0       |
| 10°-20°   | 506.6   | 3.4       |
| 20°-30°   | 987.7   | 6.6       |
| 30°-40°   | 1659.2  | 11.2      |
| 40°-50°   | 2614.3  | 17.6      |
| 50°-60°   | 3496.2  | 23.5      |
| 60°-70°   | 3398.8  | 22.9      |
| 70°-80°   | 1857.9  | 12.5      |
| 80°-90°   | 189.0   | 1.3       |
| 90°-100°  | 0.0     | 0.0       |
| 100°-110° | 0.0     | 0.0       |
| 110°-120° | 0.0     | 0.0       |
| 120°-130° | 0.0     | 0.0       |
| 130°-140° | 0.0     | 0.0       |
| 140°-150° | 0.0     | 0.0       |
| 150°-160° | 0.0     | 0.0       |
| 160°-170° | 0.0     | 0.0       |
| 170°-180° | 0.0     | 0.0       |
| 0°-90°    | 14861.0 | 100.0     |
| 0°-180°   | 14861.0 | 100.0     |

**Coefficient of Utilization**



REPORT NUMBER: P360709


CATALOG NUMBER: NVN-SA3B-727-U-RW

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens | % Fixture | Zone Rating/Lumen Limit |      |         |
|------|-------------|--------|-----------|-------------------------|------|---------|
|      |             |        |           | B                       | U    | G       |
| FL   | (0°-30°)    | 822.8  | 5.5       |                         |      |         |
| FM   | (30°-60°)   | 3884.9 | 26.1      |                         |      |         |
| FH   | (60°-80°)   | 2628.4 | 17.7      |                         |      | G2/5000 |
| FVH  | (80°-90°)   | 94.5   | 0.6       |                         |      | G1/100  |
| BL   | (0°-30°)    | 822.8  | 5.5       | B2/1000                 |      |         |
| BM   | (30°-60°)   | 3884.9 | 26.1      | B3/5000                 |      |         |
| BH   | (60°-80°)   | 2628.4 | 17.7      | B4/5000                 |      | G4/5000 |
| BVH  | (80°-90°)   | 94.5   | 0.6       |                         |      | G1/100  |
| UL   | (90°-100°)  | 0.0    | 0.0       |                         | U0/0 |         |
| UH   | (100°-180°) | 0.0    | 0.0       |                         | U0/0 |         |

**BUG Rating: B4-U0-G4**

Type III Short



REPORT NUMBER: P360709

CATALOG NUMBER: NVN-SA3B-727-U-RW

**CANDELA DISTRIBUTION (FULL):**

|       | 0°     | 5°     | 15°    | 25°    | 35°    | 45°    | 55°    | 65°    | 75°    | 85°    | 90°    |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0°    | 1545.2 | 1545.2 | 1545.2 | 1545.2 | 1545.2 | 1545.2 | 1545.2 | 1545.2 | 1545.2 | 1545.2 | 1545.2 |
| 2.5°  | 1534.2 | 1534.7 | 1537.2 | 1540.2 | 1542.7 | 1549.2 | 1550.7 | 1553.2 | 1554.2 | 1556.7 | 1556.7 |
| 5°    | 1520.8 | 1521.8 | 1527.8 | 1535.7 | 1544.7 | 1560.6 | 1572.1 | 1585.1 | 1591.5 | 1598.5 | 1598.0 |
| 7.5°  | 1519.3 | 1521.8 | 1530.2 | 1543.2 | 1558.1 | 1584.6 | 1608.5 | 1634.4 | 1651.8 | 1667.8 | 1666.8 |
| 10°   | 1534.7 | 1538.7 | 1550.7 | 1570.1 | 1592.5 | 1625.4 | 1660.8 | 1695.7 | 1726.1 | 1750.5 | 1751.5 |
| 12.5° | 1558.1 | 1563.1 | 1582.1 | 1611.5 | 1645.4 | 1687.7 | 1729.6 | 1768.9 | 1810.8 | 1847.2 | 1850.1 |
| 15°   | 1589.0 | 1595.5 | 1623.9 | 1667.8 | 1719.6 | 1769.9 | 1814.8 | 1855.1 | 1903.5 | 1953.8 | 1958.8 |
| 17.5° | 1634.9 | 1643.9 | 1681.2 | 1740.5 | 1808.8 | 1864.1 | 1910.9 | 1941.3 | 1981.7 | 2033.5 | 2043.0 |
| 20°   | 1704.6 | 1716.1 | 1763.4 | 1834.2 | 1917.4 | 1975.2 | 2011.1 | 2017.6 | 2037.5 | 2083.8 | 2094.8 |
| 22.5° | 1795.3 | 1805.3 | 1858.1 | 1942.3 | 2035.5 | 2098.3 | 2117.2 | 2091.3 | 2089.3 | 2126.7 | 2137.2 |
| 25°   | 1896.5 | 1905.5 | 1966.7 | 2061.4 | 2161.6 | 2230.8 | 2230.3 | 2180.0 | 2145.1 | 2174.0 | 2185.0 |
| 27.5° | 2010.1 | 2024.1 | 2082.8 | 2182.5 | 2289.6 | 2357.9 | 2353.9 | 2276.2 | 2209.9 | 2217.4 | 2226.9 |
| 30°   | 2140.6 | 2156.1 | 2213.4 | 2314.6 | 2421.7 | 2488.5 | 2483.5 | 2380.8 | 2281.2 | 2261.2 | 2268.2 |
| 32.5° | 2302.6 | 2321.0 | 2375.3 | 2475.0 | 2569.7 | 2630.0 | 2615.5 | 2494.4 | 2366.9 | 2323.5 | 2330.0 |
| 35°   | 2497.4 | 2508.4 | 2565.7 | 2663.9 | 2740.6 | 2781.9 | 2751.6 | 2626.0 | 2475.5 | 2423.2 | 2423.2 |
| 37.5° | 2694.7 | 2703.2 | 2767.5 | 2862.7 | 2936.9 | 2958.8 | 2899.5 | 2770.0 | 2617.5 | 2543.3 | 2544.8 |
| 40°   | 2884.1 | 2907.0 | 2979.3 | 3076.9 | 3150.2 | 3156.2 | 3077.4 | 2934.4 | 2775.5 | 2698.7 | 2707.7 |
| 42.5° | 3081.9 | 3104.3 | 3190.5 | 3301.2 | 3365.9 | 3375.9 | 3283.7 | 3118.8 | 2953.9 | 2891.6 | 2901.5 |
| 45°   | 3258.3 | 3276.3 | 3375.9 | 3504.5 | 3585.2 | 3611.1 | 3502.0 | 3330.1 | 3146.7 | 3085.9 | 3088.4 |
| 47.5° | 3381.4 | 3404.8 | 3514.4 | 3665.9 | 3783.5 | 3823.4 | 3716.2 | 3535.9 | 3336.5 | 3262.8 | 3269.3 |
| 50°   | 3493.0 | 3505.5 | 3616.6 | 3782.0 | 3931.5 | 4013.7 | 3922.0 | 3739.2 | 3528.4 | 3450.2 | 3457.1 |
| 52.5° | 3555.3 | 3571.2 | 3678.9 | 3851.3 | 4028.2 | 4160.7 | 4104.9 | 3922.0 | 3713.7 | 3637.5 | 3646.0 |
| 55°   | 3511.9 | 3523.9 | 3653.0 | 3866.7 | 4088.0 | 4251.4 | 4259.9 | 4100.9 | 3895.6 | 3828.9 | 3852.8 |
| 57.5° | 3314.6 | 3329.6 | 3487.0 | 3767.1 | 4095.4 | 4312.7 | 4376.5 | 4266.8 | 4065.5 | 4011.2 | 4025.2 |
| 60°   | 3006.2 | 3015.6 | 3183.6 | 3498.5 | 3949.9 | 4338.1 | 4450.7 | 4402.4 | 4232.0 | 4177.7 | 4196.6 |
| 62.5° | 2456.6 | 2470.5 | 2671.3 | 3093.4 | 3642.5 | 4262.9 | 4522.5 | 4514.5 | 4386.9 | 4337.1 | 4354.0 |
| 65°   | 1679.2 | 1703.7 | 1925.9 | 2459.6 | 3168.6 | 4032.7 | 4587.7 | 4645.1 | 4524.0 | 4461.2 | 4483.6 |
| 67.5° | 1014.0 | 1032.0 | 1192.9 | 1623.9 | 2424.7 | 3568.2 | 4520.5 | 4793.5 | 4620.6 | 4519.5 | 4537.9 |
| 68°   | 906.4  | 922.8  | 1057.4 | 1465.5 | 2242.8 | 3437.2 | 4459.2 | 4810.5 | 4631.1 | 4518.5 | 4534.9 |
| 70°   | 547.6  | 558.6  | 648.8  | 905.9  | 1495.4 | 2726.6 | 4041.1 | 4796.5 | 4697.9 | 4532.4 | 4541.9 |
| 72.5° | 356.8  | 360.3  | 375.2  | 464.9  | 763.9  | 1524.8 | 3033.1 | 4469.7 | 4798.0 | 4613.7 | 4612.2 |
| 75°   | 296.5  | 294.5  | 296.0  | 306.4  | 376.7  | 668.7  | 1772.4 | 3530.9 | 4573.8 | 4485.6 | 4454.2 |
| 77.5° | 250.6  | 249.1  | 248.6  | 249.1  | 252.1  | 322.9  | 769.4  | 2199.4 | 3500.0 | 3967.9 | 3995.8 |
| 80°   | 202.8  | 200.8  | 207.3  | 204.3  | 195.3  | 200.8  | 322.4  | 914.9  | 1649.8 | 1774.9 | 1663.3 |
| 82.5° | 147.5  | 140.0  | 167.9  | 160.0  | 152.5  | 141.5  | 177.9  | 295.5  | 393.6  | 270.1  | 189.8  |
| 85°   | 113.6  | 105.6  | 127.6  | 122.6  | 104.6  | 72.3   | 105.6  | 144.5  | 159.5  | 91.2   | 71.8   |
| 87.5° | 46.3   | 48.8   | 92.2   | 72.8   | 61.3   | 34.9   | 43.4   | 57.8   | 77.7   | 38.9   | 29.9   |
| 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

Signify Classified - Internal  
Cooper Lighting Solutions Photometric Lab  
1121 Highway 74 South  
Peachtree City, GA 30269



LM-79-2008: Approved Method: Electrical and Photometric Measurements of Solid-State Lighting Products

Report Prepared for

Cooper Lighting Solutions

McGRAW-EDISON

Report Number: SP1-1908-441-1-R4

Test Date: 08/20/2019

Luminaire Tested: SA1C-727-U-5WQ




### Test Information

Test Method: LM-79-2008  
 Report Number: SP1-1908-441-1-R4  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1 - 76IN SPHERE  
 Measurement Geometry:  $4\pi$   
 Issue Date: 10/28/2024  
 Manufacturer: COOPER LIGHTING SOLUTIONS  
 Product Line: MCGRAW-EDISON  
 Catalog Number: **SA1C-727-U-5WQ**  
 Description: MCGRAW EDISON ROADWAY AND AREA LUMINAIRE

\*\*\*THIS IS A REVISION OF SP1-1908-441-1-R3. TO UPDATE THE CATALOG NUMBER.\*\*\*TESTED IN SITU. (1) 70 CRI, 2700K, 1050MA LIGHTSQUARE WITH 16 LEDS AND TYPE V WIDE OPTICS.

### Spectral Parameters

|                           |        |           |      |      |       |
|---------------------------|--------|-----------|------|------|-------|
| CCT (K):                  | 2741   | CRI (Ra): | 71.5 |      |       |
| CIE u':                   | 0.2605 | R1:       | 69.2 | R9:  | -16.1 |
| CIE v':                   | 0.5272 | R2:       | 79.4 | R10: | 51.4  |
| Duv:                      | 0.0005 | R3:       | 87.8 | R11: | 63.1  |
| CIE x:                    | 0.4573 | R4:       | 69.4 | R12: | 42.0  |
| CIE y:                    | 0.4113 | R5:       | 66.4 | R13: | 70.2  |
| CIE z:                    | 0.1313 | R6:       | 69.8 | R14: | 92.4  |
| Peak Wavelength (nm):     | 602    | R7:       | 79.8 |      |       |
| Dominant Wavelength (nm): | 583    | R8:       | 50.1 |      |       |
| Purity:                   | 61.2   |           |      |      |       |
| Rf:                       | 69.9   |           |      |      |       |
| Rg:                       | 98.3   |           |      |      |       |



### Test Conditions


Stabilization Time: 56M  
 Operation Time: 12H  
 Room Temperature (°C) / RH%: 25.3./42%  
 Sphere Temperature (°C): 25.7

REPORT NUMBER: SP1-1908-441-1-R4


| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 6/28/2019        | 12/28/2019           |
| Power Meter                    | IN0071                | 12/5/2018        | 12/5/2019            |
| AC Power Source                | IN0063                | 12/5/2018        | 12/5/2019            |
| DC Power Source                | IN0208                | 12/5/2018        | 12/5/2019            |
| Sphere Thermometer             | IN0085                | 12/5/2018        | 12/5/2019            |
| Room Thermometer               | IN0046                | 12/5/2018        | 12/5/2019            |

REPORT NUMBER: SP1-1908-441-1-R4

**CIE 1931 Chromaticity Diagram**




**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



Point lies inside the ANSI 2700K 4-step quadrangle

REPORT NUMBER: SP1-1908-441-1-R4

**Photopic Flux vs. Wavelength**




**Photopic Lumens: 6211.7**

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 2044             | 0.0              | 490       | 7179             | 1.0              | 620       | 118034           | 30.7             | 750       | 8362             | 0.0              | 880       | 3128             | 0.0              |
| 365       | 2016             | 0.0              | 495       | 10476            | 1.9              | 625       | 111884           | 24.7             | 755       | 7635             | 0.0              | 885       | 3110             | 0.0              |
| 370       | 2020             | 0.0              | 500       | 15549            | 3.4              | 630       | 106119           | 19.2             | 760       | 6582             | 0.0              | 890       | 2632             | 0.0              |
| 375       | 2137             | 0.0              | 505       | 22477            | 6.3              | 635       | 99706            | 15.0             | 765       | 5777             | 0.0              | 895       | 2709             | 0.0              |
| 380       | 2046             | 0.0              | 510       | 30417            | 10.4             | 640       | 92142            | 11.0             | 770       | 5474             | 0.0              | 900       | 2016             | 0.0              |
| 385       | 1925             | 0.0              | 515       | 39274            | 16.3             | 645       | 84987            | 8.2              | 775       | 4977             | 0.0              | 905       | 1748             | 0.0              |
| 390       | 1893             | 0.0              | 520       | 47282            | 22.9             | 650       | 78016            | 5.7              | 780       | 4723             | 0.0              | 910       | 2046             | 0.0              |
| 395       | 1695             | 0.0              | 525       | 55413            | 29.7             | 655       | 71541            | 4.1              | 785       | 4219             | 0.0              | 915       | 1844             | 0.0              |
| 400       | 1633             | 0.0              | 530       | 62377            | 36.7             | 660       | 64863            | 2.7              | 790       | 3969             | 0.0              | 920       | 2734             | 0.0              |
| 405       | 2065             | 0.0              | 535       | 68520            | 42.5             | 665       | 58485            | 1.9              | 795       | 4122             | 0.0              | 925       | 2307             | 0.0              |
| 410       | 3449             | 0.0              | 540       | 73435            | 47.8             | 670       | 51641            | 1.1              | 800       | 2864             | 0.0              | 930       | 2039             | 0.0              |
| 415       | 7117             | 0.0              | 545       | 78677            | 52.4             | 675       | 46030            | 0.8              | 805       | 3151             | 0.0              | 935       | 1784             | 0.0              |
| 420       | 13992            | 0.0              | 550       | 83331            | 56.6             | 680       | 40590            | 0.5              | 810       | 3022             | 0.0              | 940       | 2464             | 0.0              |
| 425       | 25176            | 0.1              | 555       | 89120            | 60.9             | 685       | 35691            | 0.3              | 815       | 3471             | 0.0              | 945       | 2794             | 0.0              |
| 430       | 38151            | 0.3              | 560       | 94613            | 64.3             | 690       | 31631            | 0.2              | 820       | 2749             | 0.0              | 950       | 3090             | 0.0              |
| 435       | 49673            | 0.6              | 565       | 99818            | 66.4             | 695       | 27437            | 0.1              | 825       | 2729             | 0.0              | 955       | 1866             | 0.0              |
| 440       | 57273            | 0.9              | 570       | 106526           | 69.3             | 700       | 24589            | 0.1              | 830       | 2282             | 0.0              | 960       | 3110             | 0.0              |
| 445       | 54802            | 1.1              | 575       | 111610           | 69.4             | 705       | 21832            | 0.0              | 835       | 3140             | 0.0              | 965       | 3880             | 0.0              |
| 450       | 39184            | 1.0              | 580       | 117163           | 69.6             | 710       | 19500            | 0.0              | 840       | 2365             | 0.0              | 970       | 3243             | 0.0              |
| 455       | 22506            | 0.8              | 585       | 122201           | 67.9             | 715       | 17870            | 0.0              | 845       | 3024             | 0.0              | 975       | 2014             | 0.0              |
| 460       | 13692            | 0.6              | 590       | 125662           | 65.0             | 720       | 15924            | 0.0              | 850       | 2510             | 0.0              | 980       | 1688             | 0.0              |
| 465       | 9446             | 0.5              | 595       | 127415           | 60.4             | 725       | 14268            | 0.0              | 855       | 2739             | 0.0              | 985       | 2827             | 0.0              |
| 470       | 6698             | 0.4              | 600       | 129155           | 55.7             | 730       | 12438            | 0.0              | 860       | 3515             | 0.0              | 990       | 4172             | 0.0              |
| 475       | 5328             | 0.4              | 605       | 128057           | 49.6             | 735       | 11255            | 0.0              | 865       | 3600             | 0.0              | 995       | 3177             | 0.0              |
| 480       | 5081             | 0.5              | 610       | 126031           | 43.3             | 740       | 9951             | 0.0              | 870       | 3609             | 0.0              | 1000      | 3241             | 0.0              |
| 485       | 5579             | 0.7              | 615       | 123059           | 37.1             | 745       | 8870             | 0.0              | 875       | 3208             | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-1908-441-1-R4

Scotopic Flux vs. Wavelength




Scotopic Lumens: 6474.3

S/P: 1.04

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 2044             | 0.0              | 490       | 7179             | 6.0              | 620       | 118034           | 0.1              | 750       | 8362             | 0.0              | 880       | 3128             | 0.0              |
| 365       | 2016             | 0.0              | 495       | 10476            | 8.6              | 625       | 111884           | 0.1              | 755       | 7635             | 0.0              | 885       | 3110             | 0.0              |
| 370       | 2020             | 0.0              | 500       | 15549            | 12.5             | 630       | 106119           | 0.0              | 760       | 6582             | 0.0              | 890       | 2632             | 0.0              |
| 375       | 2137             | 0.0              | 505       | 22477            | 17.3             | 635       | 99706            | 0.0              | 765       | 5777             | 0.0              | 895       | 2709             | 0.0              |
| 380       | 2046             | 0.0              | 510       | 30417            | 21.8             | 640       | 92142            | 0.0              | 770       | 5474             | 0.0              | 900       | 2016             | 0.0              |
| 385       | 1925             | 0.0              | 515       | 39274            | 25.7             | 645       | 84987            | 0.0              | 775       | 4977             | 0.0              | 905       | 1748             | 0.0              |
| 390       | 1893             | 0.0              | 520       | 47282            | 27.5             | 650       | 78016            | 0.0              | 780       | 4723             | 0.0              | 910       | 2046             | 0.0              |
| 395       | 1695             | 0.0              | 525       | 55413            | 28.1             | 655       | 71541            | 0.0              | 785       | 4219             | 0.0              | 915       | 1844             | 0.0              |
| 400       | 1633             | 0.0              | 530       | 62377            | 27.0             | 660       | 64863            | 0.0              | 790       | 3969             | 0.0              | 920       | 2734             | 0.0              |
| 405       | 2065             | 0.0              | 535       | 68520            | 24.7             | 665       | 58485            | 0.0              | 795       | 4122             | 0.0              | 925       | 2307             | 0.0              |
| 410       | 3449             | 0.1              | 540       | 73435            | 21.5             | 670       | 51641            | 0.0              | 800       | 2864             | 0.0              | 930       | 2039             | 0.0              |
| 415       | 7117             | 0.5              | 545       | 78677            | 18.3             | 675       | 46030            | 0.0              | 805       | 3151             | 0.0              | 935       | 1784             | 0.0              |
| 420       | 13992            | 1.6              | 550       | 83331            | 15.0             | 680       | 40590            | 0.0              | 810       | 3022             | 0.0              | 940       | 2464             | 0.0              |
| 425       | 25176            | 3.9              | 555       | 89120            | 12.0             | 685       | 35691            | 0.0              | 815       | 3471             | 0.0              | 945       | 2794             | 0.0              |
| 430       | 38151            | 8.1              | 560       | 94613            | 9.3              | 690       | 31631            | 0.0              | 820       | 2749             | 0.0              | 950       | 3090             | 0.0              |
| 435       | 49673            | 13.3             | 565       | 99818            | 7.0              | 695       | 27437            | 0.0              | 825       | 2729             | 0.0              | 955       | 1866             | 0.0              |
| 440       | 57273            | 19.1             | 570       | 106526           | 5.2              | 700       | 24589            | 0.0              | 830       | 2282             | 0.0              | 960       | 3110             | 0.0              |
| 445       | 54802            | 21.6             | 575       | 111610           | 3.7              | 705       | 21832            | 0.0              | 835       | 3140             | 0.0              | 965       | 3880             | 0.0              |
| 450       | 39184            | 18.1             | 580       | 117163           | 2.6              | 710       | 19500            | 0.0              | 840       | 2365             | 0.0              | 970       | 3243             | 0.0              |
| 455       | 22506            | 11.8             | 585       | 122201           | 1.8              | 715       | 17870            | 0.0              | 845       | 3024             | 0.0              | 975       | 2014             | 0.0              |
| 460       | 13692            | 8.1              | 590       | 125662           | 1.2              | 720       | 15924            | 0.0              | 850       | 2510             | 0.0              | 980       | 1688             | 0.0              |
| 465       | 9446             | 6.2              | 595       | 127415           | 0.8              | 725       | 14268            | 0.0              | 855       | 2739             | 0.0              | 985       | 2827             | 0.0              |
| 470       | 6698             | 4.8              | 600       | 129155           | 0.5              | 730       | 12438            | 0.0              | 860       | 3515             | 0.0              | 990       | 4172             | 0.0              |
| 475       | 5328             | 4.1              | 605       | 128057           | 0.4              | 735       | 11255            | 0.0              | 865       | 3600             | 0.0              | 995       | 3177             | 0.0              |
| 480       | 5081             | 4.1              | 610       | 126031           | 0.2              | 740       | 9951             | 0.0              | 870       | 3609             | 0.0              | 1000      | 3241             | 0.0              |
| 485       | 5579             | 4.6              | 615       | 123059           | 0.1              | 745       | 8870             | 0.0              | 875       | 3208             | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-1908-441-1-R4

**Melanopic Flux vs. Wavelength**



**Melanopic Lumens: 2145.7 M/P: 0.35**


| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 2044             | 0.0              | 490       | 7179             | 11.1             | 620       | 118034           | 1.5              | 750       | 8362             | 0.0              | 880       | 3128             | 0.0              |
| 365       | 2016             | 0.0              | 495       | 10476            | 16.9             | 625       | 111884           | 0.9              | 755       | 7635             | 0.0              | 885       | 3110             | 0.0              |
| 370       | 2020             | 0.0              | 500       | 15549            | 26.0             | 630       | 106119           | 0.6              | 760       | 6582             | 0.0              | 890       | 2632             | 0.0              |
| 375       | 2137             | 0.0              | 505       | 22477            | 38.2             | 635       | 99706            | 0.4              | 765       | 5777             | 0.0              | 895       | 2709             | 0.0              |
| 380       | 2046             | 0.0              | 510       | 30417            | 51.6             | 640       | 92142            | 0.2              | 770       | 5474             | 0.0              | 900       | 2016             | 0.0              |
| 385       | 1925             | 0.0              | 515       | 39274            | 65.1             | 645       | 84987            | 0.1              | 775       | 4977             | 0.0              | 905       | 1748             | 0.0              |
| 390       | 1893             | 0.0              | 520       | 47282            | 75.2             | 650       | 78016            | 0.1              | 780       | 4723             | 0.0              | 910       | 2046             | 0.0              |
| 395       | 1695             | 0.0              | 525       | 55413            | 82.9             | 655       | 71541            | 0.1              | 785       | 4219             | 0.0              | 915       | 1844             | 0.0              |
| 400       | 1633             | 0.0              | 530       | 62377            | 86.0             | 660       | 64863            | 0.0              | 790       | 3969             | 0.0              | 920       | 2734             | 0.0              |
| 405       | 2065             | 0.1              | 535       | 68520            | 85.4             | 665       | 58485            | 0.0              | 795       | 4122             | 0.0              | 925       | 2307             | 0.0              |
| 410       | 3449             | 0.2              | 540       | 73435            | 81.1             | 670       | 51641            | 0.0              | 800       | 2864             | 0.0              | 930       | 2039             | 0.0              |
| 415       | 7117             | 0.7              | 545       | 78677            | 75.4             | 675       | 46030            | 0.0              | 805       | 3151             | 0.0              | 935       | 1784             | 0.0              |
| 420       | 13992            | 2.3              | 550       | 83331            | 68.1             | 680       | 40590            | 0.0              | 810       | 3022             | 0.0              | 940       | 2464             | 0.0              |
| 425       | 25176            | 6.2              | 555       | 89120            | 60.9             | 685       | 35691            | 0.0              | 815       | 3471             | 0.0              | 945       | 2794             | 0.0              |
| 430       | 38151            | 13.0             | 560       | 94613            | 52.9             | 690       | 31631            | 0.0              | 820       | 2749             | 0.0              | 950       | 3090             | 0.0              |
| 435       | 49673            | 22.2             | 565       | 99818            | 44.8             | 695       | 27437            | 0.0              | 825       | 2729             | 0.0              | 955       | 1866             | 0.0              |
| 440       | 57273            | 32.0             | 570       | 106526           | 37.6             | 700       | 24589            | 0.0              | 830       | 2282             | 0.0              | 960       | 3110             | 0.0              |
| 445       | 54802            | 36.7             | 575       | 111610           | 30.4             | 705       | 21832            | 0.0              | 835       | 3140             | 0.0              | 965       | 3880             | 0.0              |
| 450       | 39184            | 30.4             | 580       | 117163           | 24.1             | 710       | 19500            | 0.0              | 840       | 2365             | 0.0              | 970       | 3243             | 0.0              |
| 455       | 22506            | 19.7             | 585       | 122201           | 18.7             | 715       | 17870            | 0.0              | 845       | 3024             | 0.0              | 975       | 2014             | 0.0              |
| 460       | 13692            | 13.2             | 590       | 125662           | 14.0             | 720       | 15924            | 0.0              | 850       | 2510             | 0.0              | 980       | 1688             | 0.0              |
| 465       | 9446             | 10.0             | 595       | 127415           | 10.2             | 725       | 14268            | 0.0              | 855       | 2739             | 0.0              | 985       | 2827             | 0.0              |
| 470       | 6698             | 7.7              | 600       | 129155           | 7.3              | 730       | 12438            | 0.0              | 860       | 3515             | 0.0              | 990       | 4172             | 0.0              |
| 475       | 5328             | 6.7              | 605       | 128057           | 5.0              | 735       | 11255            | 0.0              | 865       | 3600             | 0.0              | 995       | 3177             | 0.0              |
| 480       | 5081             | 6.9              | 610       | 126031           | 3.4              | 740       | 9951             | 0.0              | 870       | 3609             | 0.0              | 1000      | 3241             | 0.0              |
| 485       | 5579             | 8.1              | 615       | 123059           | 2.3              | 745       | 8870             | 0.0              | 875       | 3208             | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-1908-441-1-R4





**TM-30-18**

**Summary**

$R_f = 69.9$   
 $R_g = 98.3$   
 $CIE R_a = 71.5$   
 $R_g = -16.1$



**Color Vector Graphics**




REPORT NUMBER: SP1-1908-441-1-R4

**TM-30-18**

**Individual Sample Fidelity Index ( $R_{f,i}$ )**

|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 86 | CES26 = 54 | CES51 = 77 | CES76 = 48 |
| CES02 = 63 | CES27 = 74 | CES52 = 80 | CES77 = 75 |
| CES03 = 31 | CES28 = 80 | CES53 = 66 | CES78 = 56 |
| CES04 = 71 | CES29 = 44 | CES54 = 77 | CES79 = 81 |
| CES05 = 50 | CES30 = 46 | CES55 = 74 | CES80 = 80 |
| CES06 = 52 | CES31 = 50 | CES56 = 63 | CES81 = 73 |
| CES07 = 42 | CES32 = 49 | CES57 = 60 | CES82 = 91 |
| CES08 = 41 | CES33 = 53 | CES58 = 63 | CES83 = 84 |
| CES09 = 29 | CES34 = 66 | CES59 = 85 | CES84 = 90 |
| CES10 = 77 | CES35 = 82 | CES60 = 89 | CES85 = 87 |
| CES11 = 60 | CES36 = 78 | CES61 = 85 | CES86 = 65 |
| CES12 = 66 | CES37 = 75 | CES62 = 69 | CES87 = 78 |
| CES13 = 43 | CES38 = 53 | CES63 = 68 | CES88 = 73 |
| CES14 = 74 | CES39 = 91 | CES64 = 68 | CES89 = 68 |
| CES15 = 71 | CES40 = 85 | CES65 = 65 | CES90 = 68 |
| CES16 = 48 | CES41 = 76 | CES66 = 62 | CES91 = 91 |
| CES17 = 50 | CES42 = 76 | CES67 = 60 | CES92 = 71 |
| CES18 = 57 | CES43 = 65 | CES68 = 68 | CES93 = 82 |
| CES19 = 73 | CES44 = 98 | CES69 = 77 | CES94 = 57 |
| CES20 = 67 | CES45 = 75 | CES70 = 60 | CES95 = 78 |
| CES21 = 88 | CES46 = 70 | CES71 = 57 | CES96 = 80 |
| CES22 = 80 | CES47 = 63 | CES72 = 86 | CES97 = 79 |
| CES23 = 92 | CES48 = 51 | CES73 = 52 | CES98 = 71 |
| CES24 = 91 | CES49 = 68 | CES74 = 90 | CES99 = 64 |
| CES25 = 73 | CES50 = 77 | CES75 = 58 |            |








REPORT NUMBER: SP1-1908-441-1-R4

**TM-30-18**



Color Rendition by Hue-Angle Bin



REPORT NUMBER: SP1-1908-441-1-R4

**TM-30-18**

**Measure Comparisons**



(END OF REPORT)