

Cooper Lighting Solutions Photometric Lab  
1121 Highway 74 South  
Peachtree City, GA 30269

Cooper Lighting Solutions Photometric Lab  
1121 Highway 74 South  
Peachtree City, GA 30269

Scaled data based on original data using  
LM-79-08 Approved Method: Electrical and Photometric Measurements of Solid-  
State Lighting Products

Test Report Prepared for  
Cooper Lighting Solutions  
(formerly Eaton)

Brand: STREETWORKS

Report Number: P892256

Luminaire Tested: **NVN-SA1C-827-U-T1**

Issue Date: 10/28/2024

**Test Information**

Test Method: LM-79-08  
Report Number: P892256  
TEST IS SCALED FROM IESNA LM-79-08 TEST DATA (G3-2011-042-5)  
Test Lab: INNOVATIONS CENTER  
Issue Date: 10/28/2024  
Manufacturer: COOPER LIGHTING SOLUTIONS (FORMERLY EATON)  
Product Line: STREETWORKS  
Catalog Number: NVN-SA1C-827-U-T1  
Description: NAVION ROADWAY AND AREA LUMINAIRE  
(1) 80 CRI, 2700K, 1050mA LIGHTSQUARE WITH 16 LEDS AND TYPE I OPTICS  
Light Source: -  
Ballast/Driver: ELECTRONIC DRIVER


**Summary**

Lumens per Lamp: N/A  
Luminaire Lumens: 5295 lumens  
Efficiency: N/A  
Efficacy: 89.7 lumens/watt  
Luminous Opening: Rectangular (W 0.5' x L: 0.5' x H: 0')  
IES Classification: Type I - Short  
BUG Rating: B2 - U0 - G2

Input Watts (W): 59  
Input Voltage (V): NR  
Input Current (Ain): NR  
Voltage Rise (V): NR  
Power Factor: NR  
Total Harmonic Distortion (THDi): NR  
Frequency (hertz): 60  
Stabilization Time: NR  
Operation Time: NR  
Ambient Temperature (°C): NR  
Test Distance: 24 FT




REPORT NUMBER: P892256  
CATALOG NUMBER: NVN-SA1C-827-U-T1



Based on 25 foot mounting height. Maximum calculated value = 1.6 fc  
Type I - Short - N/A

REPORT NUMBER: P892256  
CATALOG NUMBER: NVN-SA1C-827-U-T1

## Luminous Intensity Polar Plot



REPORT NUMBER: P892256

CATALOG NUMBER: NVN-SA1C-827-U-T1


**FLUX DISTRIBUTION:**

|                    |           | Downward | Upward | Total  |
|--------------------|-----------|----------|--------|--------|
| <b>House Side</b>  | Lumens    | 2647.5   | 0.0    | 2647.5 |
|                    | % Fixture | 50.0     | 0.0    | 50.0   |
| <b>Street Side</b> | Lumens    | 2647.5   | 0.0    | 2647.5 |
|                    | % Fixture | 50.0     | 0.0    | 50.0   |
| <b>Total</b>       | Lumens    | 5295.0   | 0.0    | 5295.0 |
|                    | % Fixture | 100.0    | 0.0    | 100.0  |

**ZONAL LUMENS:**

| Zone      | Lumens | % Fixture |
|-----------|--------|-----------|
| 0°-10°    | 93.5   | 1.8       |
| 10°-20°   | 299.0  | 5.6       |
| 20°-30°   | 500.5  | 9.5       |
| 30°-40°   | 678.0  | 12.8      |
| 40°-50°   | 858.8  | 16.2      |
| 50°-60°   | 1072.9 | 20.3      |
| 60°-70°   | 1261.1 | 23.8      |
| 70°-80°   | 482.4  | 9.1       |
| 80°-90°   | 48.9   | 0.9       |
| 90°-100°  | 0.0    | 0.0       |
| 100°-110° | 0.0    | 0.0       |
| 110°-120° | 0.0    | 0.0       |
| 120°-130° | 0.0    | 0.0       |
| 130°-140° | 0.0    | 0.0       |
| 140°-150° | 0.0    | 0.0       |
| 150°-160° | 0.0    | 0.0       |
| 160°-170° | 0.0    | 0.0       |
| 170°-180° | 0.0    | 0.0       |
| 0°-90°    | 5295.0 | 100.0     |
| 0°-180°   | 5295.0 | 100.0     |

**Coefficient of Utilization**



REPORT NUMBER: P892256


CATALOG NUMBER: NVN-SA1C-827-U-T1

**LUMINAIRE CLASSIFICATION SYSTEM LUMEN TABLE AND BUG RATING:**

| Zone |             | Lumens | % Fixture | Zone Rating/Lumen Limit |      |         |
|------|-------------|--------|-----------|-------------------------|------|---------|
|      |             |        |           | B                       | U    | G       |
| FL   | (0°-30°)    | 446.5  | 8.4       |                         |      |         |
| FM   | (30°-60°)   | 1304.8 | 24.6      |                         |      |         |
| FH   | (60°-80°)   | 871.8  | 16.5      |                         |      | G1/1800 |
| FVH  | (80°-90°)   | 24.4   | 0.5       |                         |      | G1/100  |
| BL   | (0°-30°)    | 446.5  | 8.4       | B1/500                  |      |         |
| BM   | (30°-60°)   | 1304.8 | 24.6      | B2/2500                 |      |         |
| BH   | (60°-80°)   | 871.8  | 16.5      | B2/1000                 |      | G2/1000 |
| BVH  | (80°-90°)   | 24.4   | 0.5       |                         |      | G1/100  |
| UL   | (90°-100°)  | 0.0    | 0.0       |                         | U0/0 |         |
| UH   | (100°-180°) | 0.0    | 0.0       |                         | U0/0 |         |

**BUG Rating: B2-U0-G2**

Type I Short



REPORT NUMBER: P892256

CATALOG NUMBER: NVN-SA1C-827-U-T1

**CANDELA DISTRIBUTION (FULL):**

|       | 0°     | 5°     | 15°    | 25°    | 35°    | 45°    | 55°    | 65°    | 75°    | 85°    | 90°    |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0°    | 937.4  | 937.4  | 937.4  | 937.4  | 937.4  | 937.4  | 937.4  | 937.4  | 937.4  | 937.4  | 937.4  |
| 2.5°  | 949.4  | 948.8  | 949.1  | 948.8  | 949.7  | 949.1  | 945.6  | 942.7  | 940.3  | 940.6  | 939.7  |
| 5°    | 969.6  | 969.9  | 970.2  | 968.8  | 970.8  | 969.6  | 964.1  | 959.4  | 954.7  | 952.9  | 952.3  |
| 7.5°  | 986.3  | 987.8  | 988.7  | 990.2  | 993.7  | 993.7  | 990.7  | 984.0  | 973.7  | 967.9  | 967.6  |
| 10°   | 1003.1 | 1004.2 | 1006.9 | 1011.6 | 1017.4 | 1023.0 | 1021.8 | 1012.7 | 999.5  | 989.6  | 987.2  |
| 12.5° | 1008.9 | 1010.4 | 1019.2 | 1032.7 | 1045.9 | 1056.7 | 1056.7 | 1049.4 | 1032.4 | 1017.1 | 1012.7 |
| 15°   | 988.4  | 991.0  | 1006.9 | 1035.6 | 1070.2 | 1094.0 | 1099.2 | 1089.0 | 1070.8 | 1047.3 | 1042.1 |
| 17.5° | 947.6  | 954.1  | 977.3  | 1019.8 | 1077.2 | 1126.5 | 1141.7 | 1136.8 | 1113.3 | 1083.4 | 1077.2 |
| 20°   | 904.0  | 911.0  | 935.6  | 991.9  | 1071.4 | 1145.6 | 1189.8 | 1191.0 | 1162.0 | 1118.6 | 1109.5 |
| 22.5° | 855.9  | 861.1  | 892.8  | 958.8  | 1053.8 | 1150.0 | 1231.2 | 1251.4 | 1212.1 | 1153.8 | 1140.9 |
| 25°   | 801.9  | 807.8  | 840.9  | 912.2  | 1020.7 | 1145.0 | 1269.0 | 1313.6 | 1264.6 | 1191.3 | 1174.9 |
| 27.5° | 750.3  | 752.7  | 788.1  | 860.6  | 977.0  | 1132.1 | 1296.9 | 1370.7 | 1322.7 | 1222.4 | 1201.6 |
| 30°   | 700.8  | 706.3  | 737.7  | 809.2  | 926.8  | 1106.9 | 1320.9 | 1435.8 | 1385.1 | 1254.9 | 1228.2 |
| 32.5° | 648.3  | 655.0  | 689.0  | 761.5  | 876.7  | 1069.0 | 1335.6 | 1507.1 | 1472.2 | 1307.7 | 1279.3 |
| 35°   | 597.8  | 602.2  | 636.6  | 706.9  | 827.7  | 1025.0 | 1338.2 | 1587.4 | 1584.5 | 1387.7 | 1349.9 |
| 37.5° | 546.2  | 552.7  | 587.3  | 654.7  | 775.8  | 978.4  | 1325.0 | 1672.7 | 1719.9 | 1498.9 | 1458.1 |
| 40°   | 496.7  | 502.3  | 536.3  | 604.3  | 716.9  | 921.5  | 1293.6 | 1750.7 | 1878.0 | 1613.2 | 1555.5 |
| 42.5° | 442.7  | 444.2  | 481.4  | 550.6  | 659.1  | 855.6  | 1248.5 | 1820.2 | 2054.2 | 1766.6 | 1694.7 |
| 45°   | 381.5  | 385.3  | 419.9  | 487.9  | 592.9  | 781.7  | 1187.2 | 1877.7 | 2277.6 | 1979.1 | 1881.2 |
| 47.5° | 320.2  | 323.4  | 355.1  | 422.2  | 520.4  | 697.0  | 1092.8 | 1928.1 | 2506.9 | 2249.2 | 2120.8 |
| 50°   | 260.4  | 262.1  | 287.9  | 347.4  | 438.9  | 607.8  | 975.8  | 1944.2 | 2766.1 | 2631.5 | 2467.6 |
| 52.5° | 205.8  | 208.5  | 228.1  | 274.7  | 351.8  | 502.6  | 849.4  | 1904.4 | 3068.7 | 3084.8 | 2853.8 |
| 55°   | 166.8  | 167.7  | 182.4  | 216.7  | 275.0  | 392.3  | 697.0  | 1793.2 | 3394.2 | 3665.7 | 3371.0 |
| 57.5° | 143.7  | 144.3  | 152.5  | 171.5  | 211.7  | 295.8  | 540.7  | 1583.0 | 3686.5 | 4346.2 | 3967.4 |
| 60°   | 130.5  | 130.8  | 135.5  | 146.6  | 167.7  | 226.9  | 387.3  | 1286.3 | 3975.0 | 5103.5 | 4708.6 |
| 62.5° | 122.3  | 122.3  | 125.5  | 131.6  | 141.9  | 174.2  | 280.6  | 928.0  | 4172.6 | 5872.0 | 5622.2 |
| 65°   | 114.4  | 114.4  | 116.7  | 121.1  | 126.7  | 142.5  | 207.3  | 605.2  | 4167.6 | 6431.8 | 6541.1 |
| 67.5° | 105.3  | 105.3  | 107.0  | 111.4  | 114.6  | 122.6  | 160.1  | 396.4  | 3743.7 | 6419.5 | 7042.5 |
| 70°   | 94.4   | 94.4   | 96.8   | 100.6  | 103.2  | 108.2  | 126.4  | 271.2  | 2750.3 | 5481.2 | 6263.2 |
| 72.5° | 83.6   | 83.9   | 85.3   | 89.1   | 91.2   | 94.1   | 105.0  | 190.0  | 1687.1 | 3732.2 | 4379.3 |
| 75°   | 71.5   | 72.1   | 73.6   | 77.4   | 79.2   | 80.3   | 88.5   | 135.5  | 853.5  | 2012.3 | 2291.1 |
| 77.5° | 57.8   | 58.9   | 59.8   | 63.9   | 65.1   | 66.9   | 73.0   | 97.9   | 374.7  | 723.0  | 729.5  |
| 80°   | 42.2   | 43.7   | 46.3   | 50.1   | 51.0   | 52.2   | 55.7   | 69.5   | 169.8  | 330.2  | 358.6  |
| 82.5° | 31.1   | 33.1   | 29.9   | 34.9   | 34.9   | 33.4   | 39.3   | 46.6   | 78.0   | 326.9  | 391.1  |
| 85°   | 17.0   | 17.3   | 15.5   | 17.9   | 19.1   | 18.8   | 20.8   | 22.9   | 37.8   | 218.1  | 224.9  |
| 87.5° | 4.1    | 4.4    | 4.7    | 5.6    | 6.7    | 6.7    | 7.3    | 6.5    | 12.3   | 70.7   | 40.5   |
| 90°   | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    | 0.0    |

LM-79-2019: Approved Method: Electrical and Photometric Measurements of Solid-State Lighting Products

Report Prepared for

Cooper Lighting Solutions

Invue

Report Number: SP1-2407-157-9

Test Date: 10/03/2024

Luminaire Tested: EMM2-HTN-SA1A-827-U-5WQ

Data applicable to all product families utilizing light square engine


### Test Information

Test Method: LM-79-2019  
 Report Number: SP1-2407-157-9  
 Test Lab: COOPER LIGHTING SOLUTIONS  
 Photometer: SP1 - 76IN SPHERE  
 Measurement Geometry:  $4\pi$   
 Issue Date: 10/03/2024  
 Manufacturer: COOPER LIGHTING SOLUTIONS  
 Product Line: Invue  
 Catalog Number: **EMM2-HTN-SA1A-827-U-5WQ**  
 Description: Epic Modern Light Square 40W 5WQ Optic

### Spectral Parameters

CCT (K): 2764  
 CIE  $u'$ : 0.2591  
 CIE  $v'$ : 0.5290  
 Duv: 0.0020  
 CIE x: 0.4581  
 CIE y: 0.4156  
 CIE z: 0.1263  
 Peak Wavelength (nm): 603  
 Dominant Wavelength (nm): 583  
 Purity: 62.2537  
 R<sub>f</sub>: 84.7  
 R<sub>g</sub>: 94.6

CRI (Ra): 80.9  
 R1: 78.8  
 R2: 89.9  
 R3: 96.2  
 R4: 79.1  
 R5: 79.1  
 R6: 88.8  
 R7: 81.3  
 R8: 54.3  
 R9: -1.5  
 R10: 77.9  
 R11: 78.9  
 R12: 71.6  
 R13: 81.2  
 R14: 98.5  
 R15: 69.9



### Test Conditions


Stabilization Time: 81M  
 Operation Time: 2H 21M  
 Sphere Temperature (°C): 25.2

REPORT NUMBER: SP1-2407-157-9


| Measurement and Test Equipment |                       |                  |                      |
|--------------------------------|-----------------------|------------------|----------------------|
| Instrument                     | Identification Number | Calibration Date | Calibration Due Date |
| Photometer                     | IN0058                | 6/18/2024        | 12/18/2024           |
| Power Meter                    | INXT2011004           | 2/8/2024         | 2/8/2025             |
| AC Power Source                | IN0063                | 10/24/2023       | 10/24/2024           |
| DC Power Source                | IN0208                | 10/24/2023       | 10/24/2024           |
| Sphere Thermometer             | IN0085                | 10/24/2023       | 10/24/2024           |
| Room Thermometer               | IN0046                | 10/24/2023       | 10/24/2024           |

REPORT NUMBER: SP1-2407-157-9

**CIE 1931 Chromaticity Diagram**




**CIE 1931 Chromaticity Diagram with 2017 ANSI 7-Step and 4-Step Quadrangles**



Point lies inside the ANSI 2700K 4-step quadrangle

REPORT NUMBER: SP1-2407-157-9

### Photopic Flux vs. Wavelength




**Photopic Lumens: 4337.9**

| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 0                | 0.0              | 490       | 18018            | 2.6              | 620       | 87426            | 22.8             | 750       | 2680             | 0.0              | 880       | 58               | 0.0              |
| 365       | 0                | 0.0              | 495       | 22295            | 3.9              | 625       | 83013            | 18.2             | 755       | 2287             | 0.0              | 885       | 46               | 0.0              |
| 370       | 0                | 0.0              | 500       | 26478            | 5.8              | 630       | 78077            | 14.1             | 760       | 1944             | 0.0              | 890       | 45               | 0.0              |
| 375       | 0                | 0.0              | 505       | 30524            | 8.5              | 635       | 72080            | 10.7             | 765       | 1653             | 0.0              | 895       | 41               | 0.0              |
| 380       | 0                | 0.0              | 510       | 33611            | 11.5             | 640       | 66249            | 7.9              | 770       | 1413             | 0.0              | 900       | 38               | 0.0              |
| 385       | 0                | 0.0              | 515       | 36490            | 15.2             | 645       | 59973            | 5.7              | 775       | 1198             | 0.0              | 905       | 33               | 0.0              |
| 390       | 0                | 0.0              | 520       | 38610            | 18.7             | 650       | 53972            | 3.9              | 780       | 1025             | 0.0              | 910       | 30               | 0.0              |
| 395       | 0                | 0.0              | 525       | 40511            | 21.9             | 655       | 48369            | 2.7              | 785       | 874              | 0.0              | 915       | 23               | 0.0              |
| 400       | 48               | 0.0              | 530       | 42223            | 24.9             | 660       | 42641            | 1.8              | 790       | 747              | 0.0              | 920       | 24               | 0.0              |
| 405       | 201              | 0.0              | 535       | 44137            | 27.6             | 665       | 37602            | 1.1              | 795       | 639              | 0.0              | 925       | 22               | 0.0              |
| 410       | 457              | 0.0              | 540       | 46032            | 30.0             | 670       | 32798            | 0.7              | 800       | 547              | 0.0              | 930       | 22               | 0.0              |
| 415       | 925              | 0.0              | 545       | 48553            | 32.5             | 675       | 28558            | 0.5              | 805       | 473              | 0.0              | 935       | 17               | 0.0              |
| 420       | 1816             | 0.0              | 550       | 51408            | 34.9             | 680       | 24782            | 0.3              | 810       | 401              | 0.0              | 940       | 13               | 0.0              |
| 425       | 3217             | 0.0              | 555       | 54711            | 37.4             | 685       | 21386            | 0.2              | 815       | 351              | 0.0              | 945       | 6                | 0.0              |
| 430       | 5520             | 0.0              | 560       | 58847            | 40.0             | 690       | 18413            | 0.1              | 820       | 307              | 0.0              | 950       | 10               | 0.0              |
| 435       | 9225             | 0.1              | 565       | 63386            | 42.4             | 695       | 15721            | 0.1              | 825       | 261              | 0.0              | 955       | 11               | 0.0              |
| 440       | 15522            | 0.2              | 570       | 68196            | 44.3             | 700       | 13432            | 0.0              | 830       | 228              | 0.0              | 960       | 8                | 0.0              |
| 445       | 27642            | 0.6              | 575       | 73613            | 46.0             | 705       | 11513            | 0.0              | 835       | 193              | 0.0              | 965       | 12               | 0.0              |
| 450       | 36602            | 0.9              | 580       | 79207            | 47.1             | 710       | 9780             | 0.0              | 840       | 174              | 0.0              | 970       | 3                | 0.0              |
| 455       | 28292            | 0.9              | 585       | 84248            | 47.0             | 715       | 8356             | 0.0              | 845       | 151              | 0.0              | 975       | 8                | 0.0              |
| 460       | 21166            | 0.9              | 590       | 88397            | 45.7             | 720       | 7161             | 0.0              | 850       | 123              | 0.0              | 980       | 2                | 0.0              |
| 465       | 19092            | 1.0              | 595       | 91428            | 43.4             | 725       | 6067             | 0.0              | 855       | 106              | 0.0              | 985       | 13               | 0.0              |
| 470       | 14951            | 0.9              | 600       | 93452            | 40.3             | 730       | 5164             | 0.0              | 860       | 95               | 0.0              | 990       | 16               | 0.0              |
| 475       | 12606            | 1.0              | 605       | 93959            | 36.4             | 735       | 4393             | 0.0              | 865       | 82               | 0.0              | 995       | 20               | 0.0              |
| 480       | 13323            | 1.3              | 610       | 93079            | 32.0             | 740       | 3694             | 0.0              | 870       | 77               | 0.0              | 1000      | 0                | 0.0              |
| 485       | 15164            | 1.8              | 615       | 90707            | 27.3             | 745       | 3157             | 0.0              | 875       | 65               | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2407-157-9


### Scotopic Flux vs. Wavelength


**Scotopic Lumens: 5286.7**
**S/P: 1.22**

| $\lambda$<br>(nm) | Power<br>( $\mu\text{W}/\text{nm}$ ) | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>( $\mu\text{W}/\text{nm}$ ) | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>( $\mu\text{W}/\text{nm}$ ) | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>( $\mu\text{W}/\text{nm}$ ) | Lumens<br>( $\phi/\text{nm}$ ) | $\lambda$<br>(nm) | Power<br>( $\mu\text{W}/\text{nm}$ ) | Lumens<br>( $\phi/\text{nm}$ ) |
|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|-------------------|--------------------------------------|--------------------------------|
| 360               | 0                                    | 0.0                            | 490               | 18018                                | 75.9                           | 620               | 87426                                | 0.4                            | 750               | 2680                                 | 0.0                            | 880               | 58                                   | 0.0                            |
| 365               | 0                                    | 0.0                            | 495               | 22295                                | 93.2                           | 625               | 83013                                | 0.2                            | 755               | 2287                                 | 0.0                            | 885               | 46                                   | 0.0                            |
| 370               | 0                                    | 0.0                            | 500               | 26478                                | 107.8                          | 630               | 78077                                | 0.1                            | 760               | 1944                                 | 0.0                            | 890               | 45                                   | 0.0                            |
| 375               | 0                                    | 0.0                            | 505               | 30524                                | 118.7                          | 635               | 72080                                | 0.1                            | 765               | 1653                                 | 0.0                            | 895               | 41                                   | 0.0                            |
| 380               | 0                                    | 0.0                            | 510               | 33611                                | 122.2                          | 640               | 66249                                | 0.1                            | 770               | 1413                                 | 0.0                            | 900               | 38                                   | 0.0                            |
| 385               | 0                                    | 0.0                            | 515               | 36490                                | 120.8                          | 645               | 59973                                | 0.0                            | 775               | 1198                                 | 0.0                            | 905               | 33                                   | 0.0                            |
| 390               | 0                                    | 0.0                            | 520               | 38610                                | 113.9                          | 650               | 53972                                | 0.0                            | 780               | 1025                                 | 0.0                            | 910               | 30                                   | 0.0                            |
| 395               | 0                                    | 0.0                            | 525               | 40511                                | 104.1                          | 655               | 48369                                | 0.0                            | 785               | 874                                  | 0.0                            | 915               | 23                                   | 0.0                            |
| 400               | 48                                   | 0.0                            | 530               | 42223                                | 92.4                           | 660               | 42641                                | 0.0                            | 790               | 747                                  | 0.0                            | 920               | 24                                   | 0.0                            |
| 405               | 201                                  | 0.0                            | 535               | 44137                                | 80.5                           | 665               | 37602                                | 0.0                            | 795               | 639                                  | 0.0                            | 925               | 22                                   | 0.0                            |
| 410               | 457                                  | 0.1                            | 540               | 46032                                | 68.2                           | 670               | 32798                                | 0.0                            | 800               | 547                                  | 0.0                            | 930               | 22                                   | 0.0                            |
| 415               | 925                                  | 0.3                            | 545               | 48553                                | 57.1                           | 675               | 28558                                | 0.0                            | 805               | 473                                  | 0.0                            | 935               | 17                                   | 0.0                            |
| 420               | 1816                                 | 1.1                            | 550               | 51408                                | 46.7                           | 680               | 24782                                | 0.0                            | 810               | 401                                  | 0.0                            | 940               | 13                                   | 0.0                            |
| 425               | 3217                                 | 2.5                            | 555               | 54711                                | 37.4                           | 685               | 21386                                | 0.0                            | 815               | 351                                  | 0.0                            | 945               | 6                                    | 0.0                            |
| 430               | 5520                                 | 5.9                            | 560               | 58847                                | 29.4                           | 690               | 18413                                | 0.0                            | 820               | 307                                  | 0.0                            | 950               | 10                                   | 0.0                            |
| 435               | 9225                                 | 12.5                           | 565               | 63386                                | 22.5                           | 695               | 15721                                | 0.0                            | 825               | 261                                  | 0.0                            | 955               | 11                                   | 0.0                            |
| 440               | 15522                                | 26.3                           | 570               | 68196                                | 16.9                           | 700               | 13432                                | 0.0                            | 830               | 228                                  | 0.0                            | 960               | 8                                    | 0.0                            |
| 445               | 27642                                | 55.2                           | 575               | 73613                                | 12.4                           | 705               | 11513                                | 0.0                            | 835               | 193                                  | 0.0                            | 965               | 12                                   | 0.0                            |
| 450               | 36602                                | 85.4                           | 580               | 79207                                | 9.0                            | 710               | 9780                                 | 0.0                            | 840               | 174                                  | 0.0                            | 970               | 3                                    | 0.0                            |
| 455               | 28292                                | 75.1                           | 585               | 84248                                | 6.3                            | 715               | 8356                                 | 0.0                            | 845               | 151                                  | 0.0                            | 975               | 8                                    | 0.0                            |
| 460               | 21166                                | 63.2                           | 590               | 88397                                | 4.4                            | 720               | 7161                                 | 0.0                            | 850               | 123                                  | 0.0                            | 980               | 2                                    | 0.0                            |
| 465               | 19092                                | 63.2                           | 595               | 91428                                | 3.0                            | 725               | 6067                                 | 0.0                            | 855               | 106                                  | 0.0                            | 985               | 13                                   | 0.0                            |
| 470               | 14951                                | 54.2                           | 600               | 93452                                | 2.0                            | 730               | 5164                                 | 0.0                            | 860               | 95                                   | 0.0                            | 990               | 16                                   | 0.0                            |
| 475               | 12606                                | 48.8                           | 605               | 93959                                | 1.3                            | 735               | 4393                                 | 0.0                            | 865               | 82                                   | 0.0                            | 995               | 20                                   | 0.0                            |
| 480               | 13323                                | 54.2                           | 610               | 93079                                | 0.9                            | 740               | 3694                                 | 0.0                            | 870               | 77                                   | 0.0                            | 1000              | 0                                    | 0.0                            |
| 485               | 15164                                | 63.3                           | 615               | 90707                                | 0.5                            | 745               | 3157                                 | 0.0                            | 875               | 65                                   | 0.0                            |                   |                                      |                                |

REPORT NUMBER: SP1-2407-157-9

### Melanopic Flux vs. Wavelength



**Melanopic Lumens: 9797**

**M/P: 2.26**


| λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) | λ<br>(nm) | Power<br>(μW/nm) | Lumens<br>(Φ/nm) |
|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|-----------|------------------|------------------|
| 360       | 0                | 0.0              | 490       | 18018            | 27.7             | 620       | 87426            | 1.1              | 750       | 2680             | 0.0              | 880       | 58               | 0.0              |
| 365       | 0                | 0.0              | 495       | 22295            | 36.0             | 625       | 83013            | 0.7              | 755       | 2287             | 0.0              | 885       | 46               | 0.0              |
| 370       | 0                | 0.0              | 500       | 26478            | 44.2             | 630       | 78077            | 0.4              | 760       | 1944             | 0.0              | 890       | 45               | 0.0              |
| 375       | 0                | 0.0              | 505       | 30524            | 51.8             | 635       | 72080            | 0.3              | 765       | 1653             | 0.0              | 895       | 41               | 0.0              |
| 380       | 0                | 0.0              | 510       | 33611            | 57.0             | 640       | 66249            | 0.2              | 770       | 1413             | 0.0              | 900       | 38               | 0.0              |
| 385       | 0                | 0.0              | 515       | 36490            | 60.5             | 645       | 59973            | 0.1              | 775       | 1198             | 0.0              | 905       | 33               | 0.0              |
| 390       | 0                | 0.0              | 520       | 38610            | 61.4             | 650       | 53972            | 0.1              | 780       | 1025             | 0.0              | 910       | 30               | 0.0              |
| 395       | 0                | 0.0              | 525       | 40511            | 60.6             | 655       | 48369            | 0.0              | 785       | 874              | 0.0              | 915       | 23               | 0.0              |
| 400       | 48               | 0.0              | 530       | 42223            | 58.2             | 660       | 42641            | 0.0              | 790       | 747              | 0.0              | 920       | 24               | 0.0              |
| 405       | 201              | 0.0              | 535       | 44137            | 55.0             | 665       | 37602            | 0.0              | 795       | 639              | 0.0              | 925       | 22               | 0.0              |
| 410       | 457              | 0.0              | 540       | 46032            | 50.9             | 670       | 32798            | 0.0              | 800       | 547              | 0.0              | 930       | 22               | 0.0              |
| 415       | 925              | 0.1              | 545       | 48553            | 46.6             | 675       | 28558            | 0.0              | 805       | 473              | 0.0              | 935       | 17               | 0.0              |
| 420       | 1816             | 0.3              | 550       | 51408            | 42.0             | 680       | 24782            | 0.0              | 810       | 401              | 0.0              | 940       | 13               | 0.0              |
| 425       | 3217             | 0.8              | 555       | 54711            | 37.4             | 685       | 21386            | 0.0              | 815       | 351              | 0.0              | 945       | 6                | 0.0              |
| 430       | 5520             | 1.9              | 560       | 58847            | 32.9             | 690       | 18413            | 0.0              | 820       | 307              | 0.0              | 950       | 10               | 0.0              |
| 435       | 9225             | 4.1              | 565       | 63386            | 28.4             | 695       | 15721            | 0.0              | 825       | 261              | 0.0              | 955       | 11               | 0.0              |
| 440       | 15522            | 8.7              | 570       | 68196            | 24.1             | 700       | 13432            | 0.0              | 830       | 228              | 0.0              | 960       | 8                | 0.0              |
| 445       | 27642            | 18.5             | 575       | 73613            | 20.0             | 705       | 11513            | 0.0              | 835       | 193              | 0.0              | 965       | 12               | 0.0              |
| 450       | 36602            | 28.3             | 580       | 79207            | 16.3             | 710       | 9780             | 0.0              | 840       | 174              | 0.0              | 970       | 3                | 0.0              |
| 455       | 28292            | 24.7             | 585       | 84248            | 12.9             | 715       | 8356             | 0.0              | 845       | 151              | 0.0              | 975       | 8                | 0.0              |
| 460       | 21166            | 20.4             | 590       | 88397            | 9.8              | 720       | 7161             | 0.0              | 850       | 123              | 0.0              | 980       | 2                | 0.0              |
| 465       | 19092            | 20.1             | 595       | 91428            | 7.3              | 725       | 6067             | 0.0              | 855       | 106              | 0.0              | 985       | 13               | 0.0              |
| 470       | 14951            | 17.2             | 600       | 93452            | 5.3              | 730       | 5164             | 0.0              | 860       | 95               | 0.0              | 990       | 16               | 0.0              |
| 475       | 12606            | 15.7             | 605       | 93959            | 3.7              | 735       | 4393             | 0.0              | 865       | 82               | 0.0              | 995       | 20               | 0.0              |
| 480       | 13323            | 18.0             | 610       | 93079            | 2.5              | 740       | 3694             | 0.0              | 870       | 77               | 0.0              | 1000      | 0                | 0.0              |
| 485       | 15164            | 21.9             | 615       | 90707            | 1.7              | 745       | 3157             | 0.0              | 875       | 65               | 0.0              |           |                  |                  |

REPORT NUMBER: SP1-2407-157-9





TM-30-18

### Summary

$R_f = 84.7$   
 $R_g = 94.6$   
 $CIE R_a = 80.9$   
 $R_g = -1.5$




### Color Vector Graphics






Individual Sample Fidelity Index ( $R_{f,i}$ )


|            |            |            |            |
|------------|------------|------------|------------|
| CES01 = 86 | CES26 = 84 | CES51 = 95 | CES76 = 81 |
| CES02 = 63 | CES27 = 95 | CES52 = 94 | CES77 = 84 |
| CES03 = 31 | CES28 = 94 | CES53 = 89 | CES78 = 81 |
| CES04 = 71 | CES29 = 87 | CES54 = 91 | CES79 = 89 |
| CES05 = 50 | CES30 = 94 | CES55 = 90 | CES80 = 89 |
| CES06 = 52 | CES31 = 89 | CES56 = 86 | CES81 = 69 |
| CES07 = 43 | CES32 = 82 | CES57 = 85 | CES82 = 96 |
| CES08 = 41 | CES33 = 91 | CES58 = 86 | CES83 = 93 |
| CES09 = 29 | CES34 = 92 | CES59 = 91 | CES84 = 92 |
| CES10 = 77 | CES35 = 96 | CES60 = 94 | CES85 = 76 |
| CES11 = 60 | CES36 = 90 | CES61 = 89 | CES86 = 65 |
| CES12 = 66 | CES37 = 96 | CES62 = 94 | CES87 = 84 |
| CES13 = 44 | CES38 = 98 | CES63 = 87 | CES88 = 86 |
| CES14 = 74 | CES39 = 98 | CES64 = 82 | CES89 = 73 |
| CES15 = 72 | CES40 = 95 | CES65 = 78 | CES90 = 88 |
| CES16 = 48 | CES41 = 96 | CES66 = 81 | CES91 = 82 |
| CES17 = 50 | CES42 = 97 | CES67 = 80 | CES92 = 64 |
| CES18 = 57 | CES43 = 91 | CES68 = 83 | CES93 = 78 |
| CES19 = 73 | CES44 = 99 | CES69 = 88 | CES94 = 59 |
| CES20 = 67 | CES45 = 93 | CES70 = 80 | CES95 = 74 |
| CES21 = 87 | CES46 = 89 | CES71 = 79 | CES96 = 83 |
| CES22 = 79 | CES47 = 92 | CES72 = 92 | CES97 = 88 |
| CES23 = 92 | CES48 = 83 | CES73 = 75 | CES98 = 83 |
| CES24 = 91 | CES49 = 90 | CES74 = 91 | CES99 = 74 |
| CES25 = 72 | CES50 = 94 | CES75 = 81 |            |



Color Rendition by Hue-Angle Bin



**Measure Comparisons**



(END OF REPORT)